



Data Validation (DV) Report for TESS ID 332064670 Sectors 21 - 21

This Data Validation Report was produced in the TESS Science Processing Operations Center (SPOC) Pipeline at NASA Ames Research Center

29-Feb-2020 18:21:09 Z

Contents

1	Summary	1
2	Survey Image	2
3	Flux Time Series	3
4	Dashboards	5
5	Pixel Level Diagnostics 5.1 Planet Candidate 1 5.2 Difference Image TIC Key	6 6 10
6	Phased Light Curves	11
7	Planet Candidate 17.1Model Fitter: All Transits7.2Model Fitter: Reduced Parameter Fit Results7.3Model Fitter: Trapezoidal Fit Results7.4Validation Tests7.4.1Weak Secondary Test7.4.2Eclipsing Binary Discrimination Test7.4.3Bootstrap Test7.4.4Ghost Diagnostic Test7.4.5Validation Test Figures	 14 14 20 22 24 24 24 25 26
A	ppendices	29
A	Planet Candidate 1 A.1 Model Fitter: All Transits A.2 Model Fitter: Odd & Even Transits A.3 Eclipsing Binary Discrimination Test	 29 29 31 38 39
D		ม ฮ

1 Summary

Target Properties	Value	Uncertainty	Units	Provenance
Catalog ID	332064670			
TOI ID	-			
TESS Name	-			
RA	133.14921387	0	degrees	TIC8
Dec	28.33082136	0	degrees	TIC8
Magnitude	5.2058	0.0061		TIC8
Radius	0.964	0.065	Solar radii	TIC8
Effective Temperature	5250	148	Kelvin	TIC8
$\log(g)$	4.425	0.093593	$\rm cm/sec^2$	TIC8
[M/H]	0.350	0.1	Solar metallicity	TIC8
Stellar Density	1.006	0.227	Solar density	TIC8-Derived
Limb Darkening Coefficient 1	0.7312			
Limb Darkening Coefficient 2	-0.595			
Limb Darkening Coefficient 3	1.0552			
Limb Darkening Coefficient 4	-0.4595			
Number of Planet Candidates	1			
TOI Model	csv-file-toi-catalog-02-28	-20-edited.csv		
TESS Names Model	-			
External TCE Model	-			
Software Revision	spoc-4.0.21-20200227			
Date Report Generated	29-Feb-2020 18:21:09 Z			

Sector	Target	Camera/	Crowding	Flux
	Table	CCD	Metric	Fraction
21	196	1:3	0.9990	0.9704

Planet Candidate	TOI ID	TESS Name	TOI Correlation	Period (days)	Period Ratio	Epoch (BTJD)	Semi-major Axis (AU)	Radius (Re)	Seff	Teq (K)	False Alarm	Suspected EB
1	-	-	-	0.736	1.00	1870.694	0.02	2.0	2658.1	1831	3.02e-166	false



2 Survey Image

Declination

2 SURVEY IMAGE

Digitized Sky Survey (DSS) red image. The 5' x 5' image is centered on the J2000 coordinates of target (332064670).

3 Flux Time Series



Summary plot of sector-stitched flux time series and transits for target 332064670, marked with DV fitted epoch/period (or TPS epoch/period if fit was not successful). Transits of identified planets are labeled with epoch BTJD and orbital period. For the data of sector 21, target table 196, start BJD is 2458870. Open ./summary-plots/000000332064670-00-flux-dv-fit-21-196.fig



Summary plot of raw flux time series. For the data of sector 21, target table 196, start BJD is 2458870. Open ./summary-plots/000000332064670-00-raw-flux-21-196.fig

4 Dashboards

Planet Candidate 1

Model Fitter	Stellar Radius 1.0 ± 0.1 Solar units Period = 0.7 ± 0.0 days Depth = 382 ± 7 ppm Planet Radius = 2.0 ± 0.3 Earth ra Semi-major Axis = 0.0 ± 0.0 AU Effective Stellar Flux = 2658.1 ± 49 Equilibrium Temperature = $1831 \pm$ Chi-squared/DoF = 0.8 SNR = 52.8	dii 99.7 86 Kelvin	Core Aperture Correlation Statistic Value = N/A Significance = N/A Halo Aperture Correlation Statistic Value = N/A Significance = N/A Core/Halo Ratio Ratio = N/A	Ghost Diagnostic Test
Eclipsing Binary Discrimination Test	Odd-Even Depth Comparison Statistic Value = 5.15e-03 Significance = 94.28%		Offsets Relative to Out of Transit Centroid Source RA Offset = $-1.21e+01 \pm 2.50e+00$ arcsec (-4.82σ) Source Dec Offset = $-4.83e+01 \pm 2.50e+00$ arcsec (-19.33σ) Source Offset Distance = $4.98e+01 \pm 2.50e+00$ arcsec (19.92σ) Offsets Relative to TIC Position Source RA Offset = $-1.46e+01 \pm 2.50e+00$ arcsec (-5.83σ) Source Dec Offset = $-4.47e+01 \pm 2.50e+00$ arcsec (-17.86σ) Source Offset Distance = $4.70e+01 \pm 2.50e+00$ arcsec (18.79σ)	Difference Image Centroid Offsets
	Shorter Period Comparison Statistic Value = N/A Significance = N/A	Longer Period Comparison Statistic Value = N/A Significance = N/A	False Alarm = 3.02e-166 Transit Count = 37 Max Multiple Event Statistic = 31.0	Bootstrap Test

Summary of model fitter results and validation test results for target 332064670, planet candidate 1. In general, green denotes that the candidate is likely a planet, while red denotes that the candidate is unlikely to be a planet. Cyan denotes that no data is available. The color of the Model Fitter block is: green, when the SNR of the fit is greater than or equal to 10; yellow, if the SNR is greater than or equal to 7.1 but less than 10; red, if the SNR is less than 7.1 or if the fitter failed. The color of the Ghost Diagnostic Test and Eclipsing Binary Discrimination Test blocks are: green, when the significance is within 2-sigma; yellow, when the significance is between 2- and 3-sigma; red when the significance is greater than 3-sigma. The color of the Difference Image Centroid Offsets block is: green, when the max offset distance sigma is less than or equal to 2; yellow, when the max sigma is between 2 and 3; red when the max sigma is greater than 3. The color of the Bootstrap Test block is: green whenever the false alarm probability is less than 10^{-12} , low enough to limit the total number of false alarms from a four year mission to less than one. If the false alarm probability is greater than 10^{-12} , the color of the Bootstrap Test block is: green, when the false alarm probability is less than or equal to the CCDF of a Gaussian distribution at the observed maximum multiple event statistic; yellow when the false alarm probability is between 1 and 2 times that of a Gaussian distribution at the max multiple event statistic.

5 Pixel Level Diagnostics

To reduce clutter, the catalog IDs in the difference images have been replaced by indices representing distance from the target star. The mapping between the indices and the catalog IDs is found in a table at the end of this section.

5.1 Planet Candidate 1

Mean offset from the PRF fit to the out of transit image				Mean offset from the TIC RA and Dec				
	RA	Dec	Units	- 	$\mathbf{R}\mathbf{A}$	Dec	Units	
Offset	$-12.0651 \pm 2.50e + 00$	$-48.3476 \pm 2.50e + 00$	arcseconds	Offset	$-14.5799 \pm 2.50e + 00$	$-44.6844 \pm 2.50e + 00$	arcseconds	
Offset/σ	-4.82	-19.33		$Offset/\sigma$	-5.83	-17.86		
Offset Distance	$49.8303\pm$	2.50e + 00	arcseconds	Offset Distance	$47.0028\pm$	2.50e + 00	arcseconds	
Offset Distance/ σ	19.	.92		Offset Distance/ σ	18	.79		
3σ Radius	7.50	049	arcseconds	3σ Radius	7.5	050	arcseconds	

Multi-Sector Average PRF Fit of the Difference Images



Difference image centroid offsets for target 332064670, planet candidate 1. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star (out-of-transit centroid in left panel and TIC position in right panel); green asterisk: TIC location of target star with respect to out-of-transit centroid; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked object. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

 $Open \ \texttt{./planet-01/difference-image/0000000332064670-01-difference-image-centroid-offsets.fig}$



Difference image centroid offsets for target 332064670, planet candidate 1, diplayed on survey image for given target. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TIC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star (out-of-transit centroid in left panel and TIC position in right panel); green asterisk: TIC location of target star with respect to out-of-transit centroid; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked object. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

 $Open \ ./\texttt{planet-01/difference-image/0000000332064670-01-difference-image-centroid-offsets-survey.fig}$

Number of	Number of	Number of	Fraction of	Quality
Difference Images	Metrics	Good Metrics	Good Metrics	Threshold
1	1	0	0.0000	0.70

Difference Image Summary Metrics



Difference Image Planet Candidate 1 / Sector 21 / Target Pixel Table 196

Difference image for target 332064670, planet candidate 1, sector 21, target pixel table 196. Upper left: difference between mean flux out-of-transit and in-transit; upper right: mean out-of-transit flux; lower left: mean in-transit flux; lower right: difference between mean flux out-of-transit and in-transit after normalizing by the uncertainty in the difference for each pixel. The optimal aperture is outlined with a white dash-dotted line in each panel and the target mask is outlined with a solid white line. Symbol key: x: target position from TIC RA and Dec converted to CCD coordinates via motion polynomials; *: position of nearby TIC objects converted to CCD coordinates via motion polynomials; +: PRF-fit location of target from out-of-transit image; triangle: PRF-fit location of transit source from the difference image. Number of transit cadence gaps = 11; number of valid out-of-transit cadences = 3154; number of out-of-transit cadence gaps = 24. Difference image quality metric = 0.20 (not good).

Open ./planet-01/difference-image/0000000332064670-01-difference-image-21-196.fig

5 PIXEL LEVEL DIAGNOSTICS

PRF Fit of the Difference Image

Offset from the PRF fit to the out of transit image

	Row	Column	Units	RA	Dec	Units
Out of Transit Image Centroid	$802.48 \pm 2.16e - 06$	$908.85 \pm 2.45 e - 06$	pixels	$133.14533936 \pm 1.07e - 06$	$28.33053481 \pm 1.11e - 06$	degrees
Difference Image Centroid	$800.02 \pm 4.95 e - 03$	$908.82 \pm 5.01 e - 03$	pixels	$133.14153192 \pm 3.15e - 05$	$28.31710492 \pm 2.50e - 05$	degrees
Offset	$-2.4533 \pm 4.95e - 03$	$-0.0347 \pm 5.01e - 03$	pixels	$-12.0651 \pm 1.03e - 01$	$-48.3476 \pm 9.00e - 02$	arcseconds
Offset/σ	-495.31	-6.92		-117.08	-537.36	
Offset Distance	$2.4535 \pm 4.99e - 03$		pixels	49.8303 ± 9	9.91e - 02	arcseconds
Offset Distance/ σ 492.15		503.06				

Offset from the TIC RA and Dec converted to pixels via motion polynomials

	Row	Column	Units	RA	Dec	Units
TIC Reference Centroid	$802.33 \pm 1.93e - 04$	$909.01 \pm 1.87e - 04$	pixels	$133.14613295 \pm 0.00e + 00$	$28.32951724 \pm 0.00e + 00$	degrees
Difference Image Centroid	$800.02 \pm 4.95 e - 03$	$908.82 \pm 5.01 e - 03$	pixels	$133.14153192 \pm 3.15e - 05$	$28.31710492 \pm 2.50e - 05$	degrees
Offset	$-2.3115 \pm 4.96e - 03$	$-0.1962 \pm 5.02e - 03$	pixels	$-14.5799 \pm 9.97e - 02$	$-44.6844 \pm 8.99e - 02$	arcseconds
$Offset/\sigma$	-466.34	-39.12		-146.29	-497.13	
Offset Distance	$2.3198 \pm 5.15e - 03$		pixels	47.0028 ± 3	1.01e - 01	arcseconds
Offset Distance/ σ 450.77		.77		463	.40	

5.2 Difference Image TIC Key

Index	Catalog ID	Mag	${f RA}\ ({f degrees})$	${ m Dec}\ ({ m degrees})$	Distance (arcsec)
1	332064670	5.206	133.14613295	28.32951724	0.00
2	332064684	10.333	133.16721055	28.31497400	84.87
3	332064678	10.505	133.11402380	28.32514798	102.96

RA, Dec and Distances are corrected for proper motion. This table may not contain all of the objects shown.

6 Phased Light Curves



Phased unwhitened flux time series is plotted in black dots. When all transits fit completed with full or secondary convergence, the phase is determined with the TPS epoch and period. The values of the phased unwhitened flux time series averaged in one cadence wide bins are plotted in bigger blue dots. When all transits fit completes with full or secondary convergence, the averaged values of the phased unwhitened fitted model light curve are plotted in red dots. Transit event markers in different colors indicate the locations of the transits of all planet candidates. The transits of the same planet candidate are labeled with the markers of the same color, for example, blue markers for transits of plane candidate #1, red markers for transits of planet candidate #2, etc.

 $Open \ \texttt{./summary-plots/0000000332064670-01-phased-unwhitened-flux-time-series.fig}$



Phased whitened flux time series is plotted in black dots. When all transits fit completed with full or secondary convergence, the phase is determined with the fitted epoch and period; otherwise, the phase is determined with the TPS epoch and period. The values of the phased whitened flux time series averaged in one cadence wide bins are plotted in bigger blue dots. When all transits fit completes with full or secondary convergence, the averaged values of the phased whitened fitted model light curve are plotted in red dots. Transit event markers in different colors indicate the locations of the transits of all planet candidates. The transits of the same planet candidate are labeled with the markers of the same color, for example, blue markers for transits of plane candidate #1, red markers for transits of planet candidate #2, etc. Open ./summary-plots/000000332064670-01-phased-whitened-flux-time-series.fig

Planet: 1 Phased Unwhitened Flux Time Series by Sector



Phased unwhitened flux time series by sector for target 332064670, planet candidate 1. Period = 0.73649 days; transit epoch = 1870.6935 BTJD. Open ./summary-plots/000000332064670-01-phased-unwhitened-flux-time-series-by-sector.fig

7 Planet Candidate 1

7.1 Model Fitter: All Transits

Model Characteristic	Name				
Transit Model	mandel-agol_geometric_transit_model				
Limb Darkening Model	claret_tess_nonline	ar_limb_darkenir	ng_model		
TCE Parameter		Value	Units		
Trial Transit Pulse Durat	ion	1.5	hours		
Transit Epoch		1870.6871772	TJD		
Orbital Period		0.7365478	days		
Maximum SES		7.8			
Maximum MES		31.0			
Robust Statistic		45.4			
Chi Square Goodness of H	Fit Statistic (DoF)	1272.9(1373)			
Chi Square2 Statistic (Do	F)	99.5(220.8)			
Threshold for Desired PF.	A				

DoF: Degrees of Freedom

Parameter	Value	Uncertainty	Units
SNR	52.8		
Orbital Period	0.7364904	1.8312e-05	days
Transit Epoch	1870.6935355	3.6855e-04	BTJD
Impact Parameter	0.7007	3.7321e-01	
Planet Radius to Star Radius Ratio	0.0191641	2.0674e-03	
Semi-major Axis to Star Radius Ratio	2.7669	$1.2195e{+}00$	
Planet Radius	2.0158	2.5698e-01	Earth radii
Semi-major Axis	0.0154	1.3093e-03	AU
Effective Stellar Flux	2658.1012	$4.9965e{+}02$	Goldilocks
Equilibrium Temperature	1831	8.6060e + 01	Kelvin
Stellar Density	0.5247	6.9371e-01	Solar density
Transit Depth	382	7.1920e + 00	ppm
Transit Duration	1.5761	5.5838e-02	hours
Transit Ingress Duration	0.0586	6.6186e-02	hours
Eccentricity	0.0000	0.0000e+00	
Peri Longitude	0.0000	0.0000e+00	degrees
Model Chi Square Statistic (DoF)	6504.2(7746.8)		
Model Chi Square Goodness of Fit Statistic (DoF)	978.4(1720)		
Model Chi Square2 Statistic (DoF)	29.9(33)		

DoF: Degrees of Freedom



Flux time series for CatId 332064670, Planet candidate 1 in the unwhitened domain. For the data of Sector-21/TargetTableId-196, start BJD is 2458870. Transit event markers indicate the location of transits of the given planet candidate. All transits fit completed with full convergence. Open ./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000332064670-01-all-unwhitened-21-196.fig



Folded flux time series for CatId 332064670, Planet candidate 1 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the all transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. All transits fit completed with full convergence.

 $Open \ ./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000332064670-01-all-whitened.fig \ ...$



Folded flux time series for CatId 332064670, Planet candidate 1 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux

time series; the red dots represent the averaged values of the fitted model light curve of the all transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. All transits fit completed with full convergence.

Open ./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000332064670-01-all-whitened-zoomed.fig

Impact	SNR	Model	Planet Radius	Uncert	Semi-major Axis	Uncert	Transit	Uncert	Transit	Uncert
Parameter		Chi Square	to Star Radius		to Star Radius		\mathbf{Depth}		Duration	
							(ppm)		(hours)	
0.10	55.4	8808.0	0.0178780	1.6957 e-04	3.7109	2.7563e-02	384	7.2518e + 00	1.5562	1.1844e-02
0.30	55.0	8840.3	0.0180495	1.7274e-04	3.5728	2.6429e-02	385	7.3222e+00	1.5573	1.1877 e-02
0.50	55.3	8809.4	0.0184385	1.7516e-04	3.2753	2.3753e-02	385	7.2701e+00	1.5622	1.1872e-02
0.70	55.3	8807.5	0.0191940	1.8260e-04	2.7646	1.9449e-02	383	$7.2541e{+}00$	1.5790	1.2141e-02
0.90	55.0	8834.3	0.0211646	2.0433e-04	1.8766	1.2417e-02	382	7.3263e + 00	1.6730	1.4702e-02

7.2 Model Fitter: Reduced Parameter Fit Results

Highlighted row is the best reduced-parameter model fit.



Model chi squares of reduced parameter fits vs. impact parameter for CatId 332064670, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open ./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000332064670-01-reduced-fits-chi-square.fig



Ratios of planet radius to star radius of reduced parameter fits vs. impact parameter for CatId 332064670, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

```
Open ./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000332064670-01-reduced-fits-rp-over-rstar.fig
```



Ratios of semimajor axis to star radius of reduced parameter fits vs. impact parameter for CatId 332064670, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open ./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000332064670-01-reduced-fits-a-over-rstar.fig

7.3 Model Fitter: Trapezoidal Fit Results

Model Characteristic Name

Transit Modeltrapezoidal_modelLimb Darkening Model

TCE Parameter	Value	Units
Trial Transit Pulse Duration	1.5	hours
Transit Epoch	1870.6871772	TJD
Orbital Period	0.7365478	days
Maximum SES	7.8	
Maximum MES	31.0	
Robust Statistic	45.4	
Chi Square Goodness of Fit Statistic (DoF)	1272.9(1373)	
Chi Square2 Statistic (DoF)	99.5(220.8)	
Threshold for Desired PFA		

DoF: Degrees of Freedom

Parameter	Value	Uncertainty	Units
SNR	82.1		
Orbital Period	0.7365478		days
Transit Epoch	1870.6924166		BTJD
Transit Depth	364		ppm
Transit Duration	1.6489		hours
Transit Ingress Duration	0.1998		hours
Model Chi Square Statistic (DoF)	19526.0 (8658)		

DoF: Degrees of Freedom



Folded detrended flux time series for CatId 332064670, Planet candidate 1 and folded trapezoidal model light curve. Open ./planet-01/planet-search-and-model-fitting-results/trapezoidal-model-fit/0000000332064670-01-all-trapezoidal.fig



Zoomed folded detrended flux time series for CatId 332064670, Planet candidate 1 and folded trapezoidal model light curve. Open ./planet-01/planet-search-and-model-fitting-results/trapezoidal-model-fit/000000332064670-01-all-trapezoidal-zoomed.fig

7.4 Validation Tests

The Centroid Test and Eclipsing Binary Discrimination Test are chi-squared hypothesis tests. For these tests, a significance of 100% favors a planet, while 0% indicates an unlikely planet.

7.4.1 Weak Secondary Test

Result	Value	Uncertainty	Units	Statistic in Sigmas	Significance (%)
Orbital Period	0.73655		days		
Transit Duration	1.5		hours		
Maximum MES	31.0				
Secondary Phase	0.37083		days		
Secondary MES	2.4				
Minimum Phase	0.3		days		
Minimum MES	-1.5				
Median MES	0.1				
MAD MES	0.61443				
Robust Statistic	1.9				
Secondary Depth	14.4	7.1330e+00	ppm		
Geometric Albedo	0.5	2.6014e-01		-2.0569	98.02
Planet Effective Temperature	2338	3.2175e + 02	Kelvin	1.5214	6.41

7.4.2 Eclipsing Binary Discrimination Test

Result	Value	Value in Sigmas	Significance (%)
Odd Even Transit Depth Comparison Statistic	5.1486e-03	0.0718	94.28

7.4.3 Bootstrap Test

Result	Value
False Alarm Probability	3.0240e-166
Bootstrap Threshold for Desired PFA	7.9
MES Mean	-0.18
MES Standard Deviation	1.14
Transit Count	37

7.4.4 Ghost Diagnostic Test

Result	Value	Significance $(\%)$
Maximum MES	31.0	
SNR	52.8	
Core Aperture Statistic		
Halo Aperture Statistic		
Ratio of Core/Halo Aperture Statistics		

7.4.5 Validation Test Figures



The primary event has been set to zero and both the max and min of the resulting MES vs. Phase are marked with a red star. The best matched pulse duration in hours is 1.5. The maximum secondary MES and corresponding phase are 2.4288 and 0.37083 days respectively. The minimum secondary MES and corresponding phase are -1.4665 and 0.3 days respectively.

Open ./planet-01/report-summary/0000000332064670-01-weak-secondary-diagnostic.fig



Bootstrap Results for Planet 1 Max Multiple Event Sigma=31.0, False Alarm=3.02e-166

Bootstrap results for target 332064670, planet 1. Cumulative sum of the probabilities (derived from the histogram of counts) from upper tail to the search transit threshold; false alarm probability is indicated by the star. The Gaussian equivalent threshold for this false alarm probability is 27.455. The threshold on this distribution that achieves the same false alarm rate as a 7.1 sigma threshold on a Gaussian distribution is 7.9021. Open ./planet-01/bootstrap-results/0000000332064670-01-bootstrap-false-alarm.fig

No figures named 0000000332064670-01-*-unwhitened-cotrended-zoomed-model.fig are available.

Appendix A Planet Candidate 1

A.1 Model Fitter: All Transits



Robust weights distribution for CatId 332064670, Planet candidate 1. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open ./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000332064670-01-all-robust-weights.fig



Fit residuals distribution for CatId 332064670, Planet candidate 1. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.





Fit residuals distribution for CatId 332064670, Planet candidate 1. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open ./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000332064670-01-all-histo-all-and-unused.fig

A.2 Model Fitter: Odd & Even Transits

Parameter	Odd Transits Value	Odd Transits Uncertainty	Even Transits Value	Even Transits Uncertainty	Units	$\frac{\text{Difference}}{\ \text{Uncertainty}\ }$
SNR	38.0		36.5			
Orbital Period	0.7365028	2.5568e-05	0.7364706	2.6977e-05	days	8.6611e-01
Transit Epoch	1870.6934449	5.1438e-04	1871.4302410	5.1716e-04	BTJD	4.1911e-01
Impact Parameter	0.7002	5.2737e-01	0.7018	5.3392e-01		2.2069e-03
Planet Radius to Star Radius Ratio	0.0191505	2.9100e-03	0.0191859	2.9730e-03		8.5217e-03
Semi-major Axis to Star Radius Ratio	2.7489	1.7049e + 00	2.7849	1.7676e + 00		1.4651e-02
Planet Radius	2.0144	3.3529e-01	2.0181	3.4144e-01	Earth radii	7.7926e-03
Semi-major Axis	0.0154	1.3093e-03	0.0154	1.3093e-03	AU	2.4265e-04
Effective Stellar Flux	2658.0413	4.9964e + 02	2658.1963	4.9967e + 02	Goldilocks	2.1924e-04
Equilibrium Temperature	1831	$8.6059e{+}01$	1831	8.6061e+01	Kelvin	2.1924e-04
Stellar Density	0.5145	9.5721e-01	0.5350	1.0186e+00	Solar density	1.4676e-02
Transit Depth	381	$9.9515e{+}00$	383	$1.0395e{+}01$	ppm	7.1754e-02
Transit Duration	1.5885	7.9264e-02	1.5629	7.9971e-02	hours	2.2753e-01
Transit Ingress Duration	0.0590	9.3875e-02	0.0583	9.4666e-02	hours	4.7784e-03
Eccentricity	0.0000	0.0000e+00	0.0000	0.0000e+00		
Peri Longitude	0.0000	0.0000e+00	0.0000	0.0000e+00	degrees	
Model Chi Square Statistic (DoF)	$6506.8\ (7743.5)$		6506.8(7743.5)			

DoF: Degrees of Freedom



Folded flux time series for CatId 332064670, Planet candidate 1 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Odd-even transits fit completed with full convergence. Open ./planet-o1/planet-search-and-model-fitting-results/odd-even-transits-fit/000000332064670-01-odd-even-whitened.fig



Folded flux time series for CatId 332064670, Planet candidate 1 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the fitted model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. Odd-even transits fit completed with full convergence.

Open ./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000332064670-01-odd-even-whitened-zoomed.fig



Robust weights distribution for CatId 332064670, Planet candidate 1. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open ./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000332064670-01-odd-even-robust-weights.fig



Fit residuals distribution for CatId 332064670, Planet candidate 1. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.





Fit residuals distribution for CatId 332064670, Planet candidate 1. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open ./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000332064670-01-odd-even-histo-all-and-unused.fig

A.3 Eclipsing Binary Discrimination Test



Top-left: Diagnostic plot of Odd/Even Transit Depth Test for catId 332064670, planet 1. A significance level close to 1/0 favors a transiting planet/an eclipsing binary. Open ./planet-01/binary-discrimination-test-results/000000332064670-01-eclipsing-binary-discrimination-tests.fig

Appendix B Alerts

Time	Severity	Message
1909.2655	warning	ghost diagnostic test will not be performed for saturated target (target=1, catId=332064670, component=ghostDiagnosticTests)