



Data Validation (DV) Report
for TESS ID 47911178
Sectors 6 - 6

This Data Validation Report was produced in the
TESS Science Processing Operations Center (SPOC) Pipeline
at NASA Ames Research Center

17-Feb-2019 00:16:48 Z

Contents

1	Summary	1
2	Survey Image	2
3	Flux Time Series	3
4	Dashboards	5
5	Pixel Level Diagnostics	6
5.1	Planet Candidate 1	6
5.2	Difference Image TIC Key	10
6	Phased Light Curves	12
7	Planet Candidate 1	15
7.1	Model Fitter: All Transits	15
7.2	Model Fitter: Reduced Parameter Fit Results	19
7.3	Model Fitter: Trapezoidal Fit Results	21
7.4	Validation Tests	23
7.4.1	Weak Secondary Test	23
7.4.2	Eclipsing Binary Discrimination Test	23
7.4.3	Bootstrap Test	24
7.4.4	Ghost Diagnostic Test	24
7.4.5	Validation Test Figures	25
Appendices		29
A	Planet Candidate 1	29
A.1	Model Fitter: All Transits	29
A.2	Model Fitter: Odd & Even Transits	31
A.3	Eclipsing Binary Discrimination Test	36
B	Alerts	37


1 Summary

Target Properties	Value	Uncertainty	Units	Provenance
Catalog ID	47911178			
TOI ID	-			
TESS Name	-			
RA	98.35110100	0	degrees	TIC7
Dec	-23.48620300	0	degrees	TIC7
Magnitude	9.776	0.018		TIC7
Radius	1.290	0.000	Solar radii	TIC7
Effective Temperature	6400	0	Kelvin	TIC7
log(g)	4.344	0	cm/sec ²	TIC7
[M/H]	0.000	0	Solar metallicity	Solar
Stellar Density	0.625	0.000	Solar density	TIC7-Derived
Limb Darkening Coefficient 1	0.445			
Limb Darkening Coefficient 2	0.43233			
Limb Darkening Coefficient 3	-0.34703			
Limb Darkening Coefficient 4	0.084461			
Number of Planet Candidates	1			
TOI Model	-			
TESS Names Model	-			
External TCE Model	-			
Software Revision	spoc-3.3.57-20190215			
Date Report Generated	17-Feb-2019 00:16:48 Z			

Sector	Target Table	Camera/ CCD	Crowding Metric	Flux Fraction
6	141	2:2	0.9624	0.8627


Planet Candidate	TOI ID	TESS Name	TOI Correlation	Period (days)	Period Ratio	Epoch (BTJD)	Semi-major Axis (AU)	Radius (Re)	Seff	Teq (K)	False Alarm	Suspected EB
1	-	-	-	3.586	1.00	1470.304	0.05	15.5	977.5	1426	0.00e+00	false

2 Survey Image




Digitized Sky Survey (DSS) red image. The 5' x 5' image is centered on the J2000 coordinates of target (47911178).

3 Flux Time Series



Summary plot of sector-stitched flux time series and transits for target 47911178, marked with DV fitted epoch/period (or TPS epoch/period if fit was not successful). Transits of identified planets are labeled with epoch BTJD and orbital period. For the data of sector 6, target table 141, start BJD is 2458468. Open `./summary-plots/0000000047911178-00-flux-dv-fit-06-141.fig`



Summary plot of raw flux time series. For the data of sector 6, target table 141, start BJD is 2458468.
Open `./summary-plots/000000047911178-00-raw-flux-06-141.fig`

4 Dashboards

Planet Candidate 1

Model Fitter	Stellar Radius 1.3 ± 0.0 Solar units		Core Aperture Correlation Statistic Value = 106.92 Significance = 100.00%		Ghost Diagnostic Test	
	Period = 3.6 ± 0.0 days Depth = 12321 ± 75 ppm Planet Radius = 15.5 ± 0.1 Earth radii Semi-major Axis = 0.1 ± 0.0 AU Effective Stellar Flux = 977.5 ± 0.0 Equilibrium Temperature = 1426 ± 0 Kelvin Chi-squared/DoF = 0.8 SNR = 168.4		Halo Aperture Correlation Statistic Value = 20.32 Significance = 100.00% Core/Halo Ratio Ratio = 5.26			
Eclipsing Binary Discrimination Test	Odd-Even Depth Comparison Statistic Value = 7.48e-01 Significance = 38.71%		Offsets Relative to Out of Transit Centroid Source RA Offset = -6.92e-01 ± 2.50e+00 arcsec (-0.28 σ) Source Dec Offset = -1.86e-01 ± 2.50e+00 arcsec (-0.07 σ) Source Offset Distance = 7.16e-01 ± 2.50e+00 arcsec (0.29 σ) Offsets Relative to TIC Position Source RA Offset = -4.25e-01 ± 2.50e+00 arcsec (-0.17 σ) Source Dec Offset = 2.48e-01 ± 2.50e+00 arcsec (0.10 σ) Source Offset Distance = 4.92e-01 ± 2.50e+00 arcsec (0.20 σ)		Difference Image Centroid Offsets	
	Shorter Period Comparison Statistic Value = <i>N/A</i> Significance = <i>N/A</i>	Longer Period Comparison Statistic Value = <i>N/A</i> Significance = <i>N/A</i>	False Alarm = 0.00e+00 Transit Count = 6 Max Multiple Event Statistic = 179.1		Bootstrap Test	

Summary of model fitter results and validation test results for target 47911178, planet candidate 1. In general, green denotes that the candidate is likely a planet, while red denotes that the candidate is unlikely to be a planet. Cyan denotes that no data is available. The color of the Model Fitter block is: green, when the SNR of the fit is greater than or equal to 10; yellow, if the SNR is greater than or equal to 7.1 but less than 10; red, if the SNR is less than 7.1 or if the fitter failed. The color of the Ghost Diagnostic Test and Eclipsing Binary Discrimination Test blocks are: green, when the significance is within 2-sigma; yellow, when the significance is between 2- and 3-sigma; red when the significance is greater than 3-sigma. The color of the Difference Image Centroid Offsets block is: green, when the max offset distance sigma is less than or equal to 2; yellow, when the max sigma is between 2 and 3; red when the max sigma is greater than 3. The color of the Bootstrap Test block is green whenever the false alarm probability is less than 10^{-12} , low enough to limit the total number of false alarms from a four year mission to less than one. If the false alarm probability is greater than 10^{-12} , the color of the Bootstrap Test block is: green, when the false alarm probability is less than or equal to the CCDF of a Gaussian distribution at the observed maximum multiple event statistic; yellow when the false alarm probability is between 1 and 2 times that of a Gaussian distribution at the max multiple event statistic; and red when the false alarm probability is more than 2 times that of a Gaussian distribution at the max multiple event statistic.

5 Pixel Level Diagnostics

To reduce clutter, the catalog IDs in the difference images have been replaced by indices representing distance from the target star. The mapping between the indices and the catalog IDs is found in a table at the end of this section.

5.1 Planet Candidate 1

Multi-Sector Average PRF Fit of the Difference Images



Mean offset from the PRF fit to the out of transit image

	RA	Dec	Units
Offset	$-0.6919 \pm 2.50e + 00$	$-0.1856 \pm 2.50e + 00$	arcseconds
Offset/ σ	-0.28	-0.07	
Offset Distance	$0.7163 \pm 2.50e + 00$		arcseconds
Offset Distance/ σ	0.29		
3σ Radius	7.5049		arcseconds

Mean offset from the TIC RA and Dec

	RA	Dec	Units
Offset	$-0.4249 \pm 2.50e + 00$	$0.2481 \pm 2.50e + 00$	arcseconds
Offset/ σ	-0.17	0.10	
Offset Distance	$0.4920 \pm 2.50e + 00$		arcseconds
Offset Distance/ σ	0.20		
3σ Radius	7.5053		arcseconds



Planet Candidate 1



Difference image centroid offsets for target 47911178, planet candidate 1. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked object. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

Open `./planet-01/difference-image/0000000047911178-01-difference-image-centroid-offsets.fig`

Planet Candidate 1




Difference image centroid offsets for target 47911178, planet candidate 1, displayed on survey image for given target. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TIC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked object. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

Open `./planet-01/difference-image/0000000047911178-01-difference-image-centroid-offsets-survey.fig`

Difference Image Summary Metrics

Number of Difference Images	Number of Metrics	Number of Good Metrics	Fraction of Good Metrics	Quality Threshold
1	1	1	1.0000	0.70

Difference Image
Planet Candidate 1 / Sector 6 / Target Pixel Table 141



Difference image for target 47911178, planet candidate 1, sector 6, target pixel table 141. Upper left: difference between mean flux out-of-transit and in-transit; upper right: mean out-of-transit flux; lower left: mean in-transit flux; lower right: difference between mean flux out-of-transit and in-transit after normalizing by the uncertainty in the difference for each pixel. The optimal aperture is outlined with a white dash-dotted line in each panel and the target mask is outlined with a solid white line. Symbol key: x: target position from TIC RA and Dec converted to CCD coordinates via motion polynomials; *: position of nearby TIC objects converted to CCD coordinates via motion polynomials; +: PRF-fit location of target from out-of-transit image; triangle: PRF-fit location of transit source from the difference image. Number of transits = 5; number of valid in-transit cadences = 275; number of in-transit cadence gaps = 0; number of valid out-of-transit cadences = 858; number of out-of-transit cadence gaps = 0. Difference image quality metric = 1.00 (good).

Open `./planet-01/difference-image/0000000047911178-01-difference-image-06-141.fig`

PRF Fit of the Difference Image

Offset from the PRF fit to the out of transit image

	Row	Column	Units	RA	Dec	Units
Out of Transit Image Centroid	$1262.18 \pm 2.84e - 05$	$955.90 \pm 2.58e - 05$	pixels	$98.35116659 \pm 6.71e - 07$	$-23.48595152 \pm 4.77e - 07$	degrees
Difference Image Centroid	$1262.17 \pm 5.22e - 03$	$955.87 \pm 4.74e - 03$	pixels	$98.35095704 \pm 2.71e - 05$	$-23.48600307 \pm 2.98e - 05$	degrees
Offset	$-0.0082 \pm 5.22e - 03$	$-0.0334 \pm 4.74e - 03$	pixels	$-0.6919 \pm 8.95e - 02$	$-0.1856 \pm 1.07e - 01$	arcseconds
Offset/ σ	-1.57	-7.05		-7.73	-1.73	
Offset Distance	$0.0344 \pm 4.76e - 03$		pixels	$0.7163 \pm 9.11e - 02$		arcseconds
Offset Distance/ σ	7.23			7.86		

Offset from the TIC RA and Dec converted to pixels via motion polynomials

	Row	Column	Units	RA	Dec	Units
TIC Reference Centroid	$1262.16 \pm 7.84e - 05$	$955.89 \pm 1.15e - 04$	pixels	$98.35108573 \pm 0.00e + 00$	$-23.48607198 \pm 0.00e + 00$	degrees
Difference Image Centroid	$1262.17 \pm 5.22e - 03$	$955.87 \pm 4.74e - 03$	pixels	$98.35095704 \pm 2.71e - 05$	$-23.48600307 \pm 2.98e - 05$	degrees
Offset	$0.0124 \pm 5.22e - 03$	$-0.0204 \pm 4.74e - 03$	pixels	$-0.4249 \pm 8.94e - 02$	$0.2481 \pm 1.07e - 01$	arcseconds
Offset/ σ	2.37	-4.31		-4.75	2.31	
Offset Distance	$0.0239 \pm 4.89e - 03$		pixels	$0.4920 \pm 9.37e - 02$		arcseconds
Offset Distance/ σ	4.89			5.25		


5.2 Difference Image TIC Key

Index	Catalog ID	Mag	RA (degrees)	Dec (degrees)	Distance (arcsec)
1	47911178	9.776	98.35108573	-23.48607198	0.00
2	47911173	17.581	98.35152500	-23.48076400	19.16
3	47912196	12.724	98.36218280	-23.48272197	38.57
4	47912190	16.499	98.36684889	-23.48537558	52.11
5	47912176	17.086	98.36560890	-23.49514704	58.02
6	47911158	14.823	98.34326464	-23.47013929	62.90
7	47912202	16.768	98.36848671	-23.47796606	64.44
8	47911183	17.522	98.37032678	-23.49140192	66.36
9	47911192	15.184	98.36197200	-23.50160000	66.46
10	47911187	16.668	98.33418200	-23.49707400	68.44
11	47912187	16.759	98.37185785	-23.48631535	68.59
12	47911186	14.207	98.33206447	-23.49616827	72.56
13	47912186	17.136	98.37457344	-23.48693276	77.61
14	47912181	14.903	98.37396460	-23.49135066	77.89
15	47911189	16.729	98.33251726	-23.50070047	80.82
16	47912192	15.328	98.37596688	-23.48400138	82.49
17	47911149	17.633	98.34489770	-23.46336653	84.25
18	47911180	16.882	98.32496334	-23.48769885	86.45
19	47911152	17.078	98.36151393	-23.46404345	86.45
20	47912180	17.229	98.37737674	-23.49176752	89.20
21	47911157	16.799	98.32945778	-23.47012309	91.63
22	47912179	17.449	98.37898600	-23.49223900	94.76
23	47911148	16.447	98.33679954	-23.46284162	96.01
24	47912207	17.154	98.37726300	-23.47094900	102.15
25	47911146	16.747	98.34059845	-23.45894966	103.60
26	47912204	17.174	98.38018111	-23.47417722	105.18
27	47912166	15.297	98.37389533	-23.50743216	107.63
28	47912227	18.680	98.35786600	-23.45577400	111.35
29	47912167	13.595	98.37817738	-23.50469828	111.79
30	47912206	17.434	98.38174826	-23.47273042	112.06
31	47912221	11.531	98.37151234	-23.46088886	112.99
32	47911142	11.559	98.34329140	-23.45509878	114.43
33	47911143	16.448	98.34206700	-23.45523800	114.93
34	47912158	17.122	98.36759024	-23.51418143	114.93
35	47911165	15.920	98.31686912	-23.47826898	116.42
36	47911195	15.820	98.32409070	-23.50850635	120.28
37	47911204	17.973	98.33924331	-23.51823105	122.20
38	47912153	15.694	98.36648749	-23.51764446	124.52

Index	Catalog ID	Mag	RA (degrees)	Dec (degrees)	Distance (arcsec)
39	47911140	17.337	98.33843381	-23.45337597	124.90
40	47912156	16.661	98.37087486	-23.51583235	125.49
41	47911145	11.157	98.32727678	-23.45887613	125.56
42	47912210	17.900	98.38560298	-23.46966143	128.37
43	47912215	15.223	98.38287301	-23.46454275	130.47
44	47912212	17.645	98.38462542	-23.46634024	131.56
45	47911194	14.507	98.31898718	-23.50802474	132.20
46	47912225	17.363	98.37584000	-23.45695818	132.91
47	47912220	17.631	98.38179224	-23.46127720	135.08
48	47912146	17.374	98.37687700	-23.52050200	150.38
49	47911207	17.206	98.31356693	-23.51938121	172.41


RA, Dec and Distances are corrected for proper motion. This table may not contain all of the objects shown.

6 Phased Light Curves




Phased unwhitened flux time series is plotted in black dots. When all transits fit completed with full or secondary convergence, the phase is determined with the fitted epoch and period; otherwise, the phase is determined with the TPS epoch and period. The values of the phased unwhitened flux time series averaged in one cadence wide bins are plotted in bigger blue dots. When all transits fit completes with full or secondary convergence, the averaged values of the phased unwhitened fitted model light curve are plotted in red dots. Transit event markers in different colors indicate the locations of the transits of all planet candidates. The transits of the same planet candidate are labeled with the markers of the same color, for example, blue markers for transits of plane candidate #1, red markers for transits of planet candidate #2, etc.

Open `./summary-plots/0000000047911178-01-phased-unwhitened-flux-time-series.fig`



Phased whitened flux time series is plotted in black dots. When all transits fit completed with full or secondary convergence, the phase is determined with the fitted epoch and period; otherwise, the phase is determined with the TPS epoch and period. The values of the phased whitened flux time series averaged in one cadence wide bins are plotted in bigger blue dots. When all transits fit completes with full or secondary convergence, the averaged values of the phased whitened fitted model light curve are plotted in red dots. Transit event markers in different colors indicate the locations of the transits of all planet candidates. The transits of the same planet candidate are labeled with the markers of the same color, for example, blue markers for transits of plane candidate #1, red markers for transits of planet candidate #2, etc.

Open `./summary-plots/000000047911178-01-phased-whitened-flux-time-series.fig`

Planet: 1 Phased Unwhitened Flux Time Series by Sector

Phased unwhitened flux time series by sector for target 47911178, planet candidate 1. Period = 3.5856 days; transit epoch = 1470.3039 BTJD.
Open `./summary-plots/000000047911178-01-phased-unwhitened-flux-time-series-by-sector.fig`

7 Planet Candidate 1

7.1 Model Fitter: All Transits


Model Characteristic	Name
Transit Model	mandel-agol_geometric_transit_model
Limb Darkening Model	claret_tess_nonlinear_limb_darkening_model

TCE Parameter	Value	Units
Trial Transit Pulse Duration	2.5	hours
Transit Epoch	1470.2984774	TJD
Orbital Period	3.5861104	days
Maximum SES	81.6	
Maximum MES	179.1	
Robust Statistic	161.7	
Chi Square Goodness of Fit Statistic (DoF)	1404.7 (374)	
Chi Square2 Statistic (DoF)	2.6 (2322.3)	
Threshold for Desired PFA		

DoF: Degrees of Freedom


Parameter	Value	Uncertainty	Units
SNR	168.4		
Orbital Period	3.5856175	8.4478e-05	days
Transit Epoch	1470.3039459	2.6908e-04	BTJD
Impact Parameter	0.7364	1.1607e-02	
Planet Radius to Star Radius Ratio	0.1102309	5.1965e-04	
Semi-major Axis to Star Radius Ratio	8.4124	1.5278e-01	
Planet Radius	15.5237	7.3182e-02	Earth radii
Semi-major Axis	0.0506	7.9457e-07	AU
Effective Stellar Flux	977.4757	3.0706e-02	Goldilocks
Equilibrium Temperature	1426	1.1200e-02	Kelvin
Stellar Density	0.6221	3.3894e-02	Solar density
Transit Depth	12321	7.5383e+01	ppm
Transit Duration	2.7202	2.0000e-02	hours
Transit Ingress Duration	0.5435	2.3166e-02	hours
Eccentricity	0.0000	0.0000e+00	
Peri Longitude	0.0000	0.0000e+00	degrees
Model Chi Square Statistic (DoF)	1568.3 (1928.5)		
Model Chi Square Goodness of Fit Statistic (DoF)	263.6 (424)		
Model Chi Square2 Statistic (DoF)	0.9 (4)		

DoF: Degrees of Freedom




Flux time series for CatId 47911178, Planet candidate 1 in the unwhitened domain. For the data of Sector-06/TargetTableId-141, start BJD is 2458468. Transit event markers indicate the location of transits of the given planet candidate. All transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000047911178-01-all-unwhitened-06-141.fig`



Folded flux time series for CatId 47911178, Planet candidate 1 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the all transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. All transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000047911178-01-all-whitened.fig`



Folded flux time series for CatId 47911178, Planet candidate 1 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux


time series; the red dots represent the averaged values of the fitted model light curve of the all transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. All transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000047911178-01-all-whitened-zoomed.fig`

7.2 Model Fitter: Reduced Parameter Fit Results


Impact Parameter	SNR	Model Chi Square	Planet Radius to Star Radius	Uncert	Semi-major Axis to Star Radius	Uncert	Transit Depth (ppm)	Uncert	Transit Duration (hours)	Uncert
0.10	175.9	2183.8	0.1027289	3.0840e-04	12.2477	3.6699e-02	12053	7.1946e+01	2.4595	7.3058e-03
0.30	174.1	2161.2	0.1034969	3.1273e-04	11.7517	3.5962e-02	12077	7.2548e+01	2.4794	7.5267e-03
0.50	176.1	2102.6	0.1052763	3.1216e-04	10.6875	3.4574e-02	12130	7.1473e+01	2.5327	8.1187e-03
0.70	176.7	2014.4	0.1090331	3.2129e-04	8.8470	3.2400e-02	12260	7.1660e+01	2.6760	9.7038e-03
0.90	173.7	2504.4	0.1276509	5.2912e-04	6.0194	3.8686e-02	13444	9.3635e+01	3.1338	1.9295e-02

Highlighted row is the best reduced-parameter model fit.




Model chi squares of reduced parameter fits vs. impact parameter for CatId 47911178, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000047911178-01-reduced-fits-chi-square.fig`



Ratios of planet radius to star radius of reduced parameter fits vs. impact parameter for CatId 47911178, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000047911178-01-reduced-fits-rp-over-rstar.fig`



Ratios of semimajor axis to star radius of reduced parameter fits vs. impact parameter for CatId 47911178, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000047911178-01-reduced-fits-a-over-rstar.fig`

7.3 Model Fitter: Trapezoidal Fit Results


Model Characteristic	Name
Transit Model	trapezoidal_model
Limb Darkening Model	

TCE Parameter	Value	Units
Trial Transit Pulse Duration	2.5	hours
Transit Epoch	1470.2984774	TJD
Orbital Period	3.5861104	days
Maximum SES	81.6	
Maximum MES	179.1	
Robust Statistic	161.7	
Chi Square Goodness of Fit Statistic (DoF)	1404.7 (374)	
Chi Square2 Statistic (DoF)	2.6 (2322.3)	
Threshold for Desired PFA		

DoF: Degrees of Freedom


Parameter	Value	Uncertainty	Units
SNR	198.4		
Orbital Period	3.5861104		days
Transit Epoch	1470.3025715		BTJD
Transit Depth	11952		ppm
Transit Duration	2.6690		hours
Transit Ingress Duration	0.5746		hours
Model Chi Square Statistic (DoF)	15113.3 (2981)		

DoF: Degrees of Freedom



Folded detrended flux time series for CatId 47911178, Planet candidate 1 and folded trapezoidal model light curve.

Open `./planet-01/planet-search-and-model-fitting-results/trapezoidal-model-fit/000000047911178-01-all-trapezoidal.fig`



Zoomed folded detrended flux time series for CatId 47911178, Planet candidate 1 and folded trapezoidal model light curve.

Open `./planet-01/planet-search-and-model-fitting-results/trapezoidal-model-fit/000000047911178-01-all-trapezoidal-zoomed.fig`

7.4 Validation Tests

The Centroid Test and Eclipsing Binary Discrimination Test are chi-squared hypothesis tests. For these tests, a significance of 100% favors a planet, while 0% indicates an unlikely planet.

7.4.1 Weak Secondary Test

Result	Value	Uncertainty	Units	Statistic in Sigmas	Significance (%)
Orbital Period	3.5861		days		
Transit Duration	2.5		hours		
Maximum MES	179.1				
Secondary Phase	2.2472		days		
Secondary MES	2.7				
Minimum Phase	2.3931		days		
Minimum MES	-2.8				
Median MES	0.0				
MAD MES	0.63299				
Robust Statistic	2.1				
Secondary Depth	150.9	6.8166e+01	ppm		
Geometric Albedo	0.9	3.9832e-01		-0.2966	61.66
Planet Effective Temperature	2137	2.4127e+02	Kelvin	2.9451	0.16

7.4.2 Eclipsing Binary Discrimination Test

Result	Value	Value in Sigmas	Significance (%)
Odd Even Transit Depth Comparison Statistic	7.4788e-01	0.8648	38.71


7.4.3 Bootstrap Test

Result	Value
False Alarm Probability	0.0000e+00
Bootstrap Threshold for Desired PFA	6.8
MES Mean	0.29
MES Standard Deviation	0.92
Transit Count	6

7.4.4 Ghost Diagnostic Test


Result	Value	Significance (%)
Maximum MES	179.1	
SNR	168.4	
Core Aperture Statistic	1.0692e+02	100.00
Halo Aperture Statistic	2.0318e+01	100.00
Ratio of Core/Halo Aperture Statistics	5.2620e+00	

7.4.5 Validation Test Figures




The primary event has been set to zero and both the max and min of the resulting MES vs. Phase are marked with a red star. The best matched pulse duration in hours is 2.5. The maximum secondary MES and corresponding phase are 2.7031 and 2.2472 days respectively. The minimum secondary MES and corresponding phase are -2.8182 and 2.3931 days respectively.

Open `./planet-01/report-summary/000000047911178-01-weak-secondary-diagnostic.fig`




Bootstrap results for target 47911178, planet 1. Cumulative sum of the probabilities (derived from the histogram of counts) from upper tail to the search transit threshold; false alarm probability is indicated by the star. The Gaussian equivalent threshold for this false alarm probability is Inf. The threshold on this distribution that achieves the same false alarm rate as a 7.1 sigma threshold on a Gaussian distribution is 6.819.

Open `./planet-01/bootstrap-results/000000047911178-01-bootstrap-false-alarm.fig`



Optical ghost diagnostic core aperture flux time series for target 47911178, planet candidate 1. The unwhitened time series is phase folded at the orbital period associated with the planet candidate and centered on the epoch of the first transit. The time series was first cotrended against spacecraft engineering data, motion proxies, and/or cotrending basis vectors (CBVs) to remove systematic effects. Flux time series data represent the mean per pixel flux in the core or haloaperture; phase folded data points are shown in the figure with black dots. Binned and averaged phase folded flux values are marked with filled blue circles. The unwhitened transit model light curve is displayed in the figure with a red line. The value and significance of the core aperture correlation statistic are displayed in the figure title if the statistic was successfully computed.

Open `./planet-01/ghost-diagnostic-results/0000000047911178-01-core-unwhitened-cotrended-zoomed-model.fig`




Optical ghost diagnostic halo aperture flux time series for target 47911178, planet candidate 1. The unwhitened time series is phase folded at the orbital period associated with the planet candidate and centered on the epoch of the first transit. The time series was first cotrended against spacecraft engineering data, motion proxies, and/or cotrending basis vectors (CBVs) to remove systematic effects. Flux time series data represent the mean per pixel flux in the core or haloaperture; phase folded data points are shown in the figure with black dots. Binned and averaged phase folded flux values are marked with filled blue circles. The unwhitened transit model light curve is displayed in the figure with a red line. The value and significance of the halo aperture correlation statistic are displayed in the figure title if the statistic was successfully computed.

Open `./planet-01/ghost-diagnostic-results/0000000047911178-01-halo-unwhitened-cotrended-zoomed-model.fig`


Appendix A Planet Candidate 1

A.1 Model Fitter: All Transits





Robust weights distribution for CatId 47911178, Planet candidate 1. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000047911178-01-all-robust-weights.fig`



Fit residuals distribution for CatId 47911178, Planet candidate 1. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000047911178-01-all-histo-used.fig`





Fit residuals distribution for CatId 47911178, Planet candidate 1. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000047911178-01-all-histo-all-and-unused.fig`

A.2 Model Fitter: Odd & Even Transits



Parameter	Odd Transits Value	Odd Transits Uncertainty	Even Transits Value	Even Transits Uncertainty	Units	$\frac{\text{Difference}}{\ \text{Uncertainty}\ }$
SNR	106.9		131.6			
Orbital Period	3.5855844	1.2558e-04	3.5856420	1.2267e-04	days	3.2817e-01
Transit Epoch	1470.3039734	3.5407e-04	1473.8895319	3.1627e-04	BTJD	1.2441e-01
Impact Parameter	0.7435	1.7503e-02	0.7322	1.5473e-02		4.8464e-01
Planet Radius to Star Radius Ratio	0.1100828	8.1815e-04	0.1103629	6.7169e-04		2.6461e-01
Semi-major Axis to Star Radius Ratio	8.3088	2.3475e-01	8.4751	2.0139e-01		5.3762e-01
Planet Radius	15.5029	1.1522e-01	15.5423	9.4594e-02	Earth radii	2.6461e-01
Semi-major Axis	0.0506	1.1812e-06	0.0506	1.1538e-06	AU	3.2817e-01
Effective Stellar Flux	977.4878	4.5647e-02	977.4668	4.4588e-02	Goldilocks	3.2817e-01
Equilibrium Temperature	1426	1.6649e-02	1426	1.6263e-02	Kelvin	3.2817e-01
Stellar Density	0.5994	5.0807e-02	0.6361	4.5348e-02	Solar density	5.3882e-01
Transit Depth	12244	1.1887e+02	12376	9.6756e+01	ppm	8.6480e-01
Transit Duration	2.7330	3.1744e-02	2.7125	2.5830e-02	hours	4.9935e-01
Transit Ingress Duration	0.5567	3.7077e-02	0.5361	2.9825e-02	hours	4.3285e-01
Eccentricity	0.0000	0.0000e+00	0.0000	0.0000e+00		
Peri Longitude	0.0000	0.0000e+00	0.0000	0.0000e+00	degrees	
Model Chi Square Statistic (DoF)	1570.3 (1924.3)		1570.3 (1924.3)			

DoF: Degrees of Freedom




Folded flux time series for CatId 47911178, Planet candidate 1 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Odd-even transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000047911178-01-odd-even-whitened.fig`




Folded flux time series for CatId 47911178, Planet candidate 1 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the fitted model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. Odd-even transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000047911178-01-odd-even-whitened-zoomed.fig`





Robust weights distribution for CatId 47911178, Planet candidate 1. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000047911178-01-odd-even-robust-weights.fig`



Fit residuals distribution for CatId 47911178, Planet candidate 1. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.


Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000047911178-01-odd-even-histo-used.fig`



Fit residuals distribution for CatId 47911178, Planet candidate 1. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000047911178-01-odd-even-histo-all-and-unused.fig`

A.3 Eclipsing Binary Discrimination Test



Top-left: Diagnostic plot of Odd/Even Transit Depth Test for catId 47911178, planet 1. A significance level close to 1/0 favors a transiting planet/an eclipsing binary. Open `./planet-01/binary-discrimination-test-results/0000000047911178-01-eclipsing-binary-discrimination-tests.fig`

Appendix B Alerts

Time	Severity	Message
1531.5113	warning	TOI matching is disabled (target=1, catId=47911178, component=performDvToiMatching)