



**Data Validation (DV) Report**  
**for TESS ID 158561566**  
**Sectors 15 - 15**

This Data Validation Report was produced in the  
TESS Science Processing Operations Center (SPOC) Pipeline  
at NASA Ames Research Center

21-Sep-2019 11:07:47 Z

# Contents

<b>1</b>	<b>Summary</b>	<b>1</b>
<b>2</b>	<b>Survey Image</b>	<b>2</b>
<b>3</b>	<b>Flux Time Series</b>	<b>3</b>
<b>4</b>	<b>Dashboards</b>	<b>5</b>
<b>5</b>	<b>Pixel Level Diagnostics</b>	<b>6</b>
5.1	Planet Candidate 1 . . . . .	6
5.2	Difference Image TIC Key . . . . .	10
<b>6</b>	<b>Phased Light Curves</b>	<b>12</b>
<b>7</b>	<b>Planet Candidate 1</b>	<b>15</b>
7.1	Model Fitter: All Transits . . . . .	15
7.2	Model Fitter: Reduced Parameter Fit Results . . . . .	18
7.3	Model Fitter: Trapezoidal Fit Results . . . . .	20
7.4	Validation Tests . . . . .	22
7.4.1	Weak Secondary Test . . . . .	22
7.4.2	Eclipsing Binary Discrimination Test . . . . .	22
7.4.3	Bootstrap Test . . . . .	23
7.4.4	Ghost Diagnostic Test . . . . .	23
7.4.5	Validation Test Figures . . . . .	24
<b>Appendices</b>		<b>28</b>
<b>A</b>	<b>Planet Candidate 1</b>	<b>28</b>
A.1	Model Fitter: All Transits . . . . .	28
A.2	Model Fitter: Odd & Even Transits . . . . .	30
A.3	Eclipsing Binary Discrimination Test . . . . .	35
<b>B</b>	<b>Alerts</b>	<b>36</b>


# 1 Summary

Target Properties	Value	Uncertainty	Units	Provenance
Catalog ID	158561566			
TOI ID	-			
TESS Name	-			
RA	287.70881400	0	degrees	TIC8
Dec	47.33305000	0	degrees	TIC8
Magnitude	11.636	0.036		TIC8
Radius	2.001	0.103	Solar radii	TIC8
Effective Temperature	6378	25	Kelvin	TIC8
log(g)	4.438	0	cm/sec <sup>2</sup>	Solar
[M/H]	0.070	0.1	Solar metallicity	TIC8
Stellar Density	1.000	0.000	Solar density	Solar
Limb Darkening Coefficient 1	0.47636			
Limb Darkening Coefficient 2	0.34395			
Limb Darkening Coefficient 3	-0.23625			
Limb Darkening Coefficient 4	0.038611			
Number of Planet Candidates	1			
TOI Model	toi-plus-2019-09-20.csv			
TESS Names Model	-			
External TCE Model	-			
Software Revision	spoc-4.0.9-20190919			
Date Report Generated	21-Sep-2019 11:07:47 Z			

Sector	Target Table	Camera/ CCD	Crowding Metric	Flux Fraction
15	169	2:3	0.9271	0.7704


Planet Candidate	TOI ID	TESS Name	TOI Correlation	Period (days)	Period Ratio	Epoch (BTJD)	Semi-major Axis (AU)	Radius (Re)	Seff	Teq (K)	False Alarm	Suspected EB
1	-	-	-	6.796	1.00	1712.441	0.11	9.3	477.0	1192	2.49e-30	false

## 2 Survey Image




Digitized Sky Survey (DSS) red image. The 5' x 5' image is centered on the J2000 coordinates of target (158561566).

### 3 Flux Time Series



Summary plot of sector-stitched flux time series and transits for target 158561566, marked with DV fitted epoch/period (or TPS epoch/period if fit was not successful). Transits of identified planets are labeled with epoch BTJD and orbital period. For the data of sector 15, target table 169, start BJD is 2458711. Open `./summary-plots/0000000158561566-00-flux-dv-fit-15-169.fig`



Summary plot of raw flux time series. For the data of sector 15, target table 169, start BJD is 2458711.

Open `./summary-plots/0000000158561566-00-raw-flux-15-169.fig`

## 4 Dashboards

## Planet Candidate 1

<b>Model Fitter</b>	<b>Stellar Radius</b> $2.0 \pm 0.1$ Solar units		<b>Core Aperture Correlation Statistic</b> Value = 9.32 Significance = 100.00%	<b>Ghost Diagnostic Test</b>
	Period = $6.8 \pm 0.0$ days Depth = $2057 \pm 183$ ppm Planet Radius = $9.3 \pm 1.5$ Earth radii Semi-major Axis = $0.1 \pm 0.0$ AU Effective Stellar Flux = $477.0 \pm 18.1$ Equilibrium Temperature = $1192 \pm 11$ Kelvin Chi-squared/DoF = 0.8 SNR = 11.0		<b>Halo Aperture Correlation Statistic</b> Value = 3.90 Significance = 100.00%  <b>Core/Halo Ratio</b> Ratio = 2.39	
<b>Eclipsing Binary Discrimination Test</b>	<b>Odd-Even Depth Comparison Statistic</b> Value = 3.77e-01 Significance = 53.90%		<b>Offsets Relative to Out of Transit Centroid</b> Source RA Offset = $-2.51e+00 \pm 2.78e+00$ arcsec ( $-0.90 \sigma$ ) Source Dec Offset = $2.58e+00 \pm 3.16e+00$ arcsec ( $0.82 \sigma$ ) Source Offset Distance = $3.60e+00 \pm 2.98e+00$ arcsec ( $1.21 \sigma$ )  <b>Offsets Relative to TIC Position</b> Source RA Offset = $8.51e-01 \pm 2.78e+00$ arcsec ( $0.31 \sigma$ ) Source Dec Offset = $3.13e+00 \pm 3.16e+00$ arcsec ( $0.99 \sigma$ ) Source Offset Distance = $3.24e+00 \pm 3.13e+00$ arcsec ( $1.04 \sigma$ )	<b>Difference Image Centroid Offsets</b>
	<b>Shorter Period Comparison Statistic</b> Value = $N/A$ Significance = $N/A$	<b>Longer Period Comparison Statistic</b> Value = $N/A$ Significance = $N/A$	False Alarm = 2.49e-30 Transit Count = 4 Max Multiple Event Statistic = 10.1	<b>Bootstrap Test</b>

Summary of model fitter results and validation test results for target 158561566, planet candidate 1. In general, green denotes that the candidate is likely a planet, while red denotes that the candidate is unlikely to be a planet. Cyan denotes that no data is available. The color of the Model Fitter block is: green, when the SNR of the fit is greater than or equal to 10; yellow, if the SNR is greater than or equal to 7.1 but less than 10; red, if the SNR is less than 7.1 or if the fitter failed. The color of the Ghost Diagnostic Test and Eclipsing Binary Discrimination Test blocks are: green, when the significance is within 2-sigma; yellow, when the significance is between 2- and 3-sigma; red when the significance is greater than 3-sigma. The color of the Difference Image Centroid Offsets block is: green, when the max offset distance sigma is less than or equal to 2; yellow, when the max sigma is between 2 and 3; red when the max sigma is greater than 3. The color of the Bootstrap Test block is green whenever the false alarm probability is less than  $10^{-12}$ , low enough to limit the total number of false alarms from a four year mission to less than one. If the false alarm probability is greater than  $10^{-12}$ , the color of the Bootstrap Test block is: green, when the false alarm probability is less than or equal to the CCDF of a Gaussian distribution at the observed maximum multiple event statistic; yellow when the false alarm probability is between 1 and 2 times that of a Gaussian distribution at the max multiple event statistic; and red when the false alarm probability is more than 2 times that of a Gaussian distribution at the max multiple event statistic.

## 5 Pixel Level Diagnostics

To reduce clutter, the catalog IDs in the difference images have been replaced by indices representing distance from the target star. The mapping between the indices and the catalog IDs is found in a table at the end of this section.

### 5.1 Planet Candidate 1

#### Multi-Sector Average PRF Fit of the Difference Images



Mean offset from the PRF fit to the out of transit image

	RA	Dec	Units
Offset	$-2.5113 \pm 2.78e + 00$	$2.5753 \pm 3.16e + 00$	arcseconds
Offset/ $\sigma$	-0.90	0.82	
Offset Distance	$3.5971 \pm 2.98e + 00$		arcseconds
Offset Distance/ $\sigma$	1.21		
$3\sigma$ Radius	8.9360		arcseconds

Mean offset from the TIC RA and Dec

	RA	Dec	Units
Offset	$0.8511 \pm 2.78e + 00$	$3.1299 \pm 3.16e + 00$	arcseconds
Offset/ $\sigma$	0.31	0.99	
Offset Distance	$3.2435 \pm 3.13e + 00$		arcseconds
Offset Distance/ $\sigma$	1.04		
$3\sigma$ Radius	9.3939		arcseconds



#### Planet Candidate 1



Difference image centroid offsets for target 158561566, planet candidate 1. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked object. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

Open `./planet-01/difference-image/0000000158561566-01-difference-image-centroid-offsets.fig`

## Planet Candidate 1




Difference image centroid offsets for target 158561566, planet candidate 1, displayed on survey image for given target. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TIC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked offset. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

Open `./planet-01/difference-image/0000000158561566-01-difference-image-centroid-offsets-survey.fig`

## Difference Image Summary Metrics

Number of Difference Images	Number of Metrics	Number of Good Metrics	Fraction of Good Metrics	Quality Threshold
1	1	1	1.0000	0.70

**Difference Image**  
**Planet Candidate 1 / Sector 15 / Target Pixel Table 169**



Difference image for target 158561566, planet candidate 1, sector 15, target pixel table 169. Upper left: difference between mean flux out-of-transit and in-transit; upper right: mean out-of-transit flux; lower left: mean in-transit flux; lower right: difference between mean flux out-of-transit and in-transit after normalizing by the uncertainty in the difference for each pixel. The optimal aperture is outlined with a white dash-dotted line in each panel and the target mask is outlined with a solid white line. Symbol key: x: target position from TIC RA and Dec converted to CCD coordinates via motion polynomials; \*: position of nearby TIC objects converted to CCD coordinates via motion polynomials; +: PRF-fit location of target from out-of-transit image; triangle: PRF-fit location of transit source from the difference image. Number of transits = 4; number of valid in-transit cadences = 619; number of in-transit cadence gaps = 8; number of valid out-of-transit cadences = 1431; number of out-of-transit cadence gaps = 10. Difference image quality metric = 0.81 (good).

Open `./planet-01/difference-image/0000000158561566-01-difference-image-15-169.fig`

## PRF Fit of the Difference Image

## Offset from the PRF fit to the out of transit image

	Row	Column	Units	RA	Dec	Units
Out of Transit Image Centroid	$1823.64 \pm 9.34e - 05$	$315.68 \pm 8.28e - 05$	pixels	$287.71019211 \pm 1.13e - 06$	$47.33320405 \pm 1.14e - 06$	degrees
Difference Image Centroid	$1823.81 \pm 9.64e - 02$	$315.70 \pm 8.43e - 02$	pixels	$287.70916282 \pm 4.99e - 04$	$47.33391941 \pm 5.35e - 04$	degrees
Offset	$0.1741 \pm 9.64e - 02$	$0.0129 \pm 8.43e - 02$	pixels	$-2.5113 \pm 1.22e + 00$	$2.5753 \pm 1.93e + 00$	arcseconds
Offset/ $\sigma$	1.81	0.15		-2.06	1.34	
Offset Distance	$0.1746 \pm 9.69e - 02$		pixels	$3.5971 \pm 1.71e + 00$		arcseconds
Offset Distance/ $\sigma$	1.80			2.11		

## Offset from the TIC RA and Dec converted to pixels via motion polynomials

	Row	Column	Units	RA	Dec	Units
TIC Reference Centroid	$1823.74 \pm 1.82e - 04$	$315.55 \pm 1.74e - 04$	pixels	$287.70881400 \pm 0.00e + 00$	$47.33305000 \pm 0.00e + 00$	degrees
Difference Image Centroid	$1823.81 \pm 9.64e - 02$	$315.70 \pm 8.43e - 02$	pixels	$287.70916282 \pm 4.99e - 04$	$47.33391941 \pm 5.35e - 04$	degrees
Offset	$0.0715 \pm 9.64e - 02$	$0.1458 \pm 8.43e - 02$	pixels	$0.8511 \pm 1.22e + 00$	$3.1299 \pm 1.93e + 00$	arcseconds
Offset/ $\sigma$	0.74	1.73		0.70	1.63	
Offset Distance	$0.1624 \pm 8.95e - 02$		pixels	$3.2435 \pm 1.85e + 00$		arcseconds
Offset Distance/ $\sigma$	1.81			1.76		


## 5.2 Difference Image TIC Key

Index	Catalog ID	Mag	RA (degrees)	Dec (degrees)	Distance (arcsec)
1	158561566	11.636	287.70881400	47.33305000	0.00
2	1717102144	18.895	287.70697590	47.33391712	5.46
3	158561563	17.538	287.71782672	47.32925229	25.89
4	158561565	15.490	287.71895799	47.33078357	26.06
5	1717102114	18.540	287.71229516	47.32504942	30.03
6	1717102142	18.003	287.71233969	47.34241601	34.80
7	1717102126	18.157	287.68782172	47.33419399	51.38
8	158561561	15.427	287.72750245	47.32600229	52.18
9	1717102134	18.064	287.72750242	47.32413420	55.76
10	158561562	14.884	287.68673597	47.32728383	57.73
11	158561558	13.974	287.68976273	47.32191961	61.37
12	158561567	14.748	287.73425944	47.33370545	62.13
13	1717102138	18.670	287.73062102	47.32381013	62.75
14	158561564	16.588	287.68262247	47.33034213	64.64
15	158561572	17.429	287.68253541	47.33909248	67.71
16	1717102149	18.983	287.72032232	47.35058254	69.08
17	158561575	16.862	287.68168397	47.33977126	70.48
18	158561548	17.083	287.70510271	47.31265773	73.97
19	1717102132	19.211	287.73656856	47.32382707	75.42
20	158561571	17.495	287.73856090	47.33878902	75.46
21	158489994	18.930	287.67802465	47.32909366	76.46
22	158561589	16.833	287.70929506	47.35429595	76.49
23	1717102164	18.048	287.70843651	47.35465067	77.77
24	158561556	16.981	287.68318448	47.32002691	78.16
25	158561547	16.220	287.71819509	47.31200618	79.14
26	158561588	17.268	287.69257152	47.35395080	85.04
27	1717102140	18.575	287.74406323	47.33292294	86.00
28	1717102162	18.748	287.69167464	47.35427565	87.11
29	1717102130	18.697	287.67564157	47.34382725	89.75
30	158561577	17.498	287.67400611	47.34172333	90.48
31	1717102154	18.141	287.74449704	47.34221138	93.10
32	1717102129	18.818	287.67050196	47.33201864	93.55
33	1717102167	19.077	287.68116675	47.35157717	94.86
34	158561585	15.470	287.74393456	47.34697060	99.27
35	158561573	9.721	287.74857632	47.33936044	99.64
36	158561587	18.397	287.67993057	47.35269015	99.83
37	1717102118	19.013	287.68556026	47.31019761	99.94
38	158561597	16.458	287.70491510	47.36105385	101.26

Index	Catalog ID	Mag	RA (degrees)	Dec (degrees)	Distance (arcsec)
39	1717102120	19.286	287.67583695	47.31584940	101.53
40	1717102111	18.639	287.70183690	47.30523495	101.57
41	158561543	17.709	287.73224953	47.30970564	101.65
42	158561592	13.913	287.68676569	47.35726922	102.45
43	158561581	15.703	287.66880014	47.34371072	104.90
44	1717102133	18.992	287.74524369	47.31751343	105.02
45	158561568	17.855	287.66427327	47.33637725	109.33
46	158561536	16.547	287.72377504	47.30436738	109.52
47	158561602	16.615	287.72229713	47.36224510	110.13
48	1717102150	18.658	287.75182122	47.34340013	111.35
49	1717102170	18.993	287.68901200	47.36166216	113.77
50	158561538	17.546	287.73451178	47.30644722	114.47
51	1717102131	18.404	287.66966516	47.35159308	116.53
52	158561584	17.411	287.75333974	47.34526242	117.20
53	1717102151	18.795	287.75141774	47.34811881	117.25
54	158561604	17.295	287.69852918	47.36533787	118.91
55	1717100926	18.771	287.75596337	47.32369063	119.87
56	158561534	17.486	287.73239971	47.30332664	121.50
57	158561594	16.456	287.74020148	47.35934029	121.75
58	158561590	17.674	287.66987683	47.35445069	122.31
59	1717102173	18.874	287.71710077	47.36686713	123.41
60	158561606	16.493	287.70714323	47.36739748	123.72
61	1717102128	18.854	287.66044735	47.34384181	124.24
62	1717102124	17.896	287.65974591	47.32370052	124.36
63	158561596	17.182	287.74374938	47.36095119	131.74
64	1717100916	19.308	287.74880298	47.30827772	132.18
65	158561601	16.243	287.67092505	47.36197039	139.23
66	1717100921	17.838	287.75545837	47.30997950	140.89
67	1717100917	18.147	287.75056777	47.30591057	141.15
68	158561535	18.147	287.75231123	47.30431950	148.19
69	158490009	17.216	287.66073651	47.30660308	151.08
70	1717102156	18.413	287.74984458	47.36533243	153.39
71	158561540	15.585	287.75988106	47.30723593	155.44
72	158561598	15.398	287.75843164	47.36167291	158.98
73	1717100923	16.093	287.75561177	47.30206895	159.61
74	158489958	16.943	287.65768537	47.36096431	160.19
75	158561533	13.223	287.75606755	47.30200960	160.56


RA, Dec and Distances are corrected for proper motion. This table may not contain all of the objects shown.

## 6 Phased Light Curves




Phased unwhitened flux time series is plotted in black dots. When all transits fit completed with full or secondary convergence, the phase is determined with the fitted epoch and period; otherwise, the phase is determined with the TPS epoch and period. The values of the phased unwhitened flux time series averaged in one cadence wide bins are plotted in bigger blue dots. When all transits fit completes with full or secondary convergence, the averaged values of the phased unwhitened fitted model light curve are plotted in red dots. Transit event markers in different colors indicate the locations of the transits of all planet candidates. The transits of the same planet candidate are labeled with the markers of the same color, for example, blue markers for transits of plane candidate #1, red markers for transits of planet candidate #2, etc.

Open `./summary-plots/0000000158561566-01-phased-unwhitened-flux-time-series.fig`



Phased whitened flux time series is plotted in black dots. When all transits fit completed with full or secondary convergence, the phase is determined with the fitted epoch and period; otherwise, the phase is determined with the TPS epoch and period. The values of the phased whitened flux time series averaged in one cadence wide bins are plotted in bigger blue dots. When all transits fit completes with full or secondary convergence, the averaged values of the phased whitened fitted model light curve are plotted in red dots. Transit event markers in different colors indicate the locations of the transits of all planet candidates. The transits of the same planet candidate are labeled with the markers of the same color, for example, blue markers for transits of plane candidate #1, red markers for transits of planet candidate #2, etc.

Open `./summary-plots/0000000158561566-01-phased-whitened-flux-time-series.fig`

**Planet: 1 Phased Unwhitened Flux Time Series by Sector**

Phased unwhitened flux time series by sector for target 158561566, planet candidate 1. Period = 6.7956 days; transit epoch = 1712.4408 BTJD.  
Open `./summary-plots/0000000158561566-01-phased-unwhitened-flux-time-series-by-sector.fig`

## 7 Planet Candidate 1

### 7.1 Model Fitter: All Transits


Model Characteristic	Name
Transit Model	mandel-agol_geometric_transit_model
Limb Darkening Model	claret_tess_nonlinear_limb_darkening_model

TCE Parameter	Value	Units
Trial Transit Pulse Duration	6.0	hours
Transit Epoch	1712.4323846	TJD
Orbital Period	6.7986083	days
Maximum SES	6.0	
Maximum MES	10.1	
Robust Statistic	10.1	
Chi Square Goodness of Fit Statistic (DoF)	740.9 (710)	
Chi Square2 Statistic (DoF)	1.5 (13.4)	
Threshold for Desired PFA		

DoF: Degrees of Freedom


Parameter	Value	Uncertainty	Units
SNR	11.0		
Orbital Period	6.7956277	2.7295e-03	days
Transit Epoch	1712.4408324	4.9542e-03	BTJD
Impact Parameter	0.0406	2.3454e+01	
Planet Radius to Star Radius Ratio	0.0423657	6.5882e-03	
Semi-major Axis to Star Radius Ratio	9.2106	8.6579e+00	
Planet Radius	9.2533	1.5164e+00	Earth radii
Semi-major Axis	0.1115	3.8456e-03	AU
Effective Stellar Flux	477.0110	1.8068e+01	Goldilocks
Equilibrium Temperature	1192	1.1287e+01	Kelvin
Stellar Density	0.2273	6.4104e-01	Solar density
Transit Depth	2057	1.8285e+02	ppm
Transit Duration	5.8834	4.9191e-01	hours
Transit Ingress Duration	0.2404	4.9439e-01	hours
Eccentricity	0.0000	0.0000e+00	
Peri Longitude	0.0000	0.0000e+00	degrees
Model Chi Square Statistic (DoF)	2689.5 (3345.3)		
Model Chi Square Goodness of Fit Statistic (DoF)	417.7 (716)		
Model Chi Square2 Statistic (DoF)	2.0 (3)		

DoF: Degrees of Freedom




Flux time series for CatId 158561566, Planet candidate 1 in the unwhitened domain. For the data of Sector-15/TargetTableId-169, start BJD is 2458711. Transit event markers indicate the location of transits of the given planet candidate. All transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000158561566-01-all-unwhitened-15-169.fig`



Folded flux time series for CatId 158561566, Planet candidate 1 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the all transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. All transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000158561566-01-all-whitened.fig`




Folded flux time series for CatId 158561566, Planet candidate 1 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the fitted model light curve of the all transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. All transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000158561566-01-all-whitened-zoomed.fig`

## 7.2 Model Fitter: Reduced Parameter Fit Results


Impact Parameter	SNR	Model Chi Square	Planet Radius to Star Radius	Uncert	Semi-major Axis to Star Radius	Uncert	Transit Depth (ppm)	Uncert	Transit Duration (hours)	Uncert
0.10	11.9	3607.2	0.0428274	1.7942e-03	9.0488	2.2705e-01	2100	1.7503e+02	5.9703	1.5021e-01
0.30	11.8	3606.1	0.0430640	1.8164e-03	8.6476	2.2663e-01	2096	1.7589e+02	6.0161	1.5836e-01
0.50	11.8	3608.7	0.0435656	1.8441e-03	7.9072	2.1461e-01	2082	1.7538e+02	6.0408	1.6549e-01
0.70	11.7	3608.1	0.0449722	1.9227e-03	6.7222	2.0746e-01	2092	1.7794e+02	6.0404	1.9069e-01
0.90	11.4	3613.5	0.0487995	2.2017e-03	4.3497	2.0574e-01	2125	1.9054e+02	6.5887	3.4187e-01

Highlighted row is the best reduced-parameter model fit.




Model chi squares of reduced parameter fits vs. impact parameter for CatId 158561566, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000158561566-01-reduced-fits-chi-square.fig`



Ratios of planet radius to star radius of reduced parameter fits vs. impact parameter for CatId 158561566, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000158561566-01-reduced-fits-rp-over-rstar.fig`



Ratios of semimajor axis to star radius of reduced parameter fits vs. impact parameter for CatId 158561566, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000158561566-01-reduced-fits-a-over-rstar.fig`

### 7.3 Model Fitter: Trapezoidal Fit Results


Model Characteristic	Name
Transit Model	trapezoidal_model
Limb Darkening Model	

TCE Parameter	Value	Units
Trial Transit Pulse Duration	6.0	hours
Transit Epoch	1712.4323846	TJD
Orbital Period	6.7986083	days
Maximum SES	6.0	
Maximum MES	10.1	
Robust Statistic	10.1	
Chi Square Goodness of Fit Statistic (DoF)	740.9 (710)	
Chi Square2 Statistic (DoF)	1.5 (13.4)	
Threshold for Desired PFA		

DoF: Degrees of Freedom


Parameter	Value	Uncertainty	Units
SNR	14.1		
Orbital Period	6.7986083		days
Transit Epoch	1712.4337922		BTJD
Transit Depth	1816		ppm
Transit Duration	5.9790		hours
Transit Ingress Duration	0.4532		hours
Model Chi Square Statistic (DoF)	18560.8 (5686)		

DoF: Degrees of Freedom



Folded detrended flux time series for CatId 158561566, Planet candidate 1 and folded trapezoidal model light curve.

Open `./planet-01/planet-search-and-model-fitting-results/trapezoidal-model-fit/0000000158561566-01-all-trapezoidal.fig`



Zoomed folded detrended flux time series for CatId 158561566, Planet candidate 1 and folded trapezoidal model light curve.

Open `./planet-01/planet-search-and-model-fitting-results/trapezoidal-model-fit/0000000158561566-01-all-trapezoidal-zoomed.fig`

## 7.4 Validation Tests

The Centroid Test and Eclipsing Binary Discrimination Test are chi-squared hypothesis tests. For these tests, a significance of 100% favors a planet, while 0% indicates an unlikely planet.

### 7.4.1 Weak Secondary Test

Result	Value	Uncertainty	Units	Statistic in Sigmas	Significance (%)
Orbital Period	6.7986		days		
Transit Duration	6		hours		
Maximum MES	10.1				
Secondary Phase	4.1153		days		
Secondary MES	2.2				
Minimum Phase	1.6333		days		
Minimum MES	-2.4				
Median MES	0.0				
MAD MES	0.68088				
Robust Statistic	1.8				
Secondary Depth	608.2	3.0685e+02	ppm		
Geometric Albedo	48.6	2.8862e+01		1.6497	4.95
Planet Effective Temperature	4866	7.2129e+02	Kelvin	5.0934	0.00

### 7.4.2 Eclipsing Binary Discrimination Test

Result	Value	Value in Sigmas	Significance (%)
Odd Even Transit Depth Comparison Statistic	3.7733e-01	0.6143	53.90


**7.4.3 Bootstrap Test**

<b>Result</b>	<b>Value</b>
False Alarm Probability	2.4910e-30
Bootstrap Threshold for Desired PFA	6.0
MES Mean	0.45
MES Standard Deviation	0.85
Transit Count	4

**7.4.4 Ghost Diagnostic Test**


<b>Result</b>	<b>Value</b>	<b>Significance (%)</b>
Maximum MES	10.1	
SNR	11.0	
Core Aperture Statistic	9.3247e+00	100.00
Halo Aperture Statistic	3.9047e+00	100.00
Ratio of Core/Halo Aperture Statistics	2.3881e+00	

## 7.4.5 Validation Test Figures




The primary event has been set to zero and both the max and min of the resulting MES vs. Phase are marked with a red star. The best matched pulse duration in hours is 6. The maximum secondary MES and corresponding phase are 2.1522 and 4.1153 days respectively. The minimum secondary MES and corresponding phase are -2.4099 and 1.6333 days respectively.

Open `./planet-01/report-summary/000000158561566-01-weak-secondary-diagnostic.fig`




Bootstrap results for target 158561566, planet 1. Cumulative sum of the probabilities (derived from the histogram of counts) from upper tail to the search transit threshold; false alarm probability is indicated by the star. The Gaussian equivalent threshold for this false alarm probability is 11.3847. The threshold on this distribution that achieves the same false alarm rate as a 7.1 sigma threshold on a Gaussian distribution is 6.0188.

Open `./planet-01/bootstrap-results/0000000158561566-01-bootstrap-false-alarm.fig`



Optical ghost diagnostic core aperture flux time series for target 158561566, planet candidate 1. The unwhitened time series is phase folded at the orbital period associated with the planet candidate and centered on the epoch of the first transit. The time series was first cotrended against spacecraft engineering data, motion proxies, and/or cotrending basis vectors (CBVs) to remove systematic effects. Flux time series data represent the mean per pixel flux in the core or haloaperture; phase folded data points are shown in the figure with black dots. Binned and averaged phase folded flux values are marked with filled blue circles. The unwhitened transit model light curve is displayed in the figure with a red line. The value and significance of the core aperture correlation statistic are displayed in the figure title if the statistic was successfully computed.

Open `./planet-01/ghost-diagnostic-results/000000158561566-01-core-unwhitened-cotrended-zoomed-model.fig`




Optical ghost diagnostic halo aperture flux time series for target 158561566, planet candidate 1. The unwhitened time series is phase folded at the orbital period associated with the planet candidate and centered on the epoch of the first transit. The time series was first cotrended against spacecraft engineering data, motion proxies, and/or cotrending basis vectors (CBVs) to remove systematic effects. Flux time series data represent the mean per pixel flux in the core or haloaperture; phase folded data points are shown in the figure with black dots. Binned and averaged phase folded flux values are marked with filled blue circles. The unwhitened transit model light curve is displayed in the figure with a red line. The value and significance of the halo aperture correlation statistic are displayed in the figure title if the statistic was successfully computed.

Open `./planet-01/ghost-diagnostic-results/0000000158561566-01-halo-unwhitened-cotrended-zoomed-model.fig`


## Appendix A Planet Candidate 1

### A.1 Model Fitter: All Transits




Robust weights distribution for CatId 158561566, Planet candidate 1. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000158561566-01-all-robust-weights.fig`



Fit residuals distribution for CatId 158561566, Planet candidate 1. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000158561566-01-all-histo-used.fig`




Fit residuals distribution for CatId 158561566, Planet candidate 1. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000158561566-01-all-histo-all-and-unused.fig`

## A.2 Model Fitter: Odd &amp; Even Transits



Parameter	Odd Transits Value	Odd Transits Uncertainty	Even Transits Value	Even Transits Uncertainty	Units	$\frac{\text{Difference}}{\ \text{Uncertainty}\ }$
SNR	7.5		8.3			
Orbital Period	6.7972041	4.5378e-03	6.7971225	4.3608e-03	days	1.2964e-02
Transit Epoch	1712.4354979	6.2529e-03	1719.2361038	6.1044e-03	BTJD	5.6968e-01
Impact Parameter	0.2576	4.2736e+00	0.3580	2.6273e+00		2.0000e-02
Planet Radius to Star Radius Ratio	0.0416793	8.1733e-03	0.0442075	7.9283e-03		2.2202e-01
Semi-major Axis to Star Radius Ratio	8.5103	9.8708e+00	8.8530	9.3974e+00		2.5148e-02
Planet Radius	9.1033	1.8462e+00	9.6555	1.8022e+00	Earth radii	2.1402e-01
Semi-major Axis	0.1116	3.8464e-03	0.1116	3.8463e-03	AU	1.6411e-04
Effective Stellar Flux	476.8635	1.8066e+01	476.8711	1.8066e+01	Goldilocks	2.9871e-04
Equilibrium Temperature	1192	1.1288e+01	1192	1.1288e+01	Kelvin	2.9871e-04
Stellar Density	0.1792	6.2365e-01	0.2018	6.4254e-01	Solar density	2.5175e-02
Transit Depth	1971	2.5577e+02	2194	2.5815e+02	ppm	6.1427e-01
Transit Duration	6.1759	6.7776e-01	5.7701	6.5026e-01	hours	4.3201e-01
Transit Ingress Duration	0.2651	6.7416e-01	0.2795	6.5042e-01	hours	1.5455e-02
Eccentricity	0.0000	0.0000e+00	0.0000	0.0000e+00		
Peri Longitude	0.0000	0.0000e+00	0.0000	0.0000e+00	degrees	
Model Chi Square Statistic (DoF)	2690.8 (3340.7)		2690.8 (3340.7)			

DoF: Degrees of Freedom




Folded flux time series for CatId 158561566, Planet candidate 1 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Odd-even transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000158561566-01-odd-even-whitened.fig`




Folded flux time series for CatId 158561566, Planet candidate 1 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the fitted model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. Odd-even transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000158561566-01-odd-even-whitened-zoomed.fig`




Robust weights distribution for CatId 158561566, Planet candidate 1. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000158561566-01-odd-even-robust-weights.fig`



Fit residuals distribution for CatId 158561566, Planet candidate 1. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.


Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000158561566-01-odd-even-histo-used.fig`



Fit residuals distribution for CatId 158561566, Planet candidate 1. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000158561566-01-odd-even-histo-all-and-unused.fig`

### A.3 Eclipsing Binary Discrimination Test



Top-left: Diagnostic plot of Odd/Even Transit Depth Test for catId 158561566, planet 1. A significance level close to 1/0 favors a transiting planet/an eclipsing binary. Open `./planet-01/binary-discrimination-test-results/0000000158561566-01-eclipsing-binary-discrimination-tests.fig`

## Appendix B Alerts

This target did not trigger any alerts.