



Data Validation (DV) Report
for TESS ID 158561566
Sectors 14 - 15

This Data Validation Report was produced in the
TESS Science Processing Operations Center (SPOC) Pipeline
at NASA Ames Research Center

25-Oct-2019 21:56:07 Z

Contents

1	Summary	1
2	Survey Image	2
3	Flux Time Series	3
4	Dashboards	5
5	Pixel Level Diagnostics	6
5.1	Planet Candidate 1	6
5.2	Difference Image TIC Key	12
6	Phased Light Curves	14
7	Planet Candidate 1	17
7.1	Model Fitter: All Transits	17
7.2	Model Fitter: Reduced Parameter Fit Results	20
7.3	Model Fitter: Trapezoidal Fit Results	22
7.4	Validation Tests	24
7.4.1	Weak Secondary Test	24
7.4.2	Eclipsing Binary Discrimination Test	24
7.4.3	Bootstrap Test	25
7.4.4	Ghost Diagnostic Test	25
7.4.5	Validation Test Figures	26
Appendices		30
A	Planet Candidate 1	30
A.1	Model Fitter: All Transits	30
A.2	Model Fitter: Odd & Even Transits	32
A.3	Eclipsing Binary Discrimination Test	37
B	Alerts	38


1 Summary

Target Properties	Value	Uncertainty	Units	Provenance
Catalog ID	158561566			
TOI ID	1267			
TESS Name	-			
RA	287.70881400	0	degrees	TIC8
Dec	47.33305000	0	degrees	TIC8
Magnitude	11.636	0.036		TIC8
Radius	2.001	0.103	Solar radii	TIC8
Effective Temperature	6378	25	Kelvin	TIC8
log(g)	4.438	0	cm/sec ²	Solar
[M/H]	0.070	0.1	Solar metallicity	TIC8
Stellar Density	1.000	0.000	Solar density	Solar
Limb Darkening Coefficient 1	0.47636			
Limb Darkening Coefficient 2	0.34395			
Limb Darkening Coefficient 3	-0.23625			
Limb Darkening Coefficient 4	0.038611			
Number of Planet Candidates	1			
TOI Model	toi-plus-2019-10-18_edited-2.csv			
TESS Names Model	-			
External TCE Model	-			
Software Revision	spoc-4.0.11-20191024			
Date Report Generated	25-Oct-2019 21:56:07 Z			

Sector	Target Table	Camera/ CCD	Crowding Metric	Flux Fraction
14	167	2:3	0.9553	0.8016
15	169	2:3	0.9271	0.7704


Planet Candidate	TOI ID	TESS Name	TOI Correlation	Period (days)	Period Ratio	Epoch (BTJD)	Semi-major Axis (AU)	Radius (Re)	Seff	Teq (K)	False Alarm	Suspected EB
1	1267.01	-	0.99	6.791	1.00	1685.285	0.11	9.3	477.5	1192	3.08e-49	false

2 Survey Image




Digitized Sky Survey (DSS) red image. The 5' x 5' image is centered on the J2000 coordinates of target (158561566).

3 Flux Time Series



Summary plot of sector-stitched flux time series and transits for target 158561566, marked with DV fitted epoch/period (or TPS epoch/period if fit was not successful). Transits of identified planets are labeled with epoch BTJD and orbital period. For the data of sector 14, target table 167, start BJD is 2458683 and the vertical offset is 0 ppm. For the data of sector 15, target table 169, start BJD is 2458711 and the vertical offset is 100000 ppm. Open `./summary-plots/0000000158561566-00-flux-dv-fit-14-167.fig`



Summary plot of raw flux time series. For the data of sector 14, target table 167, start BJD is 2458683 and the vertical offset is 0 electrons/cadence. For the data of sector 15, target table 169, start BJD is 2458711 and the vertical offset is 15000 electrons/cadence.

Open `./summary-plots/0000000158561566-00-raw-flux-14-167.fig`

4 Dashboards

Planet Candidate 1

Model Fitter	Stellar Radius 2.0 ± 0.1 Solar units		Core Aperture Correlation Statistic Value = 15.60 Significance = 100.00%		Ghost Diagnostic Test
	Period = 6.8 ± 0.0 days Depth = 2036 ± 121 ppm Planet Radius = 9.3 ± 1.0 Earth radii Semi-major Axis = 0.1 ± 0.0 AU Effective Stellar Flux = 477.5 ± 18.1 Equilibrium Temperature = 1192 ± 11 Kelvin Chi-squared/DoF = 0.8 SNR = 16.7		Halo Aperture Correlation Statistic Value = 3.68 Significance = 99.99% Core/Halo Ratio Ratio = 4.24		
Eclipsing Binary Discrimination Test	Odd-Even Depth Comparison Statistic Value = 1.09e-02 Significance = 91.69%		Offsets Relative to Out of Transit Centroid Source RA Offset = 3.02e+01 ± 3.42e+01 arcsec (0.88 σ) Source Dec Offset = 5.25e+00 ± 3.57e+00 arcsec (1.47 σ) Source Offset Distance = 3.07e+01 ± 3.37e+01 arcsec (0.91 σ) Offsets Relative to TIC Position Source RA Offset = 3.26e+01 ± 3.27e+01 arcsec (1.00 σ) Source Dec Offset = 5.52e+00 ± 3.33e+00 arcsec (1.66 σ) Source Offset Distance = 3.30e+01 ± 3.23e+01 arcsec (1.02 σ)		Difference Image Centroid Offsets
	Shorter Period Comparison Statistic Value = <i>N/A</i> Significance = <i>N/A</i>	Longer Period Comparison Statistic Value = <i>N/A</i> Significance = <i>N/A</i>	False Alarm = 3.08e-49 Transit Count = 8 Max Multiple Event Statistic = 14.7		

Summary of model fitter results and validation test results for target 158561566, planet candidate 1. In general, green denotes that the candidate is likely a planet, while red denotes that the candidate is unlikely to be a planet. Cyan denotes that no data is available. The color of the Model Fitter block is: green, when the SNR of the fit is greater than or equal to 10; yellow, if the SNR is greater than or equal to 7.1 but less than 10; red, if the SNR is less than 7.1 or if the fitter failed. The color of the Ghost Diagnostic Test and Eclipsing Binary Discrimination Test blocks are: green, when the significance is within 2-sigma; yellow, when the significance is between 2- and 3-sigma; red when the significance is greater than 3-sigma. The color of the Difference Image Centroid Offsets block is: green, when the max offset distance sigma is less than or equal to 2; yellow, when the max sigma is between 2 and 3; red when the max sigma is greater than 3. The color of the Bootstrap Test block is green whenever the false alarm probability is less than 10^{-12} , low enough to limit the total number of false alarms from a four year mission to less than one. If the false alarm probability is greater than 10^{-12} , the color of the Bootstrap Test block is: green, when the false alarm probability is less than or equal to the CCDF of a Gaussian distribution at the observed maximum multiple event statistic; yellow when the false alarm probability is between 1 and 2 times that of a Gaussian distribution at the max multiple event statistic; and red when the false alarm probability is more than 2 times that of a Gaussian distribution at the max multiple event statistic.

5 Pixel Level Diagnostics

To reduce clutter, the catalog IDs in the difference images have been replaced by indices representing distance from the target star. The mapping between the indices and the catalog IDs is found in a table at the end of this section.

5.1 Planet Candidate 1

Multi-Sector Average PRF Fit of the Difference Images



Mean offset from the PRF fit to the out of transit image

	RA	Dec	Units
Offset	$30.2253 \pm 3.42e + 01$	$5.2486 \pm 3.57e + 00$	arcseconds
Offset/ σ	0.88	1.47	
Offset Distance	$30.6776 \pm 3.37e + 01$		arcseconds
Offset Distance/ σ	0.91		
3σ Radius	101.1535		arcseconds

Mean offset from the TIC RA and Dec

	RA	Dec	Units
Offset	$32.5588 \pm 3.27e + 01$	$5.5235 \pm 3.33e + 00$	arcseconds
Offset/ σ	1.00	1.66	
Offset Distance	$33.0240 \pm 3.23e + 01$		arcseconds
Offset Distance/ σ	1.02		
3σ Radius	96.7930		arcseconds



Planet Candidate 1



Difference image centroid offsets for target 158561566, planet candidate 1. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked object. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

Open `./planet-01/difference-image/0000000158561566-01-difference-image-centroid-offsets.fig`

Planet Candidate 1




Difference image centroid offsets for target 158561566, planet candidate 1, displayed on survey image for given target. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TIC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked object. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

Open `./planet-01/difference-image/0000000158561566-01-difference-image-centroid-offsets-survey.fig`

Difference Image Summary Metrics

Number of Difference Images	Number of Metrics	Number of Good Metrics	Fraction of Good Metrics	Quality Threshold
2	2	1	0.5000	0.70

Difference Image
Planet Candidate 1 / Sector 14 / Target Pixel Table 167



Difference image for target 158561566, planet candidate 1, sector 14, target pixel table 167. Upper left: difference between mean flux out-of-transit and in-transit; upper right: mean out-of-transit flux; lower left: mean in-transit flux; lower right: difference between mean flux out-of-transit and in-transit after normalizing by the uncertainty in the difference for each pixel. The optimal aperture is outlined with a white dash-dotted line in each panel and the target mask is outlined with a solid white line. Symbol key: x: target position from TIC RA and Dec converted to CCD coordinates via motion polynomials; *: position of nearby TIC objects converted to CCD coordinates via motion polynomials; +: PRF-fit location of target from out-of-transit image; triangle: PRF-fit location of transit source from the difference image. Number of transits = 4; number of valid in-transit cadences = 626; number of in-transit cadence gaps = 2; number of valid out-of-transit cadences = 1430; number of out-of-transit cadence gaps = 25. Difference image quality metric = -0.17 (not good).

Open `./planet-01/difference-image/0000000158561566-01-difference-image-14-167.fig`

PRF Fit of the Difference Image


Offset from the PRF fit to the out of transit image

	Row	Column	Units	RA	Dec	Units
Out of Transit Image Centroid	$1373.80 \pm 6.62e - 05$	$1920.26 \pm 5.95e - 05$	pixels	$287.70917518 \pm 7.73e - 07$	$47.33303531 \pm 7.62e - 07$	degrees
Difference Image Centroid	$1373.11 \pm 1.05e - 01$	$1922.83 \pm 6.45e - 02$	pixels	$287.73197849 \pm 4.03e - 04$	$47.33514899 \pm 5.77e - 04$	degrees
Offset	$-0.6919 \pm 1.05e - 01$	$2.5700 \pm 6.45e - 02$	pixels	$55.6366 \pm 9.97e - 01$	$7.6092 \pm 2.08e + 00$	arcseconds
Offset/ σ	-6.58	39.85		55.79	3.66	
Offset Distance	$2.6615 \pm 6.47e - 02$		pixels	$56.1546 \pm 9.35e - 01$		arcseconds
Offset Distance/ σ	41.15			60.04		

Offset from the TIC RA and Dec converted to pixels via motion polynomials

	Row	Column	Units	RA	Dec	Units
TIC Reference Centroid	$1373.82 \pm 1.18e - 04$	$1920.22 \pm 1.19e - 04$	pixels	$287.70881400 \pm 0.00e + 00$	$47.33305000 \pm 0.00e + 00$	degrees
Difference Image Centroid	$1373.11 \pm 1.05e - 01$	$1922.83 \pm 6.45e - 02$	pixels	$287.73197849 \pm 4.03e - 04$	$47.33514899 \pm 5.77e - 04$	degrees
Offset	$-0.7105 \pm 1.05e - 01$	$2.6075 \pm 6.45e - 02$	pixels	$56.5179 \pm 9.83e - 01$	$7.5563 \pm 2.08e + 00$	arcseconds
Offset/ σ	-6.76	40.43		57.47	3.64	
Offset Distance	$2.7026 \pm 6.47e - 02$		pixels	$57.0208 \pm 9.21e - 01$		arcseconds
Offset Distance/ σ	41.76			61.89		

Difference Image
Planet Candidate 1 / Sector 15 / Target Pixel Table 169



Difference image for target 158561566, planet candidate 1, sector 15, target pixel table 169. Upper left: difference between mean flux out-of-transit and in-transit; upper right: mean out-of-transit flux; lower left: mean in-transit flux; lower right: difference between mean flux out-of-transit and in-transit after normalizing by the uncertainty in the difference for each pixel. The optimal aperture is outlined with a white dash-dotted line in each panel and the target mask is outlined with a solid white line. Symbol key: x: target position from TIC RA and Dec converted to CCD coordinates via motion polynomials; *: position of nearby TIC objects converted to CCD coordinates via motion polynomials; +: PRF-fit location of target from out-of-transit image; triangle: PRF-fit location of transit source from the difference image. Number of transits = 4; number of valid in-transit cadences = 620; number of in-transit cadence gaps = 8; number of valid out-of-transit cadences = 1444; number of out-of-transit cadence gaps = 10. Difference image quality metric = 0.81 (good).

Open `./planet-01/difference-image/0000000158561566-01-difference-image-15-169.fig`

PRF Fit of the Difference Image

Offset from the PRF fit to the out of transit image

	Row	Column	Units	RA	Dec	Units
Out of Transit Image Centroid	$1823.64 \pm 9.29e - 05$	$315.68 \pm 8.24e - 05$	pixels	$287.71019142 \pm 1.13e - 06$	$47.33320438 \pm 1.14e - 06$	degrees
Difference Image Centroid	$1823.87 \pm 9.26e - 02$	$315.69 \pm 8.35e - 02$	pixels	$287.70882437 \pm 4.70e - 04$	$47.33410051 \pm 5.34e - 04$	degrees
Offset	$0.2250 \pm 9.26e - 02$	$0.0098 \pm 8.35e - 02$	pixels	$-3.3354 \pm 1.15e + 00$	$3.2261 \pm 1.92e + 00$	arcseconds
Offset/ σ	2.43	0.12		-2.91	1.68	
Offset Distance	$0.2252 \pm 9.30e - 02$		pixels	$4.6403 \pm 1.63e + 00$		arcseconds
Offset Distance/ σ	2.42			2.85		

Offset from the TIC RA and Dec converted to pixels via motion polynomials

	Row	Column	Units	RA	Dec	Units
TIC Reference Centroid	$1823.74 \pm 1.82e - 04$	$315.55 \pm 1.74e - 04$	pixels	$287.70881400 \pm 0.00e + 00$	$47.33305000 \pm 0.00e + 00$	degrees
Difference Image Centroid	$1823.87 \pm 9.26e - 02$	$315.69 \pm 8.35e - 02$	pixels	$287.70882437 \pm 4.70e - 04$	$47.33410051 \pm 5.34e - 04$	degrees
Offset	$0.1224 \pm 9.26e - 02$	$0.1427 \pm 8.35e - 02$	pixels	$0.0253 \pm 1.15e + 00$	$3.7819 \pm 1.92e + 00$	arcseconds
Offset/ σ	1.32	1.71		0.02	1.97	
Offset Distance	$0.1880 \pm 9.33e - 02$		pixels	$3.7819 \pm 1.92e + 00$		arcseconds
Offset Distance/ σ	2.01			1.97		


5.2 Difference Image TIC Key

Index	Catalog ID	Mag	RA (degrees)	Dec (degrees)	Distance (arcsec)
1	158561566	11.636	287.70881400	47.33305000	0.00
2	1717102144	18.895	287.70697590	47.33391716	5.46
3	158561563	17.538	287.71782677	47.32925232	25.89
4	158561565	15.490	287.71895794	47.33078367	26.06
5	1717102143	20.233	287.71978687	47.33198822	27.04
6	1717102114	18.540	287.71229520	47.32504944	30.03
7	1717102145	20.592	287.72032892	47.32906562	31.54
8	1717102142	18.003	287.71233976	47.34241607	34.80
9	1717102141	19.940	287.72206319	47.32608938	40.90
10	1717102147	19.759	287.72739182	47.33565471	46.29
11	1717102161	19.476	287.69880335	47.34426283	47.18
12	1717102146	19.345	287.72843344	47.33631720	49.29
13	1717102126	18.157	287.68782174	47.33419404	51.38
14	158561561	15.427	287.72750245	47.32600225	52.18
15	1717102134	18.064	287.72750252	47.32413414	55.76
16	158561562	14.884	287.68673607	47.32728379	57.73
17	158561558	13.974	287.68976270	47.32191967	61.37
18	158561567	14.748	287.73425951	47.33370552	62.13
19	1717102138	18.670	287.73062107	47.32381020	62.75
20	158561564	16.588	287.68262256	47.33034218	64.64
21	1717102148	19.656	287.72075270	47.34941638	65.73
22	158561572	17.429	287.68253572	47.33909264	67.70
23	1717102127	19.934	287.68097277	47.33278815	67.93
24	1717102149	18.983	287.72032232	47.35058256	69.08
25	158561575	16.862	287.68168430	47.33977143	70.48
26	158561548	17.083	287.70510271	47.31265767	73.97
27	1717102139	20.534	287.73942806	47.33358637	74.72
28	1717102132	19.211	287.73656863	47.32382718	75.42
29	158561571	17.495	287.73856097	47.33878910	75.46
30	158489994	18.930	287.67802443	47.32909356	76.46
31	158561589	16.833	287.70929516	47.35429596	76.49
32	1717102164	18.048	287.70843664	47.35465078	77.77
33	158561556	16.981	287.68318449	47.32002703	78.16
34	158561547	16.220	287.71819515	47.31200623	79.14
35	1717102137	20.150	287.73111117	47.31666678	80.24
36	1717102110	20.596	287.72879708	47.31474394	81.98
37	158561588	17.268	287.69257158	47.35395080	85.04
38	1717102140	18.575	287.74406326	47.33292300	86.00

Index	Catalog ID	Mag	RA (degrees)	Dec (degrees)	Distance (arcsec)
39	1717102152	19.619	287.73642316	47.34808909	86.42
40	1717102162	18.748	287.69167467	47.35427574	87.11
41	1717102113	20.076	287.70411753	47.30897084	87.44
42	1717102112	20.070	287.71180767	47.30865216	88.14
43	1717102163	20.597	287.70468189	47.35778617	89.62
44	1717102130	18.697	287.67564162	47.34382727	89.75
45	158561577	17.498	287.67400612	47.34172342	90.48
46	1717102165	19.499	287.70654866	47.35818641	90.66
47	1717102154	18.141	287.74449700	47.34221134	93.10
48	1717102129	18.818	287.67050198	47.33201867	93.55
49	1717102167	19.077	287.68116692	47.35157735	94.86
50	1717102136	20.086	287.74118862	47.31803035	95.72
51	1717102158	19.924	287.72220270	47.35824393	96.40
52	1717102168	19.676	287.67826172	47.35017503	96.73
53	158561585	15.470	287.74393460	47.34697063	99.27
54	158561573	9.721	287.74857624	47.33936039	99.64
55	158561587	18.397	287.67993064	47.35269033	99.83
56	1717102118	19.013	287.68556028	47.31019768	99.93
57	158561597	16.458	287.70491513	47.36105381	101.26
58	1717102120	19.286	287.67583693	47.31584943	101.53
59	1717102111	18.639	287.70183692	47.30523503	101.57
60	158561543	17.709	287.73224954	47.30970566	101.65
61	158561592	13.913	287.68676566	47.35726933	102.45
62	158561581	15.703	287.66880013	47.34371075	104.90
63	1717102133	18.992	287.74524375	47.31751343	105.02
64	1717102125	19.746	287.66771923	47.32413605	105.28
65	1717102119	19.467	287.67777954	47.31236594	106.20
66	1717102157	20.562	287.72345592	47.36150113	108.48
67	158561568	17.855	287.66427331	47.33637730	109.33
68	158561536	16.547	287.72377511	47.30436744	109.52
69	1717102104	19.906	287.69604343	47.30385180	109.63
70	158561602	16.615	287.72229714	47.36224519	110.13
71	1717102150	18.658	287.75182123	47.34340018	111.35
72	1717102135	19.919	287.74528858	47.31397763	112.40
73	1717102170	18.993	287.68901203	47.36166217	113.77
74	158561538	17.546	287.73451176	47.30644728	114.47
75	1717102131	18.404	287.66966513	47.35159323	116.53
76	1717102172	19.425	287.71007675	47.36548616	116.81


RA, Dec and Distances are corrected for proper motion. This table may not contain all of the objects shown.

6 Phased Light Curves



Phased unwhitened flux time series is plotted in black dots. When all transits fit completed with full or secondary convergence, the phase is determined with the fitted epoch and period; otherwise, the phase is determined with the TPS epoch and period. The values of the phased unwhitened flux time series averaged in one cadence wide bins are plotted in bigger blue dots. When all transits fit completes with full or secondary convergence, the averaged values of the phased unwhitened fitted model light curve are plotted in red dots. Transit event markers in different colors indicate the locations of the transits of all planet candidates. The transits of the same planet candidate are labeled with the markers of the same color, for example, blue markers for transits of plane candidate #1, red markers for transits of planet candidate #2, etc.


Open `./summary-plots/0000000158561566-01-phased-unwhitened-flux-time-series.fig`



Phased whitened flux time series is plotted in black dots. When all transits fit completed with full or secondary convergence, the phase is determined with the fitted epoch and period; otherwise, the phase is determined with the TPS epoch and period. The values of the phased whitened flux time series averaged in one cadence wide bins are plotted in bigger blue dots. When all transits fit completes with full or secondary convergence, the averaged values of the phased whitened fitted model light curve are plotted in red dots. Transit event markers in different colors indicate the locations of the transits of all planet candidates. The transits of the same planet candidate are labeled with the markers of the same color, for example, blue markers for transits of plane candidate #1, red markers for transits of planet candidate #2, etc.

Open `./summary-plots/0000000158561566-01-phased-whitened-flux-time-series.fig`

Planet: 1 Phased Unwhitened Flux Time Series by Sector



Phased unwhitened flux time series by sector for target 158561566, planet candidate 1. Period = 6.7905 days; transit epoch = 1685.2846 BTJD.
Open `./summary-plots/0000000158561566-01-phased-unwhitened-flux-time-series-by-sector.fig`

7 Planet Candidate 1

7.1 Model Fitter: All Transits


Model Characteristic	Name
Transit Model	mandel-agol_geometric_transit_model
Limb Darkening Model	claret_tess_nonlinear_limb_darkening_model

TCE Parameter	Value	Units
Trial Transit Pulse Duration	6.0	hours
Transit Epoch	1685.2768409	TJD
Orbital Period	6.7916636	days
Maximum SES	6.6	
Maximum MES	14.7	
Robust Statistic	15.9	
Chi Square Goodness of Fit Statistic (DoF)	1509.8 (1428)	
Chi Square2 Statistic (DoF)	3.6 (30.6)	
Threshold for Desired PFA		

DoF: Degrees of Freedom


Parameter	Value	Uncertainty	Units
SNR	16.7		
Orbital Period	6.7905418	9.4932e-04	days
Transit Epoch	1685.2846302	3.7449e-03	BTJD
Impact Parameter	0.2535	2.1742e+00	
Planet Radius to Star Radius Ratio	0.0423551	4.0996e-03	
Semi-major Axis to Star Radius Ratio	8.8747	5.1471e+00	
Planet Radius	9.2509	1.0152e+00	Earth radii
Semi-major Axis	0.1115	3.8436e-03	AU
Effective Stellar Flux	477.4874	1.8085e+01	Goldilocks
Equilibrium Temperature	1192	1.1289e+01	Kelvin
Stellar Density	0.2036	3.5434e-01	Solar density
Transit Depth	2036	1.2062e+02	ppm
Transit Duration	5.9253	3.2770e-01	hours
Transit Ingress Duration	0.2576	3.2719e-01	hours
Eccentricity	0.0000	0.0000e+00	
Peri Longitude	0.0000	0.0000e+00	degrees
Model Chi Square Statistic (DoF)	5523.2 (6676.3)		
Model Chi Square Goodness of Fit Statistic (DoF)	861.6 (1447)		
Model Chi Square2 Statistic (DoF)	3.2 (7)		

DoF: Degrees of Freedom




Flux time series for CatId 158561566, Planet candidate 1 in the unwhitened domain. For the data of Sector-14/TargetTableId-167, start BJD is 2458683 and the vertical offset is 0. For the data of Sector-15/TargetTableId-169, start BJD is 2458711 and the vertical offset is 0.1. Transit event markers indicate the location of transits of the given planet candidate. All transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000158561566-01-all-unwhitened-14-167.fig`



Folded flux time series for CatId 158561566, Planet candidate 1 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the all transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. All transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000158561566-01-all-whitened.fig`




Folded flux time series for CatId 158561566, Planet candidate 1 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the fitted model light curve of the all transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. All transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000158561566-01-all-whitened-zoomed.fig`

7.2 Model Fitter: Reduced Parameter Fit Results


Impact Parameter	SNR	Model Chi Square	Planet Radius to Star Radius	Uncert	Semi-major Axis to Star Radius	Uncert	Transit Depth (ppm)	Uncert	Transit Duration (hours)	Uncert
0.10	17.5	7374.4	0.0420888	1.2130e-03	9.1579	1.5805e-01	2028	1.1629e+02	5.8890	1.0177e-01
0.30	17.4	7373.9	0.0423636	1.2244e-03	8.7758	1.5613e-01	2028	1.1664e+02	5.9175	1.0554e-01
0.50	17.4	7373.9	0.0429783	1.2495e-03	7.9596	1.5203e-01	2027	1.1722e+02	5.9909	1.1505e-01
0.70	17.3	7375.9	0.0442441	1.2990e-03	6.5806	1.4445e-01	2025	1.1826e+02	6.1579	1.3705e-01
0.90	16.8	7379.0	0.0476937	1.4691e-03	4.2127	1.2597e-01	2030	1.2405e+02	6.7811	2.1513e-01

Highlighted row is the best reduced-parameter model fit.




Model chi squares of reduced parameter fits vs. impact parameter for CatId 158561566, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000158561566-01-reduced-fits-chi-square.fig`



Ratios of planet radius to star radius of reduced parameter fits vs. impact parameter for CatId 158561566, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000158561566-01-reduced-fits-rp-over-rstar.fig`



Ratios of semimajor axis to star radius of reduced parameter fits vs. impact parameter for CatId 158561566, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000158561566-01-reduced-fits-a-over-rstar.fig`

7.3 Model Fitter: Trapezoidal Fit Results


Model Characteristic	Name
Transit Model	trapezoidal_model
Limb Darkening Model	

TCE Parameter	Value	Units
Trial Transit Pulse Duration	6.0	hours
Transit Epoch	1685.2768409	TJD
Orbital Period	6.7916636	days
Maximum SES	6.6	
Maximum MES	14.7	
Robust Statistic	15.9	
Chi Square Goodness of Fit Statistic (DoF)	1509.8 (1428)	
Chi Square2 Statistic (DoF)	3.6 (30.6)	
Threshold for Desired PFA		

DoF: Degrees of Freedom


Parameter	Value	Uncertainty	Units
SNR	22.4		
Orbital Period	6.7916636		days
Transit Epoch	1685.2795446		BTJD
Transit Depth	1942		ppm
Transit Duration	6.3378		hours
Transit Ingress Duration	0.7983		hours
Model Chi Square Statistic (DoF)	37373.3 (11397)		

DoF: Degrees of Freedom



Folded detrended flux time series for CatId 158561566, Planet candidate 1 and folded trapezoidal model light curve.

Open `./planet-01/planet-search-and-model-fitting-results/trapezoidal-model-fit/0000000158561566-01-all-trapezoidal.fig`



Zoomed folded detrended flux time series for CatId 158561566, Planet candidate 1 and folded trapezoidal model light curve.

Open `./planet-01/planet-search-and-model-fitting-results/trapezoidal-model-fit/0000000158561566-01-all-trapezoidal-zoomed.fig`

7.4 Validation Tests

The Centroid Test and Eclipsing Binary Discrimination Test are chi-squared hypothesis tests. For these tests, a significance of 100% favors a planet, while 0% indicates an unlikely planet.

7.4.1 Weak Secondary Test

Result	Value	Uncertainty	Units	Statistic in Sigmas	Significance (%)
Orbital Period	6.7917		days		
Transit Duration	6		hours		
Maximum MES	14.7				
Secondary Phase	-0.63056		days		
Secondary MES	2.2				
Minimum Phase	2.8125		days		
Minimum MES	-2.8				
Median MES	-0.1				
MAD MES	0.62428				
Robust Statistic	1.8				
Secondary Depth	384.6	1.9102e+02	ppm		
Geometric Albedo	30.7	1.6415e+01		1.8113	3.51
Planet Effective Temperature	4340	5.7859e+02	Kelvin	5.4395	0.00

7.4.2 Eclipsing Binary Discrimination Test

Result	Value	Value in Sigmas	Significance (%)
Odd Even Transit Depth Comparison Statistic	1.0889e-02	0.1044	91.69


7.4.3 Bootstrap Test

Result	Value
False Alarm Probability	3.0763e-49
Bootstrap Threshold for Desired PFA	7.2
MES Mean	0.17
MES Standard Deviation	0.99
Transit Count	8

7.4.4 Ghost Diagnostic Test


Result	Value	Significance (%)
Maximum MES	14.7	
SNR	16.7	
Core Aperture Statistic	1.5600e+01	100.00
Halo Aperture Statistic	3.6783e+00	99.99
Ratio of Core/Halo Aperture Statistics	4.2412e+00	

7.4.5 Validation Test Figures




The primary event has been set to zero and both the max and min of the resulting MES vs. Phase are marked with a red star. The best matched pulse duration in hours is 6. The maximum secondary MES and corresponding phase are 2.2144 and -0.63056 days respectively. The minimum secondary MES and corresponding phase are -2.8239 and 2.8125 days respectively.

Open `./planet-01/report-summary/0000000158561566-01-weak-secondary-diagnostic.fig`




Bootstrap results for target 158561566, planet 1. Cumulative sum of the probabilities (derived from the histogram of counts) from upper tail to the search transit threshold; false alarm probability is indicated by the star. The Gaussian equivalent threshold for this false alarm probability is 14.7032. The threshold on this distribution that achieves the same false alarm rate as a 7.1 sigma threshold on a Gaussian distribution is 7.1693.

Open `./planet-01/bootstrap-results/0000000158561566-01-bootstrap-false-alarm.fig`



Optical ghost diagnostic core aperture flux time series for target 158561566, planet candidate 1. The unwhitened time series is phase folded at the orbital period associated with the planet candidate and centered on the epoch of the first transit. The time series was first cotrended against spacecraft engineering data, motion proxies, and/or cotrending basis vectors (CBVs) to remove systematic effects. Flux time series data represent the mean per pixel flux in the core or haloaperture; phase folded data points are shown in the figure with black dots. Binned and averaged phase folded flux values are marked with filled blue circles. The unwhitened transit model light curve is displayed in the figure with a red line. The value and significance of the core aperture correlation statistic are displayed in the figure title if the statistic was successfully computed.

Open `./planet-01/ghost-diagnostic-results/0000000158561566-01-core-unwhitened-cotrended-zoomed-model.fig`




Optical ghost diagnostic halo aperture flux time series for target 158561566, planet candidate 1. The unwhitened time series is phase folded at the orbital period associated with the planet candidate and centered on the epoch of the first transit. The time series was first cotrended against spacecraft engineering data, motion proxies, and/or cotrending basis vectors (CBVs) to remove systematic effects. Flux time series data represent the mean per pixel flux in the core or halo aperture; phase folded data points are shown in the figure with black dots. Binned and averaged phase folded flux values are marked with filled blue circles. The unwhitened transit model light curve is displayed in the figure with a red line. The value and significance of the halo aperture correlation statistic are displayed in the figure title if the statistic was successfully computed.

Open `./planet-01/ghost-diagnostic-results/000000158561566-01-halo-unwhitened-cotrended-zoomed-model.fig`


Appendix A Planet Candidate 1

A.1 Model Fitter: All Transits




Robust weights distribution for CatId 158561566, Planet candidate 1. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000158561566-01-all-robust-weights.fig`



Fit residuals distribution for CatId 158561566, Planet candidate 1. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000158561566-01-all-histo-used.fig`




Fit residuals distribution for CatId 158561566, Planet candidate 1. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000158561566-01-all-histo-all-and-unused.fig`

A.2 Model Fitter: Odd & Even Transits



Parameter	Odd Transits Value	Odd Transits Uncertainty	Even Transits Value	Even Transits Uncertainty	Units	$\frac{\text{Difference}}{\ \text{Uncertainty}\ }$
SNR	11.8		11.8			
Orbital Period	6.7906065	1.3478e-03	6.7906728	1.3502e-03	days	3.4800e-02
Transit Epoch	1685.2838333	4.7857e-03	1692.0758412	4.7451e-03	BTJD	2.1754e-01
Impact Parameter	0.1938	4.1037e+00	0.0258	3.7255e+01		4.4837e-03
Planet Radius to Star Radius Ratio	0.0422042	5.7353e-03	0.0423431	6.5831e-03		1.5907e-02
Semi-major Axis to Star Radius Ratio	8.8887	7.2347e+00	9.3157	8.8282e+00		3.7404e-02
Planet Radius	9.2180	1.3403e+00	9.2483	1.5153e+00	Earth radii	1.4994e-02
Semi-major Axis	0.1115	3.8436e-03	0.1115	3.8436e-03	AU	1.3368e-04
Effective Stellar Flux	477.4813	1.8085e+01	477.4751	1.8084e+01	Goldilocks	2.4337e-04
Equilibrium Temperature	1192	1.1289e+01	1192	1.1289e+01	Kelvin	2.4337e-04
Stellar Density	0.2046	4.9962e-01	0.2355	6.6962e-01	Solar density	3.7006e-02
Transit Depth	2030	1.6984e+02	2056	1.7119e+02	ppm	1.0435e-01
Transit Duration	5.9911	4.5215e-01	5.8150	4.9010e-01	hours	2.6413e-01
Transit Ingress Duration	0.2527	4.5031e-01	0.2372	4.9151e-01	hours	2.3160e-02
Eccentricity	0.0000	0.0000e+00	0.0000	0.0000e+00		
Peri Longitude	0.0000	0.0000e+00	0.0000	0.0000e+00	degrees	
Model Chi Square Statistic (DoF)	5526.0 (6672.1)		5526.0 (6672.1)			

DoF: Degrees of Freedom




Folded flux time series for CatId 158561566, Planet candidate 1 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Odd-even transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000158561566-01-odd-even-whitened.fig`




Folded flux time series for CatId 158561566, Planet candidate 1 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the fitted model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. Odd-even transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000158561566-01-odd-even-whitened-zoomed.fig`




Robust weights distribution for CatId 158561566, Planet candidate 1. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000158561566-01-odd-even-robust-weights.fig`



Fit residuals distribution for CatId 158561566, Planet candidate 1. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.


Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000158561566-01-odd-even-histo-used.fig`



Fit residuals distribution for CatId 158561566, Planet candidate 1. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000158561566-01-odd-even-histo-all-and-unused.fig`

A.3 Eclipsing Binary Discrimination Test



Top-left: Diagnostic plot of Odd/Even Transit Depth Test for catId 158561566, planet 1. A significance level close to 1/0 favors a transiting planet/an eclipsing binary. Open `./planet-01/binary-discrimination-test-results/0000000158561566-01-eclipsing-binary-discrimination-tests.fig`

Appendix B Alerts

This target did not trigger any alerts.