



# Data Validation (DV) Report for TESS ID 21744120 Sectors 26 - 26

This Data Validation Report was produced in the TESS Science Processing Operations Center (SPOC) Pipeline at NASA Ames Research Center

24-Jul-2020 23:34:18 Z

## Contents

1	Summary	1
<b>2</b>	Survey Image	<b>2</b>
3	Flux Time Series	3
4	Dashboards	5
5	Pixel Level Diagnostics         5.1       Planet Candidate 1         5.2       Difference Image TIC Key	<b>6</b> 6 10
6	Phased Light Curves	12
7	Planet Candidate 17.1Model Fitter: All Transits7.2Model Fitter: Reduced Parameter Fit Results7.3Model Fitter: Trapezoidal Fit Results7.4Validation Tests7.4.1Weak Secondary Test7.4.2Eclipsing Binary Discrimination Test7.4.3Bootstrap Test7.4.4Ghost Diagnostic Test7.4.5Validation Test Figures	<ol> <li>15</li> <li>15</li> <li>18</li> <li>20</li> <li>22</li> <li>22</li> <li>22</li> <li>23</li> <li>23</li> <li>24</li> </ol>
A	ppendices	28
A	Planet Candidate 1         A.1 Model Fitter: All Transits         A.2 Model Fitter: Odd & Even Transits         A.3 Eclipsing Binary Discrimination Test	<ul> <li>28</li> <li>28</li> <li>30</li> <li>35</li> </ul>
в	Alerts	30

## 1 Summary

Target Properties	Value	Uncertainty	Units	Provenance
Catalog ID	21744120			
TOI ID	-			
TESS Name	-			
RA	256.34644827	0	degrees	TIC8
Dec	33.01248310	0	degrees	TIC8
Magnitude	11.733	0.0061		TIC8
Radius	0.740	0.050	Solar radii	TIC8
Effective Temperature	4790	118	Kelvin	TIC8
$\log(g)$	4.588	0.08845	$\rm cm/sec^2$	TIC8
[M/H]	0.140	0.08	Solar metallicity	TIC8
Stellar Density	1.907	0.409	Solar density	TIC8-Derived
Limb Darkening Coefficient 1	0.71199			
Limb Darkening Coefficient 2	-0.64061			
Limb Darkening Coefficient 3	1.1483			
Limb Darkening Coefficient 4	-0.47206			
Number of Planet Candidates	1			
TOI Model	csv-file-toi-catalog-07-16	5-20-edited.csv		
TESS Names Model	-			
External TCE Model	-			
Software Revision	spoc-5.0.3-20200718			
Date Report Generated	24-Jul-2020 23:34:18 Z			

Sector	Target Table	Camera/ CCD	Crowding Metric	Flux Fraction
26	254	1:2	0.9979	0.7974

Planet Candidate	TOI ID	TESS Name	TOI Correlation	Period (days)	Period Ratio	Epoch (BTJD)	Semi-major Axis (AU)	Radius (Re)	Seff	Teq (K)	False Alarm	Suspected EB
1	-	-	-	5.508	1.00	2011.285	0.06	10.8	82.2	768	0.00e+00	false



2

### Digitized Sky Survey (DSS) red image. The 5' x 5' image is centered on the J2000 coordinates of target (21744120).

 $\mathbf{2}$ 

Survey Image

Declination

### 3 Flux Time Series



Summary plot of sector-stitched flux time series and transits for target 21744120, marked with DV fitted epoch/period (or TPS epoch/period if fit was not successful). Transits of identified planets are labeled with epoch BTJD and orbital period. For the data of sector 26, target table 254, start BJD is 2459010. Open ./summary-plots/000000021744120-00-flux-dv-fit-26-254.fig



Summary plot of raw flux time series. For the data of sector 26, target table 254, start BJD is 2459010. Open ./summary-plots/000000021744120-00-raw-flux-26-254.fig

### 4 Dashboards

### Planet Candidate 1

Model Fitter	Stellar Radius $0.7 \pm 0.0$ Solar units Period = $5.5 \pm 0.0$ days Depth = $21687 \pm 251$ ppm Planet Radius = $10.8 \pm 0.8$ Earth r Semi-major Axis = $0.1 \pm 0.0$ AU Effective Stellar Flux = $82.2 \pm 14.3$ Equilibrium Temperature = $768 \pm 32$ Chi-squared/DoF = $0.8$ SNR = $90.4$	adii 3 33 Kelvin	Core Aperture Correlation Statistic Value = 54.45 Significance = 100.00% Halo Aperture Correlation Statistic Value = 11.31 Significance = 100.00% Core/Halo Ratio Ratio = 4.81	Ghost Diagnostic Test
Eclipsing Binary Discrimination Test	Odd-Even Depth Comparison Statistic Value = 9.40e-02 Significance = 75.91%		Offsets Relative to Out of Transit Centroid Source RA Offset = $-3.62e-01 \pm 2.51e+00 \operatorname{arcsec} (-0.14 \sigma)$ Source Dec Offset = $-2.86e-01 \pm 2.51e+00 \operatorname{arcsec} (-0.11 \sigma)$ Source Offset Distance = $4.62e-01 \pm 2.51e+00 \operatorname{arcsec} (0.18 \sigma)$ Offsets Relative to TIC Position Source RA Offset = $-2.81e-01 \pm 2.51e+00 \operatorname{arcsec} (-0.11 \sigma)$ Source Dec Offset = $-3.24e-01 \pm 2.51e+00 \operatorname{arcsec} (-0.13 \sigma)$ Source Offset Distance = $4.29e-01 \pm 2.51e+00 \operatorname{arcsec} (0.17 \sigma)$	Difference Image Centroid Offsets
	Shorter PeriodComparison StatisticValue = $N/A$ Significance = $N/A$	Longer Period Comparison Statistic Value = $N/A$ Significance = $N/A$	False Alarm = 0.00e+00 Transit Count = 5 Max Multiple Event Statistic = 94.9	Bootstrap Test

Summary of model fitter results and validation test results for target 21744120, planet candidate 1. In general, green denotes that the candidate is likely a planet, while red denotes that the candidate is unlikely to be a planet. Cyan denotes that no data is available. The color of the Model Fitter block is: green, when the SNR of the fit is greater than or equal to 10; yellow, if the SNR is greater than or equal to 7.1 but less than 10; red, if the SNR is less than 7.1 or if the fitter failed. The color of the Ghost Diagnostic Test and Eclipsing Binary Discrimination Test blocks are: green, when the significance is within 2-sigma; yellow, when the significance is between 2- and 3-sigma; red when the significance is greater than 3-sigma. The color of the Difference Image Centroid Offsets block is: green, when the max offset distance sigma is less than or equal to 2; yellow, when the max sigma is between 2 and 3; red when the max sigma is greater than 3. The color of the Bootstrap Test block is: green whenever the false alarm probability is less than  $10^{-12}$ , low enough to limit the total number of false alarms from a four year mission to less than one. If the false alarm probability is greater than  $10^{-12}$ , the color of the Bootstrap Test block is: green, when the false alarm probability is less than or equal to the CCDF of a Gaussian distribution at the observed maximum multiple event statistic; yellow when the false alarm probability is between 1 and 2 times that of a Gaussian distribution at the max multiple event statistic.

### 5 Pixel Level Diagnostics

To reduce clutter, the catalog IDs in the difference images have been replaced by indices representing distance from the target star. The mapping between the indices and the catalog IDs is found in a table at the end of this section.

#### 5.1 Planet Candidate 1

Mean offset from	the PRF fit to the or	ut of transit image		Mean offset from	the TIC RA and Dec	2	
	RA	Dec	Units		$\mathbf{R}\mathbf{A}$	Dec	Units
Offset	$-0.3621 \pm 2.51e + 00$	$-0.2862 \pm 2.51e + 00$	arcseconds	Offset	$-0.2805 \pm 2.51e + 00$	$-0.3242 \pm 2.51e + 00$	arcseconds
$\mathrm{Offset}/\sigma$	-0.14	-0.11		$Offset/\sigma$	-0.11	-0.13	
Offset Distance	$0.4616 \pm 2$	2.51e + 00	arcseconds	Offset Distance	$0.4288 \pm 2$	2.51e + 00	arcseconds
Offset Distance/ $\sigma$	0.	18		Offset Distance/ $\sigma$	0.	17	
$3\sigma$ Radius	7.5	288	arcseconds	$3\sigma$ Radius	7.5	300	arcseconds

### Multi-Sector Average PRF Fit of the Difference Images



Difference image centroid offsets for target 21744120, planet candidate 1. Left: difference image PRF centroid offsets in RA and Dec with respect to the TC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star (out-of-transit centroid in left panel and TIC position in right panel); green asterisk: TIC location of target star with respect to out-of-transit centroid; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked object. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

 $Open \ ./\texttt{planet-01/difference-image/000000021744120-01-difference-image-centroid-offsets.fig}$ 



Difference image centroid offsets for target 21744120, planet candidate 1, diplayed on survey image for given target. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TIC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star (out-of-transit centroid in left panel and TIC position in right panel); green asterisk: TIC location of target star with respect to out-of-transit centroid; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked object. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

 $Open \ ./\texttt{planet-01/difference-image/000000021744120-01-difference-image-centroid-offsets-survey.fig}$ 

Number of	Number of	Number of	Fraction of	Quality
Difference Images	Metrics	Good Metrics	Good Metrics	Threshold
1	1	1	1.0000	0.70

Difference	Image	Summary	Metrics
------------	-------	---------	---------



Difference Image Planet Candidate 1 / Sector 26 / Target Pixel Table 254

Difference image for target 21744120, planet candidate 1, sector 26, target pixel table 254. Upper left: difference between mean flux out-of-transit and in-transit; upper right: mean out-of-transit flux; lower left: mean in-transit flux; lower right: difference between mean flux out-of-transit and in-transit after normalizing by the uncertainty in the difference for each pixel. The optimal aperture is outlined with a white dash-dotted line in each panel and the target mask is outlined with a solid white line. Symbol key: x: target position from TIC RA and Dec converted to CCD coordinates via motion polynomials; \*: position of nearby TIC objects converted to CCD coordinates via motion polynomials; +: PRF-fit location of target from out-of-transit image; triangle: PRF-fit location of transit source from the difference image. Number of transits = 4; number of valid in-transit cadences = 228; number of in-transit cadence gaps = 2; number of valid out-of-transit cadences = 657; number of out-of-transit cadence gaps = 14. Difference image quality metric = 1.00 (good).

Open ./planet-01/difference-image/000000021744120-01-difference-image-26-254.fig

### 5 PIXEL LEVEL DIAGNOSTICS

### PRF Fit of the Difference Image

#### Offset from the PRF fit to the out of transit image

	Row	Column	$\mathbf{Units}$	RA	Dec	Units
Out of Transit Image Centroid	$643.66 \pm 1.14e - 04$	$2084.41 \pm 1.25e - 04$	pixels	$256.34637985 \pm 1.50e - 06$	$33.01226389 \pm 1.38e - 06$	degrees
Difference Image Centroid	$643.68 \pm 1.13e - 02$	$2084.43 \pm 1.22e - 02$	pixels	$256.34625990 \pm 6.95e - 05$	$33.01218439 \pm 6.50e - 05$	degrees
Offset	$0.0113 \pm 1.13e - 02$	$0.0202 \pm 1.22e - 02$	pixels	$-0.3621 \pm 2.10e - 01$	$-0.2862 \pm 2.34e - 01$	arcseconds
$Offset/\sigma$	1.00	1.66		-1.73	-1.22	
Offset Distance	$0.0232 \pm$	1.21e - 02	pixels	$0.4616\pm2$	.25e - 01	arcseconds
Offset Distance/ $\sigma$	1.	.92		2.0	)5	

### Offset from the TIC RA and Dec converted to pixels via motion polynomials

	Row	Column	Units	$\mathbf{R}\mathbf{A}$	Dec	$\mathbf{Units}$
TIC Reference Centroid	$643.66 \pm 2.11e - 04$	$2084.41 \pm 2.32e - 04$	pixels	$256.34635283 \pm 0.00e + 00$	$33.01227445 \pm 0.00e + 00$	degrees
Difference Image Centroid	$643.68 \pm 1.13e - 02$	$2084.43 \pm 1.22e - 02$	pixels	$256.34625990 \pm 6.95e - 05$	$33.01218439 \pm 6.50e - 05$	degrees
Offset	$0.0139 \pm 1.13e - 02$	$0.0162 \pm 1.22e - 02$	pixels	$-0.2805 \pm 2.10e - 01$	$-0.3242 \pm 2.34e - 01$	arcseconds
$Offset/\sigma$	1.23	1.33		-1.34	-1.39	
Offset Distance	$0.0214 \pm$	1.19e - 02	pixels	$0.4288 \pm 2$	2.29e - 01	arcseconds
Offset Distance/ $\sigma$	1.	.79		1.8	37	

## 5.2 Difference Image TIC Key

Index	Catalog ID	Mag	RA	Dec	Distance
			(degrees)	(degrees)	(arcsec)
1	21744120	11.733	256.34635283	33.01227445	0.00
2	1270439200	18.342	256.34628351	33.01158921	2.48
3	1270439199	19.850	256.34985121	33.01705812	20.20
4	21744119	19.206	256.33840985	33.02201284	42.47
5	21744132	17.451	256.35034036	32.99797137	52.88
6	21741342	18.629	256.34999000	33.02993000	64.50
7	21741341	18.265	256.33223700	33.02810300	71.15
8	1270439188	18.849	256.32779348	32.99627304	80.36
9	21744116	14.895	256.36828880	33.02584786	82.30
10	1270439191	20.468	256.36126130	32.99280657	83.29
11	21741333	15.558	256.31719822	33.00759334	89.61
12	1270439187	19.950	256.34171527	32.98744446	90.48
13	1270439192	18.813	256.37615144	33.01672124	91.37
14	10000546159	17.368	256.36749300	32.99369000	92.46
15	21744133	18.454	256.36768700	32.99358700	93.13
16	21741330	14.772	256.31852375	32.99982875	95.21
17	1270439204	19.462	256.36168600	33.03543580	95.37
18	1270439183	19.194	256.35255441	32.98610689	96.05
19	1270439201	19.498	256.37675478	33.02049554	96.43
20	21741331	17.327	256.31542110	33.00429955	97.69
21	21744113	16.855	256.36435369	33.03852078	109.00
22	1270439193	20.017	256.38173726	33.00546852	109.59
23	1270439292	20.632	256.34083169	33.04356609	113.88
24	1270439197	19.801	256.38262534	33.02118806	114.10
25	1270439293	20.364	256.32679055	33.04035198	117.07
26	21744112	18.417	256.36494501	33.04107379	117.89
27	21741324	15.973	256.31667220	32.98873818	123.32
28	21741318	13.520	256.33448098	32.97917508	124.43
29	21741347	13.910	256.33235837	33.04532829	126.27
30	1270439190	18.586	256.38601729	32.99937048	128.43
31	21744134	18.286	256.37983400	32.98978400	129.50
32	21744111	18.023	256.37339776	33.04136319	132.78
33	1270439294	19.893	256.32864321	33.04654478	134.46
34	21741346	16.995	256.31798655	33.04535866	146.69
35	1270439202	18.973	256.38065599	33.04464329	155.89
36	1270439173	19.946	256.38379916	32.98164522	157.91
37	21741319	16.819	256.30937434	32.97991809	161.34
38	21744137	17.074	256.38441302	32.97944520	164.83

Index	Catalog ID	Mag	${f RA}\ ({f degrees})$	Dec (degrees)	Distance (arcsec)
39	21741348	15.725	256.30755535	33.04547928	167.35
40	1270439203	19.986	256.38767218	33.04560240	173.07

RA, Dec and Distances are corrected for proper motion. This table may not contain all of the objects shown.

### 6 Phased Light Curves



Phased unwhitened flux time series is plotted in black dots. When all transits fit completed with full or secondary convergence, the phase is determined with the TPS epoch and period. The values of the phased unwhitened flux time series averaged in one cadence wide bins are plotted in bigger blue dots. When all transits fit completes with full or secondary convergence, the averaged values of the phased unwhitened fitted model light curve are plotted in red dots. Transit event markers in different colors indicate the locations of the transits of all planet candidates. The transits of the same planet candidate are labeled with the markers of the same color, for example, blue markers for transits of plane candidate #1, red markers for transits of planet candidate #2, etc.

Open ./summary-plots/000000021744120-01-phased-unwhitened-flux-time-series.fig



Phased whitened flux time series is plotted in black dots. When all transits fit completed with full or secondary convergence, the phase is determined with the fitted epoch and period; otherwise, the phase is determined with the TPS epoch and period. The values of the phased whitened flux time series averaged in one cadence wide bins are plotted in bigger blue dots. When all transits fit completes with full or secondary convergence, the averaged values of the phased whitened fitted model light curve are plotted in red dots. Transit event markers in different colors indicate the locations of the transits of all planet candidates. The transits of the same planet candidate are labeled with the markers of the same color, for example, blue markers for transits of plane candidate #1, red markers for transits of planet candidate #2, etc. Open ./summary-plots/000000021744120-01-phased-whitened-flux-time-series.fig

#### Planet: 1 Phased Unwhitened Flux Time Series by Sector



Phased unwhitened flux time series by sector for target 21744120, planet candidate 1. Period = 5.5083 days; transit epoch = 2011.2848 BTJD. Open ./summary-plots/000000021744120-01-phased-unwhitened-flux-time-series-by-sector.fig

### 7 Planet Candidate 1

### 7.1 Model Fitter: All Transits

Model Characteristic	Name					
Transit Model	mandel-agol_geometric_transit_model					
Limb Darkening Model	claret_tess_nonline	ear_limb_darkeni	ng_model			
TCE Parameter		Value	Units			
Trial Transit Pulse Durat	ion	2.5	hours			
Transit Epoch		2011.2815598	TJD			
Orbital Period		5.5083308	days			
Maximum SES		47.9				
Maximum MES		94.9				
Robust Statistic		89.8				
Chi Square Goodness of H	Fit Statistic (DoF)	433.7(297)				
Chi Square2 Statistic (Do	F)	0.6(739.0)				
Threshold for Desired PF.	A					

DoF: Degrees of Freedom

Parameter	Value	Uncertainty	Units
SNR	90.4		
Orbital Period	5.5083163	1.9001e-04	days
Transit Epoch	2011.2847682	4.8381e-04	BTJD
Impact Parameter	0.1592	4.4136e-01	
Planet Radius to Star Radius Ratio	0.1335395	2.6389e-03	
Semi-major Axis to Star Radius Ratio	17.7388	1.2589e + 00	
Planet Radius	10.7897	7.5483e-01	Earth radii
Semi-major Axis	0.0561	4.5572e-03	AU
Effective Stellar Flux	82.2357	1.4264e + 01	Goldilocks
Equilibrium Temperature	768	3.3304e + 01	Kelvin
Stellar Density	2.4716	5.2621e-01	Solar density
Transit Depth	21687	2.5103e+02	ppm
Transit Duration	2.6642	4.9606e-02	hours
Transit Ingress Duration	0.3215	5.2557e-02	hours
Eccentricity	0.0000	0.0000e+00	
Peri Longitude	0.0000	0.0000e+00	degrees
Model Chi Square Statistic (DoF)	1398.9(1647.4)		
Model Chi Square Goodness of Fit Statistic (DoF)	201.3(331)		
Model Chi Square2 Statistic (DoF)	0.4(3)		

DoF: Degrees of Freedom



Flux time series for CatId 21744120, Planet candidate 1 in the unwhitened domain. For the data of Sector-26/TargetTableId-254, start BJD is 2459010. Transit event markers indicate the location of transits of the given planet candidate. All transits fit completed with full convergence. Open ./planet-o1/planet-search-and-model-fitting-results/all-transits-fit/000000021744120-01-all-unwhitened-26-254.fig



Folded flux time series for CatId 21744120, Planet candidate 1 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the all transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. All transits fit completed with full convergence.

Open ./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000021744120-01-all-whitened.fig



Folded flux time series for CatId 21744120, Planet candidate 1 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the fitted model light curve of the all transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. All transits fit completed with full convergence.

Open ./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000021744120-01-all-whitened-zoomed.fig

Impact	SNR	Model	Planet Radius	Uncert	Semi-major Axis	Uncert	Transit	Uncert	Transit	Uncert
Parameter		Chi Square	to Star Radius		to Star Radius		$\mathbf{Depth}$		Duration	
							(ppm)		(hours)	
0.10	94.6	1785.4	0.1333314	7.5308e-04	17.9114	1.2045e-01	21704	2.4339e + 02	2.6540	1.7518e-02
0.30	94.2	1769.0	0.1348122	7.6424e-04	17.1914	1.1879e-01	21723	2.4440e+02	2.6811	1.8160e-02
0.50	94.6	1777.9	0.1383264	7.9122e-04	15.6704	1.1650e-01	21780	2.4694e + 02	2.7495	1.9968e-02
0.70	93.6	1829.5	0.1459226	8.8026e-04	13.1025	1.1626e-01	21988	2.6172e + 02	2.9204	2.5126e-02
0.90	93.6	2019.7	0.1863218	1.4056e-03	9.9383	1.3090e-01	23862	3.0697e + 02	3.2894	3.9652e-02

### 7.2 Model Fitter: Reduced Parameter Fit Results

Highlighted row is the best reduced-parameter model fit.



Model chi squares of reduced parameter fits vs. impact parameter for CatId 21744120, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open ./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/000000021744120-01-reduced-fits-chi-square.fig



Ratios of planet radius to star radius of reduced parameter fits vs. impact parameter for CatId 21744120, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open ./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/000000021744120-01-reduced-fits-rp-over-rstar.fig



Ratios of semimajor axis to star radius of reduced parameter fits vs. impact parameter for CatId 21744120, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open ./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/000000021744120-01-reduced-fits-a-over-rstar.fig

### 7.3 Model Fitter: Trapezoidal Fit Results

### Model Characteristic Name

Transit Modeltrapezoidal\_modelLimb Darkening Model

TCE Parameter	Value	Units
Trial Transit Pulse Duration	2.5	hours
Transit Epoch	2011.2815598	TJD
Orbital Period	5.5083308	days
Maximum SES	47.9	
Maximum MES	94.9	
Robust Statistic	89.8	
Chi Square Goodness of Fit Statistic (DoF)	433.7(297)	
Chi Square2 Statistic (DoF)	0.6(739.0)	
Threshold for Desired PFA		

DoF: Degrees of Freedom

Parameter	Value	Uncertainty	Units
SNR	101.0		
Orbital Period	5.5083308		days
Transit Epoch	2011.2845885		BTJD
Transit Depth	20701		ppm
Transit Duration	2.6602		hours
Transit Ingress Duration	0.4943		hours
Model Chi Square Statistic (DoF)	17606.5(2574)		

DoF: Degrees of Freedom



Folded detrended flux time series for CatId 21744120, Planet candidate 1 and folded trapezoidal model light curve. Open ./planet-01/planet-search-and-model-fitting-results/trapezoidal-model-fit/000000021744120-01-all-trapezoidal.fig



Zoomed folded detrended flux time series for CatId 21744120, Planet candidate 1 and folded trapezoidal model light curve. Open ./planet-01/planet-search-and-model-fitting-results/trapezoidal-model-fit/000000021744120-01-all-trapezoidal-zoomed.fig

### 7.4 Validation Tests

The Centroid Test and Eclipsing Binary Discrimination Test are chi-squared hypothesis tests. For these tests, a significance of 100% favors a planet, while 0% indicates an unlikely planet.

#### 7.4.1 Weak Secondary Test

Result	Value	Uncertainty	Units	Statistic in Sigmas	Significance (%)
Orbital Period	5.5083		days		
Transit Duration	2.5		hours		
Maximum MES	94.9				
Secondary Phase	3.6		days		
Secondary MES	3.6				
Minimum Phase	1.4472		days		
Minimum MES	-3.2				
Median MES	0.0				
MAD MES	0.78166				
Robust Statistic	3.4				
Secondary Depth	898.5	2.6877e + 02	ppm		
Geometric Albedo	13.3	$4.4538e{+}00$		2.7704	0.28
Planet Effective Temperature	2269	1.8003e + 02	Kelvin	8.2000	0.00

#### 7.4.2 Eclipsing Binary Discrimination Test

Result	Value	Value in Sigmas	Significance (%)
Odd Even Transit Depth Comparison Statistic	9.4007 e-02	0.3066	75.91

### 7.4.3 Bootstrap Test

Result	Value
False Alarm Probability	0.0000e+00
Bootstrap Threshold for Desired PFA	8.1
MES Mean	-0.47
MES Standard Deviation	1.22
Transit Count	5

### 7.4.4 Ghost Diagnostic Test

Result	Value	Significance (%)
Maximum MES	94.9	
SNR	90.4	
Core Aperture Statistic	5.4454e + 01	100.00
Halo Aperture Statistic	$1.1310e{+}01$	100.00
Ratio of Core/Halo Aperture Statistics	4.8146e + 00	

#### 7.4.5 Validation Test Figures



The primary event has been set to zero and both the max and min of the resulting MES vs. Phase are marked with a red star. The best matched pulse duration in hours is 2.5. The maximum secondary MES and corresponding phase are 3.6311 and 3.6 days respectively. The minimum secondary MES and corresponding phase are -3.2214 and 1.4472 days respectively.

Open ./planet-01/report-summary/000000021744120-01-weak-secondary-diagnostic.fig



Bootstrap results for target 21744120, planet 1. Cumulative sum of the probabilities (derived from the histogram of counts) from upper tail to the search transit threshold; false alarm probability is indicated by the star. The Gaussian equivalent threshold for this false alarm probability is Inf. The threshold on this distribution that achieves the same false alarm rate as a 7.1 sigma threshold on a Gaussian distribution is 8.1086. Open ./planet-01/bootstrap-results/000000021744120-01-bootstrap-false-alarm.fig



Planet 1 : Cotrended Folded Core Aperture Flux Time Series Correlation Statistic = 54.45, Significance = 100.00%

Optical ghost diagnostic core aperture flux time series for target 21744120, planet candidate 1. The unwhitened time series is phase folded at the orbital period associated with the planet candidate and centered on the epoch of the first transit. The time series was first corrended against spacecraft engineering data, motion proxies, and/or cotrending basis vectors (CBVs) to remove systematic effects. Flux time series data represent the mean per pixel flux in the core or haloaperture; phase folded data points are shown in the figure with black dots. Binned and averaged phase folded flux values are marked with filled blue circles. The unwhitened transit model light curve is displayed in the figure with a red line. The value and significance of the core aperture correlation statistic are displayed in the figure title if the statistic was successfully computed.

Open ./planet-01/ghost-diagnostic-results/000000021744120-01-core-unwhitened-cotrended-zoomed-model.fig



Planet 1 : Cotrended Folded Halo Aperture Flux Time Series Correlation Statistic = 11.31, Significance = 100.00%

Optical ghost diagnostic halo aperture flux time series for target 21744120, planet candidate 1. The unwhitened time series is phase folded at the orbital period associated with the planet candidate and centered on the epoch of the first transit. The time series was first cotrended against spacecraft engineering data, motion proxies, and/or cotrending basis vectors (CBVs) to remove systematic effects. Flux time series data represent the mean per pixel flux in the core or haloaperture; phase folded data points are shown in the figure with black dots. Binned and averaged phase folded flux values are marked with filled blue circles. The unwhitened transit model light curve is displayed in the figure with a red line. The value and significance of the halo aperture correlation statistic are displayed in the figure title if the statistic was successfully computed.

Open ./planet-01/ghost-diagnostic-results/000000021744120-01-halo-unwhitened-cotrended-zoomed-model.fig

### Appendix A Planet Candidate 1

### A.1 Model Fitter: All Transits



Robust weights distribution for CatId 21744120, Planet candidate 1. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open ./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000021744120-01-all-robust-weights.fig



Fit residuals distribution for CatId 21744120, Planet candidate 1. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.





Fit residuals distribution for CatId 21744120, Planet candidate 1. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

 $Open \ ./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000021744120-01-all-histo-all-and-unused.fig \ ...$ 

### A.2 Model Fitter: Odd & Even Transits

Parameter	Odd Transits Value	Odd Transits Uncertainty	Even Transits Value	Even Transits Uncertainty	Units	$\frac{\text{Difference}}{\ \text{Uncertainty}\ }$
SNR	63.6		65.0			
Orbital Period	5.5083132	2.1284e-04	5.5084813	4.2751e-04	days	3.5209e-01
Transit Epoch	2011.2852884	5.9206e-04	2016.7923600	6.1349e-04	BTJD	$1.4598e{+}00$
Impact Parameter	0.1145	8.7847e-01	0.0866	1.2226e+00		1.8525e-02
Planet Radius to Star Radius Ratio	0.1330844	3.7179e-03	0.1334623	3.8742e-03		7.0382e-02
Semi-major Axis to Star Radius Ratio	17.7935	1.7875e + 00	17.9776	1.8889e + 00		7.0822e-02
Planet Radius	10.7530	7.8165e-01	10.7835	7.8847e-01	Earth radii	2.7503e-02
Semi-major Axis	0.0561	4.5572e-03	0.0561	4.5573e-03	AU	1.7698e-04
Effective Stellar Flux	82.2358	1.4264e + 01	82.2324	1.4263e+01	Goldilocks	1.6592e-04
Equilibrium Temperature	768	3.3304e + 01	768	3.3304e + 01	Kelvin	1.6592e-04
Stellar Density	2.4945	7.5180e-01	2.5726	8.1090e-01	Solar density	7.0637 e-02
Transit Depth	21607	$3.5553e{+}02$	21760	$3.5231e{+}02$	ppm	3.0661e-01
Transit Duration	2.6678	6.9624 e- 02	2.6472	7.1730e-02	hours	2.0600e-01
Transit Ingress Duration	0.3174	7.3365e-02	0.3141	7.5947 e-02	hours	3.0948e-02
Eccentricity	0.0000	0.0000e+00	0.0000	0.0000e+00		
Peri Longitude	0.0000	0.0000e+00	0.0000	0.0000e+00	degrees	
Model Chi Square Statistic (DoF)	$1410.0\ (1644.8)$		$1410.0\ (1644.8)$			

DoF: Degrees of Freedom



Folded flux time series for CatId 21744120, Planet candidate 1 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Odd-even transits fit completed with full convergence. Open ./planet-o1/planet-search-and-model-fitting-results/odd-even-transits-fit/000000021744120-01-odd-even-whitened.fig



Folded flux time series for CatId 21744120, Planet candidate 1 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the fitted model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. Odd-even transits fit completed with full convergence.

Open ./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/000000021744120-01-odd-even-whitened-zoomed.fig



Robust weights distribution for CatId 21744120, Planet candidate 1. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open ./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/000000021744120-01-odd-even-robust-weights.fig



Fit residuals distribution for CatId 21744120, Planet candidate 1. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.





Fit residuals distribution for CatId 21744120, Planet candidate 1. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open ./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/000000021744120-01-odd-even-histo-all-and-unused.fig

### A.3 Eclipsing Binary Discrimination Test



Top-left: Diagnostic plot of Odd/Even Transit Depth Test for catId 21744120, planet 1. A significance level close to 1/0 favors a transiting planet/an eclipsing binary. Open ./planet-01/binary-discrimination-test-results/000000021744120-01-eclipsing-binary-discrimination-tests.fig

## Appendix B Alerts

This target did not trigger any alerts.