



Data Validation (DV) Report
for TESS ID 22529346
Sectors 7 - 7

This Data Validation Report was produced in the
TESS Science Processing Operations Center (SPOC) Pipeline
at NASA Ames Research Center

23-Feb-2019 02:58:02 Z

Contents

1	Summary	1
2	Survey Image	2
3	Flux Time Series	3
4	Dashboards	5
5	Pixel Level Diagnostics	7
5.1	Planet Candidate 1	7
5.2	Planet Candidate 2	11
5.3	Difference Image TIC Key	15
6	Phased Light Curves	17
7	Planet Candidate 1	21
7.1	Model Fitter: All Transits	21
7.2	Model Fitter: Reduced Parameter Fit Results	25
7.3	Model Fitter: Trapezoidal Fit Results	27
7.4	Validation Tests	29
7.4.1	Weak Secondary Test	29
7.4.2	Eclipsing Binary Discrimination Test	29
7.4.3	Bootstrap Test	30
7.4.4	Ghost Diagnostic Test	30
7.4.5	Validation Test Figures	31
8	Planet Candidate 2	35
8.1	Model Fitter: All Transits	35
8.2	Model Fitter: Reduced Parameter Fit Results	38
8.3	Model Fitter: Trapezoidal Fit Results	40
8.4	Validation Tests	42
8.4.1	Weak Secondary Test	42
8.4.2	Eclipsing Binary Discrimination Test	42
8.4.3	Bootstrap Test	43
8.4.4	Ghost Diagnostic Test	43
8.4.5	Validation Test Figures	44
Appendices		48
A	Planet Candidate 1	48
A.1	Model Fitter: All Transits	48
A.2	Model Fitter: Odd & Even Transits	50
A.3	Eclipsing Binary Discrimination Test	55
B	Planet Candidate 2	56
B.1	Model Fitter: All Transits	56

B.2 Model Fitter: Odd & Even Transits	58
B.3 Eclipsing Binary Discrimination Test	63
C Alerts	64


1 Summary

Target Properties	Value	Uncertainty	Units	Provenance
Catalog ID	22529346			
TOI ID	-			
TESS Name	-			
RA	107.60027400	0	degrees	TIC7
Dec	-39.09738700	0	degrees	TIC7
Magnitude	10.038	0.018		TIC7
Radius	1.460	0.000	Solar radii	TIC7
Effective Temperature	6459	0	Kelvin	TIC7
log(g)	4.240	0	cm/sec ²	TIC7
[M/H]	0.000	0	Solar metallicity	Solar
Stellar Density	0.434	0.000	Solar density	TIC7-Derived
Limb Darkening Coefficient 1	0.43456			
Limb Darkening Coefficient 2	0.48451			
Limb Darkening Coefficient 3	-0.43111			
Limb Darkening Coefficient 4	0.12255			
Number of Planet Candidates	2			
TOI Model	-			
TESS Names Model	-			
External TCE Model	-			
Software Revision	spoc-3.3.57-20190215			
Date Report Generated	23-Feb-2019 02:58:02 Z			

Sector	Target Table	Camera/ CCD	Crowding Metric	Flux Fraction
7	145	3:2	0.9167	0.8081


Planet Candidate	TOI ID	TESS Name	TOI Correlation	Period (days)	Period Ratio	Epoch (BTJD)	Semi-major Axis (AU)	Radius (Re)	Seff	Teq (K)	False Alarm	Suspected EB
1	-	-	-	1.275	1.00	1491.999	0.03	19.7	5130.8	2159	0.00e+00	false
2	-	-	-	19.090	14.97	1492.649	0.15	5.4	139.0	876	4.82e-12	false

2 Survey Image




Digitized Sky Survey (DSS) red image. The 5' x 5' image is centered on the J2000 coordinates of target (22529346).

3 Flux Time Series



Summary plot of sector-stitched flux time series and transits for target 22529346, marked with DV fitted epoch/period (or TPS epoch/period if fit was not successful). Transits of identified planets are labeled with epoch BTJD and orbital period. For the data of sector 7, target table 145, start BJD is 2458491. Open `./summary-plots/0000000022529346-00-flux-dv-fit-07-145.fig`



Summary plot of raw flux time series. For the data of sector 7, target table 145, start BJD is 2458491.

Open `./summary-plots/000000022529346-00-raw-flux-07-145.fig`

4 Dashboards

Planet Candidate 1

Model Fitter	Stellar Radius 1.5 ± 0.0 Solar units		Core Aperture Correlation Statistic Value = 187.34 Significance = 100.00%		Ghost Diagnostic Test
	Period = 1.3 ± 0.0 days Depth = 17387 ± 71 ppm Planet Radius = 19.7 ± 0.1 Earth radii Semi-major Axis = 0.0 ± 0.0 AU Effective Stellar Flux = 5130.8 ± 0.1 Equilibrium Temperature = 2159 ± 0 Kelvin Chi-squared/DoF = 0.8 SNR = 248.7		Halo Aperture Correlation Statistic Value = 56.62 Significance = 100.00% Core/Halo Ratio Ratio = 3.31		
Eclipsing Binary Discrimination Test	Odd-Even Depth Comparison Statistic Value = 1.93e+00 Significance = 16.45%		Offsets Relative to Out of Transit Centroid Source RA Offset = 6.59e-01 ± 2.50e+00 arcsec (0.26 σ) Source Dec Offset = 9.94e-01 ± 2.50e+00 arcsec (0.40 σ) Source Offset Distance = 1.19e+00 ± 2.50e+00 arcsec (0.48 σ) Offsets Relative to TIC Position Source RA Offset = -2.66e-02 ± 2.50e+00 arcsec (-0.01 σ) Source Dec Offset = -1.82e-01 ± 2.50e+00 arcsec (-0.07 σ) Source Offset Distance = 1.83e-01 ± 2.50e+00 arcsec (0.07 σ)		Difference Image Centroid Offsets
	Shorter Period Comparison Statistic Value = N/A Significance = N/A	Longer Period Comparison Statistic Value = 1.38e+04 Significance = 100.00%	False Alarm = 0.00e+00 Transit Count = 19 Max Multiple Event Statistic = 234.7		

Summary of model fitter results and validation test results for target 22529346, planet candidate 1. In general, green denotes that the candidate is likely a planet, while red denotes that the candidate is unlikely to be a planet. Cyan denotes that no data is available. The color of the Model Fitter block is: green, when the SNR of the fit is greater than or equal to 10; yellow, if the SNR is greater than or equal to 7.1 but less than 10; red, if the SNR is less than 7.1 or if the fitter failed. The color of the Ghost Diagnostic Test and Eclipsing Binary Discrimination Test blocks are: green, when the significance is within 2-sigma; yellow, when the significance is between 2- and 3-sigma; red when the significance is greater than 3-sigma. The color of the Difference Image Centroid Offsets block is: green, when the max offset distance sigma is less than or equal to 2; yellow, when the max sigma is between 2 and 3; red when the max sigma is greater than 3. The color of the Bootstrap Test block is green whenever the false alarm probability is less than 10^{-12} , low enough to limit the total number of false alarms from a four year mission to less than one. If the false alarm probability is greater than 10^{-12} , the color of the Bootstrap Test block is: green, when the false alarm probability is less than or equal to the CCDF of a Gaussian distribution at the observed maximum multiple event statistic; yellow when the false alarm probability is between 1 and 2 times that of a Gaussian distribution at the max multiple event statistic; and red when the false alarm probability is more than 2 times that of a Gaussian distribution at the max multiple event statistic.

Planet Candidate 2

Model Fitter	Stellar Radius 1.5 ± 0.0 Solar units		Core Aperture Correlation Statistic Value = 3.77 Significance = 99.99%		Ghost Diagnostic Test	
	Period = 19.1 ± 0.0 days Depth = 1264 ± 181 ppm Planet Radius = 5.4 ± 2.6 Earth radii Semi-major Axis = 0.2 ± 0.0 AU Effective Stellar Flux = 139.0 ± 0.0 Equilibrium Temperature = 876 ± 0 Kelvin Chi-squared/DoF = 0.9 SNR = 7.4		Halo Aperture Correlation Statistic Value = 3.30 Significance = 99.95% Core/Halo Ratio Ratio = 1.14			
Eclipsing Binary Discrimination Test	Odd-Even Depth Comparison Statistic Value = 1.82e+00 Significance = 17.73%		Offsets Relative to Out of Transit Centroid Source RA Offset = 1.24e+01 ± 2.76e+00 arcsec (4.48 σ) Source Dec Offset = -3.17e+00 ± 2.80e+00 arcsec (-1.13 σ) Source Offset Distance = 1.28e+01 ± 2.76e+00 arcsec (4.62 σ) Offsets Relative to TIC Position Source RA Offset = 1.17e+01 ± 2.76e+00 arcsec (4.23 σ) Source Dec Offset = -4.36e+00 ± 2.80e+00 arcsec (-1.56 σ) Source Offset Distance = 1.25e+01 ± 2.76e+00 arcsec (4.51 σ)		Difference Image Centroid Offsets	
	Shorter Period Comparison Statistic Value = 1.38e+04 Significance = 100.00%	Longer Period Comparison Statistic Value = <i>N/A</i> Significance = <i>N/A</i>	False Alarm = 4.82e-12 Transit Count = 2 Max Multiple Event Statistic = 7.2		Bootstrap Test	

Summary of model fitter results and validation test results for target 22529346, planet candidate 2. In general, green denotes that the candidate is likely a planet, while red denotes that the candidate is unlikely to be a planet. Cyan denotes that no data is available. The color of the Model Fitter block is: green, when the SNR of the fit is greater than or equal to 10; yellow, if the SNR is greater than or equal to 7.1 but less than 10; red, if the SNR is less than 7.1 or if the fitter failed. The color of the Ghost Diagnostic Test and Eclipsing Binary Discrimination Test blocks are: green, when the significance is within 2-sigma; yellow, when the significance is between 2- and 3-sigma; red when the significance is greater than 3-sigma. The color of the Difference Image Centroid Offsets block is: green, when the max offset distance sigma is less than or equal to 2; yellow, when the max sigma is between 2 and 3; red when the max sigma is greater than 3. The color of the Bootstrap Test block is green whenever the false alarm probability is less than 10^{-12} , low enough to limit the total number of false alarms from a four year mission to less than one. If the false alarm probability is greater than 10^{-12} , the color of the Bootstrap Test block is: green, when the false alarm probability is less than or equal to the CCDF of a Gaussian distribution at the observed maximum multiple event statistic; yellow when the false alarm probability is between 1 and 2 times that of a Gaussian distribution at the max multiple event statistic; and red when the false alarm probability is more than 2 times that of a Gaussian distribution at the max multiple event statistic.

5 Pixel Level Diagnostics

To reduce clutter, the catalog IDs in the difference images have been replaced by indices representing distance from the target star. The mapping between the indices and the catalog IDs is found in a table at the end of this section.

5.1 Planet Candidate 1

Multi-Sector Average PRF Fit of the Difference Images



Mean offset from the PRF fit to the out of transit image

	RA	Dec	Units
Offset	$0.6586 \pm 2.50e + 00$	$0.9939 \pm 2.50e + 00$	arcseconds
Offset/ σ	0.26	0.40	
Offset Distance	$1.1923 \pm 2.50e + 00$		arcseconds
Offset Distance/ σ	0.48		
3σ Radius	7.5008		arcseconds

Mean offset from the TIC RA and Dec

	RA	Dec	Units
Offset	$-0.0266 \pm 2.50e + 00$	$-0.1815 \pm 2.50e + 00$	arcseconds
Offset/ σ	-0.01	-0.07	
Offset Distance	$0.1835 \pm 2.50e + 00$		arcseconds
Offset Distance/ σ	0.07		
3σ Radius	7.5009		arcseconds



Planet Candidate 1



Difference image centroid offsets for target 22529346, planet candidate 1. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked object. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

Open `./planet-01/difference-image/0000000022529346-01-difference-image-centroid-offsets.fig`

Planet Candidate 1




Difference image centroid offsets for target 22529346, planet candidate 1, displayed on survey image for given target. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TIC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked object. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

Open `./planet-01/difference-image/0000000022529346-01-difference-image-centroid-offsets-survey.fig`

Difference Image Summary Metrics

Number of Difference Images	Number of Metrics	Number of Good Metrics	Fraction of Good Metrics	Quality Threshold
1	1	1	1.0000	0.70

Difference Image
Planet Candidate 1 / Sector 7 / Target Pixel Table 145



Difference image for target 22529346, planet candidate 1, sector 7, target pixel table 145. Upper left: difference between mean flux out-of-transit and in-transit; upper right: mean out-of-transit flux; lower left: mean in-transit flux; lower right: difference between mean flux out-of-transit and in-transit after normalizing by the uncertainty in the difference for each pixel. The optimal aperture is outlined with a white dash-dotted line in each panel and the target mask is outlined with a solid white line. Symbol key: x: target position from TIC RA and Dec converted to CCD coordinates via motion polynomials; *: position of nearby TIC objects converted to CCD coordinates via motion polynomials; +: PRF-fit location of target from out-of-transit image; triangle: PRF-fit location of transit source from the difference image. Number of transits = 17; number of valid in-transit cadences = 1166; number of in-transit cadence gaps = 0; number of valid out-of-transit cadences = 3094; number of out-of-transit cadence gaps = 15. Difference image quality metric = 1.00 (good).

Open `./planet-01/difference-image/0000000022529346-01-difference-image-07-145.fig`

PRF Fit of the Difference Image

Offset from the PRF fit to the out of transit image

	Row	Column	Units	RA	Dec	Units
Out of Transit Image Centroid	$1205.23 \pm 1.52e - 05$	$70.66 \pm 1.25e - 05$	pixels	$107.60000834 \pm 1.13e - 06$	$-39.09758076 \pm 1.28e - 06$	degrees
Difference Image Centroid	$1205.18 \pm 1.99e - 03$	$70.64 \pm 1.56e - 03$	pixels	$107.60024408 \pm 9.41e - 06$	$-39.09730466 \pm 1.11e - 05$	degrees
Offset	$-0.0541 \pm 1.99e - 03$	$-0.0180 \pm 1.56e - 03$	pixels	$0.6586 \pm 2.66e - 02$	$0.9939 \pm 4.03e - 02$	arcseconds
Offset/ σ	-27.21	-11.50		24.79	24.68	
Offset Distance	$0.0570 \pm 1.95e - 03$		pixels	$1.1923 \pm 3.88e - 02$		arcseconds
Offset Distance/ σ	29.17			30.76		

Offset from the TIC RA and Dec converted to pixels via motion polynomials

	Row	Column	Units	RA	Dec	Units
TIC Reference Centroid	$1205.17 \pm 2.29e - 04$	$70.64 \pm 1.92e - 04$	pixels	$107.60025359 \pm 0.00e + 00$	$-39.09725424 \pm 0.00e + 00$	degrees
Difference Image Centroid	$1205.18 \pm 1.99e - 03$	$70.64 \pm 1.56e - 03$	pixels	$107.60024408 \pm 9.41e - 06$	$-39.09730466 \pm 1.11e - 05$	degrees
Offset	$0.0087 \pm 2.00e - 03$	$-0.0010 \pm 1.57e - 03$	pixels	$-0.0266 \pm 2.63e - 02$	$-0.1815 \pm 4.00e - 02$	arcseconds
Offset/ σ	4.36	-0.65		-1.01	-4.54	
Offset Distance	$0.0088 \pm 1.99e - 03$		pixels	$0.1835 \pm 4.04e - 02$		arcseconds
Offset Distance/ σ	4.40			4.54		



5.2 Planet Candidate 2

Multi-Sector Average PRF Fit of the Difference Images

Mean offset from the PRF fit to the out of transit image			
	RA	Dec	Units
Offset	$12.3730 \pm 2.76e + 00$	$-3.1652 \pm 2.80e + 00$	arcseconds
Offset/ σ	4.48	-1.13	
Offset Distance	$12.7715 \pm 2.76e + 00$		arcseconds
Offset Distance/ σ	4.62		
3σ Radius	8.2883		arcseconds

Mean offset from the TIC RA and Dec			
	RA	Dec	Units
Offset	$11.6691 \pm 2.76e + 00$	$-4.3620 \pm 2.80e + 00$	arcseconds
Offset/ σ	4.23	-1.56	
Offset Distance	$12.4577 \pm 2.76e + 00$		arcseconds
Offset Distance/ σ	4.51		
3σ Radius	8.2947		arcseconds



Planet Candidate 2



Difference image centroid offsets for target 22529346, planet candidate 2. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked object. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

Open `./planet-02/difference-image/0000000022529346-02-difference-image-centroid-offsets.fig`

Planet Candidate 2




Difference image centroid offsets for target 22529346, planet candidate 2, displayed on survey image for given target. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TIC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked offset. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

Open `./planet-02/difference-image/0000000022529346-02-difference-image-centroid-offsets-survey.fig`

Difference Image Summary Metrics

Number of Difference Images	Number of Metrics	Number of Good Metrics	Fraction of Good Metrics	Quality Threshold
1	1	0	0.0000	0.70

Difference Image
Planet Candidate 2 / Sector 7 / Target Pixel Table 145



Difference image for target 22529346, planet candidate 2, sector 7, target pixel table 145. Upper left: difference between mean flux out-of-transit and in-transit; upper right: mean out-of-transit flux; lower left: mean in-transit flux; lower right: difference between mean flux out-of-transit and in-transit after normalizing by the uncertainty in the difference for each pixel. The optimal aperture is outlined with a white dash-dotted line in each panel and the target mask is outlined with a solid white line. Symbol key: x: target position from TIC RA and Dec converted to CCD coordinates via motion polynomials; *: position of nearby TIC objects converted to CCD coordinates via motion polynomials; +: PRF-fit location of target from out-of-transit image; triangle: PRF-fit location of transit source from the difference image. Number of transits = 2; number of valid in-transit cadences = 114; number of in-transit cadence gaps = 0; number of valid out-of-transit cadences = 276; number of out-of-transit cadence gaps = 0. Difference image quality metric = 0.38 (not good).

Open `./planet-02/difference-image/0000000022529346-02-difference-image-07-145.fig`

PRF Fit of the Difference Image

Offset from the PRF fit to the out of transit image

	Row	Column	Units	RA	Dec	Units
Out of Transit Image Centroid	$1205.22 \pm 5.10e - 05$	$70.66 \pm 4.20e - 05$	pixels	$107.60000161 \pm 1.16e - 06$	$-39.09758669 \pm 1.31e - 06$	degrees
Difference Image Centroid	$1205.22 \pm 5.97e - 02$	$70.05 \pm 7.46e - 02$	pixels	$107.60443025 \pm 4.18e - 04$	$-39.09846592 \pm 3.51e - 04$	degrees
Offset	$-0.0063 \pm 5.97e - 02$	$-0.6064 \pm 7.46e - 02$	pixels	$12.3730 \pm 1.17e + 00$	$-3.1652 \pm 1.26e + 00$	arcseconds
Offset/ σ	-0.11	-8.13		10.58	-2.51	
Offset Distance	$0.6065 \pm 7.46e - 02$		pixels	$12.7715 \pm 1.22e + 00$		arcseconds
Offset Distance/ σ	8.13			10.50		

Offset from the TIC RA and Dec converted to pixels via motion polynomials

	Row	Column	Units	RA	Dec	Units
TIC Reference Centroid	$1205.16 \pm 2.30e - 04$	$70.64 \pm 1.91e - 04$	pixels	$107.60025359 \pm 0.00e + 00$	$-39.09725424 \pm 0.00e + 00$	degrees
Difference Image Centroid	$1205.22 \pm 5.97e - 02$	$70.05 \pm 7.46e - 02$	pixels	$107.60443025 \pm 4.18e - 04$	$-39.09846592 \pm 3.51e - 04$	degrees
Offset	$0.0578 \pm 5.97e - 02$	$-0.5889 \pm 7.46e - 02$	pixels	$11.6691 \pm 1.17e + 00$	$-4.3620 \pm 1.26e + 00$	arcseconds
Offset/ σ	0.97	-7.90		9.98	-3.45	
Offset Distance	$0.5917 \pm 7.46e - 02$		pixels	$12.4577 \pm 1.24e + 00$		arcseconds
Offset Distance/ σ	7.94			10.09		


5.3 Difference Image TIC Key

Index	Catalog ID	Mag	RA (degrees)	Dec (degrees)	Distance (arcsec)
1	22529346	10.038	107.60025359	-39.09725424	0.00
2	22529344	15.446	107.59852100	-39.09893400	7.75
3	22529339	15.683	107.60573680	-39.10209956	23.22
4	22529350	14.461	107.59317400	-39.09280545	25.45
5	22529340	17.087	107.59240721	-39.10198100	27.75
6	22529342	14.964	107.61089115	-39.10016032	31.51
7	22529332	17.071	107.59660000	-39.10604100	33.24
8	22529354	17.379	107.59520462	-39.08803272	36.07
9	22529337	13.806	107.61329016	-39.10251564	41.05
10	22529333	11.508	107.58819149	-39.10505858	43.88
11	22529351	14.936	107.58394805	-39.09085040	51.06
12	22529355	15.621	107.61358241	-39.08754795	51.07
13	22529360	16.368	107.61170749	-39.08540236	53.33
14	22529356	16.802	107.58480069	-39.08733657	56.02
15	22529329	17.001	107.59211647	-39.11157927	56.36
16	22529322	16.531	107.60293764	-39.11631183	69.02
17	22529357	17.460	107.57786600	-39.08732200	72.05
18	22529359	18.128	107.57704976	-39.08572636	76.97
19	22529330	16.860	107.62532545	-39.10726916	78.78
20	22529317	15.865	107.60218084	-39.11962255	80.71
21	22529352	12.901	107.57154669	-39.09076397	83.54
22	22529334	16.671	107.62893927	-39.10422523	83.98
23	22529365	16.913	107.57950989	-39.07916427	87.18
24	22529315	16.846	107.60038359	-39.12245934	90.74
25	22529364	15.899	107.57644979	-39.08004824	90.88
26	22529367	15.250	107.59826845	-39.07202501	90.99
27	22529368	17.552	107.60161900	-39.07165900	92.22
28	22529362	16.205	107.62708422	-39.08149691	94.01
29	22529314	11.319	107.61003762	-39.12393589	99.87
30	22529336	14.280	107.56489748	-39.10314637	101.03
31	22529373	16.440	107.59487797	-39.06801782	106.32
32	22529321	16.748	107.57054457	-39.11648531	108.09
33	22529376	15.815	107.60785400	-39.06683700	111.54
34	22529319	16.800	107.63003662	-39.11826950	112.46
35	22529372	17.611	107.58457435	-39.06811779	113.67
36	22529358	16.273	107.56177774	-39.08693709	113.73
37	22529347	17.164	107.64110702	-39.09651253	114.17
38	22529380	10.712	107.60581846	-39.06520653	116.41

Index	Catalog ID	Mag	RA (degrees)	Dec (degrees)	Distance (arcsec)
39	22529343	16.807	107.55760513	-39.09942399	119.41
40	22529324	13.857	107.63641532	-39.11498046	119.50
41	22529331	15.452	107.55875617	-39.10619953	120.33
42	22529318	15.776	107.63274880	-39.11944481	120.93
43	22529309	16.785	107.60464061	-39.13070248	121.04
44	22529377	15.663	107.61870207	-39.06677715	121.22
45	22529325	16.649	107.63895000	-39.11455200	124.76
46	22529316	16.590	107.56671809	-39.12021412	124.94
47	22529378	17.952	107.62162951	-39.06613541	126.95
48	22529313	15.228	107.56487173	-39.12446010	139.16
49	22529375	13.197	107.63318172	-39.06725070	141.88
50	22529312	16.919	107.55809657	-39.12491795	154.24
51	22529374	13.695	107.64386811	-39.06793288	161.22


RA, Dec and Distances are corrected for proper motion. This table may not contain all of the objects shown.

6 Phased Light Curves




Phased unwhitened flux time series is plotted in black dots. When all transits fit completed with full or secondary convergence, the phase is determined with the fitted epoch and period; otherwise, the phase is determined with the TPS epoch and period. The values of the phased unwhitened flux time series averaged in one cadence wide bins are plotted in bigger blue dots. When all transits fit completes with full or secondary convergence, the averaged values of the phased unwhitened fitted model light curve are plotted in red dots. Transit event markers in different colors indicate the locations of the transits of all planet candidates. The transits of the same planet candidate are labeled with the markers of the same color, for example, blue markers for transits of plane candidate #1, red markers for transits of planet candidate #2, etc.

Open `./summary-plots/0000000022529346-01-phased-unwhitened-flux-time-series.fig`




Phased whitened flux time series is plotted in black dots. When all transits fit completed with full or secondary convergence, the phase is determined with the fitted epoch and period; otherwise, the phase is determined with the TPS epoch and period. The values of the phased whitened flux time series averaged in one cadence wide bins are plotted in bigger blue dots. When all transits fit completes with full or secondary convergence, the averaged values of the phased whitened fitted model light curve are plotted in red dots. Transit event markers in different colors indicate the locations of the transits of all planet candidates. The transits of the same planet candidate are labeled with the markers of the same color, for example, blue markers for transits of plane candidate #1, red markers for transits of planet candidate #2, etc. Open `./summary-plots/000000022529346-01-phased-whitened-flux-time-series.fig`

Planet: 1 Phased Unwhitened Flux Time Series by Sector



Phased unwhitened flux time series by sector for target 22529346, planet candidate 1. Period = 1.2749 days; transit epoch = 1491.9987 BTJD.
Open `./summary-plots/000000022529346-01-phased-unwhitened-flux-time-series-by-sector.fig`

Planet: 2 Phased Unwhitened Flux Time Series by Sector



Phased unwhitened flux time series by sector for target 22529346, planet candidate 2. Period = 19.0903 days; transit epoch = 1492.6486 BTJD.
Open `./summary-plots/000000022529346-02-phased-unwhitened-flux-time-series-by-sector.fig`

7 Planet Candidate 1

7.1 Model Fitter: All Transits


Model Characteristic	Name
Transit Model	mandel-agol_geometric_transit_model
Limb Darkening Model	claret_tess_nonlinear_limb_darkening_model

TCE Parameter	Value	Units
Trial Transit Pulse Duration	2.5	hours
Transit Epoch	1491.9998391	TJD
Orbital Period	1.2745256	days
Maximum SES	62.3	
Maximum MES	234.7	
Robust Statistic	209.6	
Chi Square Goodness of Fit Statistic (DoF)	4588.0 (1341)	
Chi Square2 Statistic (DoF)	2294.8 (3853.4)	
Threshold for Desired PFA		

DoF: Degrees of Freedom


Parameter	Value	Uncertainty	Units
SNR	248.7		
Orbital Period	1.2749311	1.1926e-05	days
Transit Epoch	1491.9986898	1.2516e-04	BTJD
Impact Parameter	0.0100	1.2736e+00	
Planet Radius to Star Radius Ratio	0.1234271	3.7883e-04	
Semi-major Axis to Star Radius Ratio	3.8083	4.5267e-02	
Planet Radius	19.6728	6.0382e-02	Earth radii
Semi-major Axis	0.0255	1.5873e-07	AU
Effective Stellar Flux	5130.8067	6.3993e-02	Goldilocks
Equilibrium Temperature	2159	6.7306e-03	Kelvin
Stellar Density	0.4565	1.6278e-02	Solar density
Transit Depth	17387	7.0917e+01	ppm
Transit Duration	2.9165	9.4144e-03	hours
Transit Ingress Duration	0.3272	9.1807e-03	hours
Eccentricity	0.0000	0.0000e+00	
Peri Longitude	0.0000	0.0000e+00	degrees
Model Chi Square Statistic (DoF)	6359.1 (7559.7)		
Model Chi Square Goodness of Fit Statistic (DoF)	953.1 (1633)		
Model Chi Square2 Statistic (DoF)	9.9 (17)		

DoF: Degrees of Freedom




Flux time series for CatId 22529346, Planet candidate 1 in the unwhitened domain. For the data of Sector-07/TargetTableId-145, start BJD is 2458491. Transit event markers indicate the location of transits of the given planet candidate. All transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000022529346-01-all-unwhitened-07-145.fig`



Folded flux time series for CatId 22529346, Planet candidate 1 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the all transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. All transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000022529346-01-all-whitened.fig`



Folded flux time series for CatId 22529346, Planet candidate 1 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux


time series; the red dots represent the averaged values of the fitted model light curve of the all transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. All transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000022529346-01-all-whitened-zoomed.fig`

7.2 Model Fitter: Reduced Parameter Fit Results


Impact Parameter	SNR	Model Chi Square	Planet Radius to Star Radius	Uncert	Semi-major Axis to Star Radius	Uncert	Transit Depth (ppm)	Uncert	Transit Duration (hours)	Uncert
0.10	253.5	9128.6	0.1221790	2.7867e-04	3.7884	5.3347e-03	17012	7.7125e+01	2.9180	4.3177e-03
0.30	251.0	9101.9	0.1231341	2.8386e-04	3.6435	5.3239e-03	17058	7.8149e+01	2.9479	4.5648e-03
0.50	248.8	9281.9	0.1252008	2.9567e-04	3.3359	5.4030e-03	17124	8.0314e+01	3.0250	5.3021e-03
0.70	239.3	10251.8	0.1294030	3.3903e-04	2.8218	5.9459e-03	17241	8.9479e+01	3.2160	7.7010e-03
0.90	215.6	14170.0	0.1564076	6.3137e-04	2.1653	8.3349e-03	18910	1.2650e+02	3.6778	1.7459e-02

Highlighted row is the best reduced-parameter model fit.




Model chi squares of reduced parameter fits vs. impact parameter for CatId 22529346, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000022529346-01-reduced-fits-chi-square.fig`



Ratios of planet radius to star radius of reduced parameter fits vs. impact parameter for CatId 22529346, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000022529346-01-reduced-fits-rp-over-rstar.fig`



Ratios of semimajor axis to star radius of reduced parameter fits vs. impact parameter for CatId 22529346, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000022529346-01-reduced-fits-a-over-rstar.fig`

7.3 Model Fitter: Trapezoidal Fit Results


Model Characteristic	Name
Transit Model	trapezoidal_model
Limb Darkening Model	

TCE Parameter	Value	Units
Trial Transit Pulse Duration	2.5	hours
Transit Epoch	1491.9998391	TJD
Orbital Period	1.2745256	days
Maximum SES	62.3	
Maximum MES	234.7	
Robust Statistic	209.6	
Chi Square Goodness of Fit Statistic (DoF)	4588.0 (1341)	
Chi Square2 Statistic (DoF)	2294.8 (3853.4)	
Threshold for Desired PFA		

DoF: Degrees of Freedom


Parameter	Value	Uncertainty	Units
SNR	510.9		
Orbital Period	1.2745256		days
Transit Epoch	1492.0023137		BTJD
Transit Depth	16536		ppm
Transit Duration	2.9039		hours
Transit Ingress Duration	0.4198		hours
Model Chi Square Statistic (DoF)	19282.2 (8166)		

DoF: Degrees of Freedom



Folded detrended flux time series for CatId 22529346, Planet candidate 1 and folded trapezoidal model light curve.

Open `./planet-01/planet-search-and-model-fitting-results/trapezoidal-model-fit/000000022529346-01-all-trapezoidal.fig`



Zoomed folded detrended flux time series for CatId 22529346, Planet candidate 1 and folded trapezoidal model light curve.

Open `./planet-01/planet-search-and-model-fitting-results/trapezoidal-model-fit/000000022529346-01-all-trapezoidal-zoomed.fig`

7.4 Validation Tests

The Centroid Test and Eclipsing Binary Discrimination Test are chi-squared hypothesis tests. For these tests, a significance of 100% favors a planet, while 0% indicates an unlikely planet.

7.4.1 Weak Secondary Test

Result	Value	Uncertainty	Units	Statistic in Sigmas	Significance (%)
Orbital Period	1.2745		days		
Transit Duration	2.5		hours		
Maximum MES	234.7				
Secondary Phase	0.63611		days		
Secondary MES	8.6				
Minimum Phase	0.48194		days		
Minimum MES	-4.6				
Median MES	0.2				
MAD MES	2.4671				
Robust Statistic	7.3				
Secondary Depth	466.2	6.1286e+01	ppm		
Geometric Albedo	0.4	5.6500e-02		-10.0997	100.00
Planet Effective Temperature	2702	8.8873e+01	Kelvin	6.1097	0.00

7.4.2 Eclipsing Binary Discrimination Test

Result	Value	Value in Sigmas	Significance (%)
Odd Even Transit Depth Comparison Statistic	1.9319e+00	1.3899	16.45
Longer Period Comparison Statistic	1.3846e+04	117.6697	100.00


7.4.3 Bootstrap Test

Result	Value
False Alarm Probability	0.0000e+00
Bootstrap Threshold for Desired PFA	8.4
MES Mean	-0.22
MES Standard Deviation	1.21
Transit Count	19

7.4.4 Ghost Diagnostic Test


Result	Value	Significance (%)
Maximum MES	234.7	
SNR	248.7	
Core Aperture Statistic	1.8734e+02	100.00
Halo Aperture Statistic	5.6623e+01	100.00
Ratio of Core/Halo Aperture Statistics	3.3085e+00	

7.4.5 Validation Test Figures




The primary event has been set to zero and both the max and min of the resulting MES vs. Phase are marked with a red star. The best matched pulse duration in hours is 2.5. The maximum secondary MES and corresponding phase are 8.6275 and 0.63611 days respectively. The minimum secondary MES and corresponding phase are -4.5735 and 0.48194 days respectively.

Open `./planet-01/report-summary/000000022529346-01-weak-secondary-diagnostic.fig`




Bootstrap results for target 22529346, planet 1. Cumulative sum of the probabilities (derived from the histogram of counts) from upper tail to the search transit threshold; false alarm probability is indicated by the star. The Gaussian equivalent threshold for this false alarm probability is Inf. The threshold on this distribution that achieves the same false alarm rate as a 7.1 sigma threshold on a Gaussian distribution is 8.3629.

Open `./planet-01/bootstrap-results/000000022529346-01-bootstrap-false-alarm.fig`



Optical ghost diagnostic core aperture flux time series for target 22529346, planet candidate 1. The unwhitened time series is phase folded at the orbital period associated with the planet candidate and centered on the epoch of the first transit. The time series was first cotrended against spacecraft engineering data, motion proxies, and/or cotrending basis vectors (CBVs) to remove systematic effects. Flux time series data represent the mean per pixel flux in the core or haloaperture; phase folded data points are shown in the figure with black dots. Binned and averaged phase folded flux values are marked with filled blue circles. The unwhitened transit model light curve is displayed in the figure with a red line. The value and significance of the core aperture correlation statistic are displayed in the figure title if the statistic was successfully computed.

Open `./planet-01/ghost-diagnostic-results/0000000022529346-01-core-unwhitened-cotrended-zoomed-model.fig`



Optical ghost diagnostic halo aperture flux time series for target 22529346, planet candidate 1. The unwhitened time series is phase folded at the orbital period associated with the planet candidate and centered on the epoch of the first transit. The time series was first cotrended against spacecraft engineering data, motion proxies, and/or cotrending basis vectors (CBVs) to remove systematic effects. Flux time series data represent the mean per pixel flux in the core or haloaperture; phase folded data points are shown in the figure with black dots. Binned and averaged phase folded flux values are marked with filled blue circles. The unwhitened transit model light curve is displayed in the figure with a red line. The value and significance of the halo aperture correlation statistic are displayed in the figure title if the statistic was successfully computed.

Open `./planet-01/ghost-diagnostic-results/0000000022529346-01-halo-unwhitened-cotrended-zoomed-model.fig`

8 Planet Candidate 2

8.1 Model Fitter: All Transits


Model Characteristic	Name
Transit Model	mandel-agol_geometric_transit_model
Limb Darkening Model	claret_tess_nonlinear_limb_darkening_model

TCE Parameter	Value	Units
Trial Transit Pulse Duration	2.0	hours
Transit Epoch	1492.6463666	TJD
Orbital Period	19.0902698	days
Maximum SES	6.1	
Maximum MES	7.2	
Robust Statistic	7.0	
Chi Square Goodness of Fit Statistic (DoF)	88.1 (119)	
Chi Square2 Statistic (DoF)	2.0 (5.5)	
Threshold for Desired PFA		

DoF: Degrees of Freedom


Parameter	Value	Uncertainty	Units
SNR	7.4		
Orbital Period	19.0903483	3.7414e-03	days
Transit Epoch	1492.6485771	2.6061e-03	BTJD
Impact Parameter	0.4004	6.6596e+00	
Planet Radius to Star Radius Ratio	0.0337050	1.6360e-02	
Semi-major Axis to Star Radius Ratio	64.1315	2.0301e+02	
Planet Radius	5.3722	2.6075e+00	Earth radii
Semi-major Axis	0.1546	2.0203e-05	AU
Effective Stellar Flux	139.0218	3.6328e-02	Goldilocks
Equilibrium Temperature	876	5.7213e-02	Kelvin
Stellar Density	9.7235	9.2341e+01	Solar density
Transit Depth	1264	1.8098e+02	ppm
Transit Duration	2.1674	5.4809e-01	hours
Transit Ingress Duration	0.0837	5.7126e-01	hours
Eccentricity	0.0000	0.0000e+00	
Peri Longitude	0.0000	0.0000e+00	degrees
Model Chi Square Statistic (DoF)	567.9 (634.1)		
Model Chi Square Goodness of Fit Statistic (DoF)	69.0 (137)		
Model Chi Square2 Statistic (DoF)	1.9 (1)		

DoF: Degrees of Freedom




Flux time series for CatId 22529346, Planet candidate 2 in the unwhitened domain. For the data of Sector-07/TargetTableId-145, start BJD is 2458491. Transit event markers indicate the location of transits of the given planet candidate. All transits fit completed with full convergence.

Open `./planet-02/planet-search-and-model-fitting-results/all-transits-fit/000000022529346-02-all-unwhitened-07-145.fig`



Folded flux time series for CatId 22529346, Planet candidate 2 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the all transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. All transits fit completed with full convergence.

Open `./planet-02/planet-search-and-model-fitting-results/all-transits-fit/000000022529346-02-all-whitened.fig`




Folded flux time series for CatId 22529346, Planet candidate 2 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the fitted model light curve of the all transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. All transits fit completed with full convergence.

Open `./planet-02/planet-search-and-model-fitting-results/all-transits-fit/000000022529346-02-all-whitened-zoomed.fig`

8.2 Model Fitter: Reduced Parameter Fit Results


Impact Parameter	SNR	Model Chi Square	Planet Radius to Star Radius	Uncert	Semi-major Axis to Star Radius	Uncert	Transit Depth (ppm)	Uncert	Transit Duration (hours)	Uncert
0.10	7.2	714.9	0.0320273	2.3985e-03	63.7137	3.0307e+00	1170	1.7437e+02	2.3512	1.1181e-01
0.30	7.4	709.2	0.0331429	2.3511e-03	68.3259	2.9790e+00	1237	1.7465e+02	2.1100	9.1981e-02
0.50	7.4	709.2	0.0335068	2.3817e-03	60.5736	2.8186e+00	1229	1.7378e+02	2.1777	1.0142e-01
0.70	7.4	709.8	0.0344737	2.4599e-03	50.0511	2.4029e+00	1229	1.7443e+02	2.2195	1.0722e-01
0.90	7.3	710.4	0.0367839	2.7272e-03	24.2856	1.6684e+00	1214	1.7898e+02	3.0938	2.2414e-01

Highlighted row is the best reduced-parameter model fit.




Model chi squares of reduced parameter fits vs. impact parameter for CatId 22529346, Planet candidate 2. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-02/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000022529346-02-reduced-fits-chi-square.fig`



Ratios of planet radius to star radius of reduced parameter fits vs. impact parameter for CatId 22529346, Planet candidate 2. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-02/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000022529346-02-reduced-fits-rp-over-rstar.fig`



Ratios of semimajor axis to star radius of reduced parameter fits vs. impact parameter for CatId 22529346, Planet candidate 2. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open `./planet-02/planet-search-and-model-fitting-results/reduced-parameter-fits/0000000022529346-02-reduced-fits-a-over-rstar.fig`

8.3 Model Fitter: Trapezoidal Fit Results


Model Characteristic	Name
Transit Model	trapezoidal_model
Limb Darkening Model	

TCE Parameter	Value	Units
Trial Transit Pulse Duration	2.0	hours
Transit Epoch	1492.6463666	TJD
Orbital Period	19.0902698	days
Maximum SES	6.1	
Maximum MES	7.2	
Robust Statistic	7.0	
Chi Square Goodness of Fit Statistic (DoF)	88.1 (119)	
Chi Square2 Statistic (DoF)	2.0 (5.5)	
Threshold for Desired PFA		

DoF: Degrees of Freedom


Parameter	Value	Uncertainty	Units
SNR	10.1		
Orbital Period	19.0902698		days
Transit Epoch	1492.6487195		BTJD
Transit Depth	1033		ppm
Transit Duration	1.9875		hours
Transit Ingress Duration	0.0184		hours
Model Chi Square Statistic (DoF)	11454.2 (955)		

DoF: Degrees of Freedom



Folded detrended flux time series for CatId 22529346, Planet candidate 2 and folded trapezoidal model light curve.

Open `./planet-02/planet-search-and-model-fitting-results/trapezoidal-model-fit/000000022529346-02-all-trapezoidal.fig`



Zoomed folded detrended flux time series for CatId 22529346, Planet candidate 2 and folded trapezoidal model light curve.

Open `./planet-02/planet-search-and-model-fitting-results/trapezoidal-model-fit/000000022529346-02-all-trapezoidal-zoomed.fig`

8.4 Validation Tests

The Centroid Test and Eclipsing Binary Discrimination Test are chi-squared hypothesis tests. For these tests, a significance of 100% favors a planet, while 0% indicates an unlikely planet.

8.4.1 Weak Secondary Test

Result	Value	Uncertainty	Units	Statistic in Sigmas	Significance (%)
Orbital Period	19.0903		days		
Transit Duration	2		hours		
Maximum MES	7.2				
Secondary Phase	2.2583		days		
Secondary MES	2.2				
Minimum Phase	2.4069		days		
Minimum MES	-3.0				
Median MES	0.0				
MAD MES	0.70563				
Robust Statistic	2.3				
Secondary Depth	456.8	2.1533e+02	ppm		
Geometric Albedo	208.2	2.2469e+02		0.9222	17.82
Planet Effective Temperature	5144	1.3876e+03	Kelvin	3.0756	0.11

8.4.2 Eclipsing Binary Discrimination Test

Result	Value	Value in Sigmas	Significance (%)
Odd Even Transit Depth Comparison Statistic	1.8197e+00	1.3490	17.73
Shorter Period Comparison Statistic	1.3846e+04	117.6697	100.00


8.4.3 Bootstrap Test

Result	Value
False Alarm Probability	4.8193e-12
Bootstrap Threshold for Desired PFA	6.1
MES Mean	0.70
MES Standard Deviation	0.95
Transit Count	2

8.4.4 Ghost Diagnostic Test


Result	Value	Significance (%)
Maximum MES	7.2	
SNR	7.4	
Core Aperture Statistic	3.7725e+00	99.99
Halo Aperture Statistic	3.2955e+00	99.95
Ratio of Core/Halo Aperture Statistics	1.1447e+00	

8.4.5 Validation Test Figures




The primary event has been set to zero and both the max and min of the resulting MES vs. Phase are marked with a red star. The best matched pulse duration in hours is 2. The maximum secondary MES and corresponding phase are 2.2352 and 2.2583 days respectively. The minimum secondary MES and corresponding phase are -2.976 and 2.4069 days respectively.

Open `./planet-02/report-summary/000000022529346-02-weak-secondary-diagnostic.fig`




Bootstrap results for target 22529346, planet 2. Cumulative sum of the probabilities (derived from the histogram of counts) from upper tail to the search transit threshold; false alarm probability is indicated by the star. The Gaussian equivalent threshold for this false alarm probability is 6.8118. The threshold on this distribution that achieves the same false alarm rate as a 7.1 sigma threshold on a Gaussian distribution is 6.1235.

Open `./planet-02/bootstrap-results/0000000022529346-02-bootstrap-false-alarm.fig`



Optical ghost diagnostic core aperture flux time series for target 22529346, planet candidate 2. The unwhitened time series is phase folded at the orbital period associated with the planet candidate and centered on the epoch of the first transit. The time series was first cotrended against spacecraft engineering data, motion proxies, and/or cotrending basis vectors (CBVs) to remove systematic effects. Flux time series data represent the mean per pixel flux in the core or haloaperture; phase folded data points are shown in the figure with black dots. Binned and averaged phase folded flux values are marked with filled blue circles. The unwhitened transit model light curve is displayed in the figure with a red line. The value and significance of the core aperture correlation statistic are displayed in the figure title if the statistic was successfully computed.

Open `./planet-02/ghost-diagnostic-results/0000000022529346-02-core-unwhitened-cotrended-zoomed-model.fig`




Optical ghost diagnostic halo aperture flux time series for target 22529346, planet candidate 2. The unwhitened time series is phase folded at the orbital period associated with the planet candidate and centered on the epoch of the first transit. The time series was first cotrended against spacecraft engineering data, motion proxies, and/or cotrending basis vectors (CBVs) to remove systematic effects. Flux time series data represent the mean per pixel flux in the core or haloaperture; phase folded data points are shown in the figure with black dots. Binned and averaged phase folded flux values are marked with filled blue circles. The unwhitened transit model light curve is displayed in the figure with a red line. The value and significance of the halo aperture correlation statistic are displayed in the figure title if the statistic was successfully computed.

Open `./planet-02/ghost-diagnostic-results/0000000022529346-02-halo-unwhitened-cotrended-zoomed-model.fig`


Appendix A Planet Candidate 1

A.1 Model Fitter: All Transits




Robust weights distribution for CatId 22529346, Planet candidate 1. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000022529346-01-all-robust-weights.fig`



Fit residuals distribution for CatId 22529346, Planet candidate 1. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000022529346-01-all-histo-used.fig`





Fit residuals distribution for CatId 22529346, Planet candidate 1. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open `./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000022529346-01-all-histo-all-and-unused.fig`

A.2 Model Fitter: Odd & Even Transits



Parameter	Odd Transits Value	Odd Transits Uncertainty	Even Transits Value	Even Transits Uncertainty	Units	$\frac{\text{Difference}}{\ \text{Uncertainty}\ }$
SNR	181.0		168.1			
Orbital Period	1.2749231	1.5766e-05	1.2749364	1.8315e-05	days	5.5364e-01
Transit Epoch	1491.9987609	1.6664e-04	1493.2735884	1.7548e-04	BTJD	4.2841e-01
Impact Parameter	0.0463	3.7578e-01	0.0100	1.8655e+00		1.9051e-02
Planet Radius to Star Radius Ratio	0.1231226	5.1660e-04	0.1238160	5.6458e-04		9.0602e-01
Semi-major Axis to Star Radius Ratio	3.8057	6.1864e-02	3.8058	6.6246e-02		1.7288e-04
Planet Radius	19.6243	8.2339e-02	19.7348	8.9987e-02	Earth radii	9.0602e-01
Semi-major Axis	0.0255	2.0984e-07	0.0255	2.4376e-07	AU	5.5364e-01
Effective Stellar Flux	5130.8500	8.4601e-02	5130.7782	9.8273e-02	Goldilocks	5.5364e-01
Equilibrium Temperature	2159	8.8981e-03	2159	1.0336e-02	Kelvin	5.5364e-01
Stellar Density	0.4556	2.2217e-02	0.4556	2.3790e-02	Solar density	1.2088e-04
Transit Depth	17296	9.6550e+01	17496	1.0723e+02	ppm	1.3899e+00
Transit Duration	2.9154	1.2879e-02	2.9195	1.3854e-02	hours	2.1657e-01
Transit Ingress Duration	0.3270	1.2545e-02	0.3285	1.3507e-02	hours	8.1582e-02
Eccentricity	0.0000	0.0000e+00	0.0000	0.0000e+00		
Peri Longitude	0.0000	0.0000e+00	0.0000	0.0000e+00	degrees	
Model Chi Square Statistic (DoF)	6359.4 (7556.1)		6359.4 (7556.1)			

DoF: Degrees of Freedom




Folded flux time series for CatId 22529346, Planet candidate 1 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Odd-even transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000022529346-01-odd-even-whitened.fig`




Folded flux time series for CatId 22529346, Planet candidate 1 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the fitted model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. Odd-even transits fit completed with full convergence.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000022529346-01-odd-even-whitened-zoomed.fig`




Robust weights distribution for CatId 22529346, Planet candidate 1. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000022529346-01-odd-even-robust-weights.fig`



Fit residuals distribution for CatId 22529346, Planet candidate 1. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.



Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000022529346-01-odd-even-histo-used.fig`



Fit residuals distribution for CatId 22529346, Planet candidate 1. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open `./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000022529346-01-odd-even-histo-all-and-unused.fig`

A.3 Eclipsing Binary Discrimination Test




Top-left: Diagnostic plot of Odd/Even Transit Depth Test for catId 22529346, planet 1. A significance level close to 1/0 favors a transiting planet/an eclipsing binary.
 Bottom-left: Diagnostic plot of Orbital Period Test for catId 22529346. Orbital periods of planet 1 and the planet with longer period are compared. A significance level close to 1/0 favors a transiting planet/an eclipsing binary.

Open `./planet-01/binary-discrimination-test-results/0000000022529346-01-eclipsing-binary-discrimination-tests.fig`


Appendix B Planet Candidate 2

B.1 Model Fitter: All Transits




Robust weights distribution for CatId 22529346, Planet candidate 2. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open `./planet-02/planet-search-and-model-fitting-results/all-transits-fit/0000000022529346-02-all-robust-weights.fig`



Fit residuals distribution for CatId 22529346, Planet candidate 2. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.

Open `./planet-02/planet-search-and-model-fitting-results/all-transits-fit/000000022529346-02-all-histo-used.fig`




Fit residuals distribution for CatId 22529346, Planet candidate 2. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open `./planet-02/planet-search-and-model-fitting-results/all-transits-fit/000000022529346-02-all-histo-all-and-unused.fig`

B.2 Model Fitter: Odd & Even Transits


Parameter	Odd Transits Value	Odd Transits Uncertainty	Even Transits Value	Even Transits Uncertainty	Units	$\frac{\text{Difference}}{\ \text{Uncertainty}\ }$
SNR	4.2		6.2			
Orbital Period	19.0888003	0.0000e+00	19.0888003	0.0000e+00	days	
Transit Epoch	1492.6489130	3.2695e-03	1511.7391855	2.2216e-03	BTJD	1.9182e-02
Impact Parameter	0.2603	2.4194e+01	0.0100	5.4922e+02		4.5528e-04
Planet Radius to Star Radius Ratio	0.0299279	3.0745e-02	0.0362118	3.0222e-02		1.4576e-01
Semi-major Axis to Star Radius Ratio	62.0605	4.1784e+02	72.5483	3.9671e+02		1.8203e-02
Planet Radius	4.7701	4.9004e+00	5.7717	4.8170e+00	Earth radii	1.4576e-01
Semi-major Axis	0.1546	0.0000e+00	0.1546	0.0000e+00	AU	
Effective Stellar Flux	139.0368	0.0000e+00	139.0368	0.0000e+00	Goldilocks	
Equilibrium Temperature	876	0.0000e+00	876	0.0000e+00	Kelvin	
Stellar Density	8.8130	1.7801e+02	14.0787	2.3096e+02	Solar density	1.8058e-02
Transit Depth	1013	2.5294e+02	1498	2.5596e+02	ppm	1.3490e+00
Transit Duration	2.3416	1.0059e+00	2.0828	8.0513e-01	hours	2.0087e-01
Transit Ingress Duration	0.0728	1.0575e+00	0.0728	8.5901e-01	hours	3.4698e-05
Eccentricity	0.0000	0.0000e+00	0.0000	0.0000e+00		
Peri Longitude	0.0000	0.0000e+00	0.0000	0.0000e+00	degrees	
Model Chi Square Statistic (DoF)	571.2 (632.9)		571.2 (632.9)			

DoF: Degrees of Freedom




Folded flux time series for CatId 22529346, Planet candidate 2 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Odd-even transits fit completed with full convergence.

Open `./planet-02/planet-search-and-model-fitting-results/odd-even-transits-fit/000000022529346-02-odd-even-whitened.fig`




Folded flux time series for CatId 22529346, Planet candidate 2 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the fitted model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. Odd-even transits fit completed with full convergence.

Open `./planet-02/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000022529346-02-odd-even-whitened-zoomed.fig`




Robust weights distribution for CatId 22529346, Planet candidate 2. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open `./planet-02/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000022529346-02-odd-even-robust-weights.fig`



Fit residuals distribution for CatId 22529346, Planet candidate 2. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.



Open `./planet-02/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000022529346-02-odd-even-histo-used.fig`



Fit residuals distribution for CatId 22529346, Planet candidate 2. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open `./planet-02/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000022529346-02-odd-even-histo-all-and-unused.fig`

B.3 Eclipsing Binary Discrimination Test



Top-left: Diagnostic plot of Odd/Even Transit Depth Test for catId 22529346, planet 2. A significance level close to 1/0 favors a transiting planet/an eclipsing binary.
 Top-right: Diagnostic plot of Orbital Period Test for catId 22529346. Orbital periods of planet 2 and the planet with shorter period are compared. A significance level close to 1/0 favors a transiting planet/an eclipsing binary.

Open `./planet-02/binary-discrimination-test-results/0000000022529346-02-eclipsing-binary-discrimination-tests.fig`

Appendix C Alerts

Time	Severity	Message
1537.6211	warning	TOI matching is disabled (target=1, catId=22529346, component=performDvToiMatching)